



136 Kokanee Rd

Fairplay CO. 80440

2295 Busch Ave, Colorado Springs, 80904

## Sanford's Used Restaurant Equipment

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275

www.sanfordsre.co

Email: sales@sanfordsre.com

February 2010

Inventory of equipment changes daily. Please call to confirm availability.

### Equipment Available

Bar equipment	Blender	Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch,, 44 oz plastic container, 3 amps, 120 v	Eval
Bar equipment	Blender	Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v	Good
Bar equipment	Blender	Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)	Good
Beverage	Hot chocolate machine	Cecilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v	Good
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v	Eval
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v	Eval
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v	Good
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v	Good
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v	Good
Cleaning & storage	Can rack	Alum, half size rack with 5 rows of three, 25 1/4" x 34 1/2" x 38 1/4"	Good
Cleaning & storage	Can rack	ceiling mount, s/s, 10 columns for cans, 39" x 22" x 19"	Good
Cleaning & storage	Cart - banquet	s/s, 35 1/4" x 21 1/4" x 50 1/4", 6 s/s shelves, on castors	Good
Cleaning & storage	Cart - utility	Lakeside, model: 311, s/s cart with 3 shelves, one handle, 16" x 27" x 32" (3)	Good
Cleaning & storage	Cart - utility	Lakeside, s/s cart with 3 shelves with 1" lip on back and sides, one handle, 19 1/2" x 33" x 34 1/2"	Good
Cleaning & storage	Cart - utility	s/s utility cart with handles on each side, 2 shelves, on castors, 17" x 27 1/2" x 32 1/2"	Fair
Cleaning & storage	Dunnage rack	Aluminum dunnage rack, all welded construction, square tubing, holds 2000 lbs, 30" x 18" x 12"	Good
Cleaning & storage	Equipment stand	black metal, 42" x 17 1/2" x 23 1/4" frame only, w/ undershelf, and front shelf that extends an extra 9 1/4"	Good
Cleaning & storage	Equipment stand	metal stand with undershelf, on legs, 60" x 26 1/4" x 19"	Eval

Cleaning & storage	Equipment stand	s/s, frame only, w/undershelf, 72" x 25" x 26 1/2"	Good
Cleaning & storage	Equipment stand	s/s, on castors, with undershelf - 18 3/4" x 19 1/4", overall measurements - 60" x 26" x 29"	Good
Cleaning & storage	Equipment stand	s/s, reinforced with undershelf, castors, 72 1/4" x 26" x 24"	Good
Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	Good
Cleaning & storage	Table - s/s	Duke, s/s reinforced top with alum undershelf, 60" x 30"	Never Used
Cooking equipment	Convection oven - gas - sg	Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas	Good
Cooking equipment	Convection oven - gas - sg	Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2" overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas	Good
Cooking equipment	Convection oven - gas - sg	US Range, Sunfire, model: SDG-1, convection oven with glass doors, 9 racks, on casters, 40" x 44 1/2" x 67 1/2", 80,000 BTU's, nat gas	Eval
Cooking equipment	Convection oven - gas - sg	Vulcan, Snorkel, model: , two glass doors, 5 racks, on legs inside measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", LP (2)	Fair
Cooking equipment	Convection oven - gas -db	Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas	Eval
Cooking equipment	Convection oven - gas -db	Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas	Good
Cooking equipment	Display case	Federal, model: SQ3HD, 3 ft curved glass display case, rear sliding access door, 36" x 44 1/8" x 48", 10.3 amps, 120	Eval
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	Good
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	Eval
Cooking equipment	Drawer warmer	Toastmaster, model: 2DS, 2 drawers - single control for both drawers, 22 3/4" x 24 1/2" x 27 1/2", 800 watts, 115 v	Fair
Cooking equipment	Drawer warmer	Wittco, model: 200-2R, 2 drawers with separate controls and temp, 29 1/4" x 23" x 20 1/4", 950 watts, 8 amps, 120 v	Good
Cooking equipment	Entrée Cart	Vollrath, model: 91965, front storage, top holds full size insert pan, has heat lamp, on casters, 24" x 26" x 62 1/2", 765 watts, 6.4 amps, 120 v	Good
Cooking Equipment	Food warmer	APW, model: W3-V, full size countertop food warmer, 14 1/2" x 24 1/2" x 9 1/2", 1200 watts, 120 v (2)	Good
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v (3)	NEW
Cooking equipment	Food warmer - soup	APWyott, model: CW18, 11 qt round food warmer, cook & hold, infinite control, 12 1/2" dia, 10 1/2" tall, 800 watts, 120 v	Good
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	Fair
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separate controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	Good
Cooking equipment	Food warmer - soup stand - dbl	Duke, model: TTM2-M, countertop merchandiser holds two full size hotel pans, with adaptor plates for 11 qt round inset pots with hinged lids, 30" x 24" x 31", (without back 14" tall), 1718 watts, 120 v	Good
Cooking equipment	Hot plate - 2 burner	Rankin-Delux, model: RDHP-212-C, 2 burner hotplate, 12" x 32" x 10 1/2", 40,000 total BTU's, nat gas	Good
Cooking equipment	Hot plate - 6 burner	Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU' s per burner, nat gas	Good

Cooking equipment	Microwave	Amana, model: HDC 12A2, heavy duty compact microwave, programmable selection of up to 99 items, pads can be preset for consistent operation, 0.6 cu ft interior, 16 1/2" x 2 1/2" x 13 1/2", 20 amps, 1200 watts, 120 v, NEMA 5-20P	Very Good
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	Good
Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, <b>3ph</b>	Eval
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	Good
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	Good
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	Good
Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	Good
Cooking equipment	Pretzel merchandiser	J & J Snackfoods, model: 750, countertop pretzel merchandiser, white exterior, three rotating levels, 15" x 18" x 26 1/4", 115 v	Good
Cooking equipment	Pretzel merchandiser	Nemco, model: NY1000, countertop pretzel merchandiser, s/s exterior, three rotating levels, 15" x 19" x 30", 500 watts, 120 v (2)	Good
Cooking equipment	Proofing cabinet	BakBar, model: E87, single dark glass door, proofing cabinet with 8 tray capacity in a controlled heat and humidity environment, on casters, 28" x 32" x 35'	Good
Cooking equipment	Proofing cabinet	Eastern Steel Rack, model: HC-72-36-1-1/2, 2 red half doors, holds 36 sheet pans, on castors, 21 1/2" x 30" x 74 3/4"	Good
Cooking equipment	Proofing cabinet	Metro, model: C75 P4N, full size proofing cabinet with glass door, 18 side brackets for pans, on castors, 25" x 31 3/4" x 76 1/2", 1500 watts, 15 amps, 110 v	Eval
Cooking equipment	Range - combination	Southbend, model: 320F, 6 burners on the right, 24" griddle on the left, 2 std ovens - interior - 26" x 25" x 14", 1 rack in each oven, castors, 61 1/2" x 34" x 57", 188,000 BTU's nat gas	Eval
Cooking equipment	Range - combination	US Range, model: PS-36G-4-26RC26RC, 4 burners on the right, 36" griddle on the left, 2 convection ovens, 60" x 36" x 44", 304,000 BTU's, nat gas	Good
Cooking equipment	Range - combination	Vulcan, model: VG260, 6 burners on left, 24" raised griddle on right with a cheesemelter under it, 2 std ovens - 26" x 22" x 12", overall measurements - 60" x 32" x 59 1/2", 268,000 BTU's, nat gas	Eval
Cooking equipment	Range - combination	Wolf, model: CHR-4-29-FT22, 4 burner, 24" griddle, 2 small standard ovens, over shelf and castors, 45" x 35" x 59 1/2", 174,000 BTU's, <b>LP</b>	Good
Cooking equipment	Range - convec oven - 10 burners	Vulcan, model: G60CC-10, 10 burner range with 2 convection ovens, 2 racks, 60" x 35.62" x 58", nat gas	Eval
Cooking equipment	Range - convec oven - 6 burners	Wolf, Snorkeler, model: K34S 296, 6 burners, with a convection oven, 2 racks, right side shield, over shelf, on castors, 33 3/4" x 40" x 57",	Eval
Cooking equipment	Range - convec oven -6 burners	Vulcan, model: HC E, 6 burners, with convection oven, on legs, 36" x 34" x 42", nat gas	Eval
Cooking equipment	Range - convec oven -6 burners	Imperial, model: IR-6C, 6 burner with convection oven - 26 1/2" x 22 1/2" x 14", 2 racks, overshef, on castors, 36" x 35" x 62", 196,000 BTU's nat gas	Good
Cooking equipment	Range - convec oven -6 burners	Southbend, model: C0300, 6 burner with convection oven, castors, 36 1/2" x 35" x 45", 180,000 BTU's, nat gas, 120 v	Eval
Cooking equipment	Range - convec oven -6 burners	Southbend, model: X436A, 6 burner with convection oven, 1 rack, over shelf and castors, 36 1/2" x 44" x 59 1/4", 230,000 BTU's, nat gas, 120 v	Eval

Cooking equipment	Range - convec oven -6 burners	Vulcan, Snorkel, model: G36C6, 6 burners, convection oven , on casters, 36" x 35" x 47", 227,000 BTU's, nat gas, 120 v	Eval
Cooking equipment	Range - convec oven -6 burners	Wolf, 6 burner with a convection oven, 33 1/2" x 39 1/2" x 42 1/2", on legs, 215,00 BTU's, nat gas	Good
Cooking equipment	Range - convec oven -6 burners - elec	Toastmaster, model: RA36C4RD, 6 burner electric range, convection oven, 2 racks, over shelf compartment, on casters 36" x 39" x 70 1/4", 3 ph 480 v	Eval
Cooking equipment	Range - cook top - 4	4 burner range with under shelf storage, over shelf, on castors, 22 1/2" x 31" x 59", nat gas	Good
Cooking equipment	Range - cook top - 6	Wolf, model: C 34B-47, 6 burner range with under shelf storage, on castors, 33 1/2" x 32 1/2" x 58", DOM: 1997, 186,000 BTU's, nat gas	Good
Cooking equipment	Range - standard oven - 10 burners	Imperial, model: IR -10-XB, 10 burner range with one left side standard oven - interior: 26 1/2" x 26" x 14", on castors, 60" x 26 3/4" x 56 1/2", 315,000 BTU's, nat gas	Eval
Cooking equipment	Range - standard oven - 6 burners	Imperial, model: IR-6, 6 burners with a standard oven, 1 rack, 2 brackets, on castors, 36" x 28 7/8" x 36", 203,000 BTU's, nat gas	Eval
Cooking equipment	Range - standard oven - 6 burners w/salamander	US Range, model: PX-6-26, 6 burners with standard oven, inside - 26" x 20" x 13", 1 rack, on casters, has a US Range Salamander mounted on top - ceramic burners, 5 positions, 36" x 24" x 21" nat gas	Eval
Cooking equipment	Range - standard oven - 8 burners	8 burner range with right side standard oven - 29" x 22", on legs, 45" x 34" x 55", nat gas	Eval
Cooking equipment	Toaster - conveyoi	Belleco, model: JT 3-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	Eval
Cooking equipment	Toaster - conveyoi	Holman, "over easy", horizontal conveyor toaster, one control to adjust light/dark, 14 1/2" x 17" x 13", 120	Eval
Cooking equipment	Toaster - conveyoi	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	Eval
Cooking equipment	Toaster - conveyoi	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	Good
Cooking equipment	Toaster - pop dowr	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2" x 8 3/4" x 16 1/2", 13 amps, 208v (2)	Good/ Eval
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	Good
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	Good
Cooking equipment	Toaster - pop up	Toastmaster, model: TP120, holds 4 slices of bread, 11 1/4" x 13" x 9", 120 v	Good
Food prep	Bagel slicer	Oliver, model: 702-N, Bun & Bagel slicer, standard, compact, maintenance-free, adjustable cutting blade, blade speed - 1,725 RPM, standard chute, end feed, 22 3/4" x 29 3/4" x 13", 5.8 amps, 115 v	Good
Food Prep	Buffalo chopper	Hobart, model: 84145, food cutter with 14" s/s bowl, 1725 RPM knife rotation, 22 RPM bowl rotation, one piece burnished aluminum housing, 3" s/s legs, 31" x 16 1/2" x 17", 1/2 H.P. motor, 7.8 amps, 115 v	Good
Food prep	Can opener	Edlund #2, manual, with base (1)	Good
Food prep	Can opener	Edlund base for #2 opener	Good
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	Good
Food prep	Can opener	Edlund, #1, manual, with base (4)	Good

Food prep	Can opener	Edlund, model: S11 manual, quick change gear, pull pin blade replacement, 16" shaft height, all s/s, w/ bas	Good
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	Eval
Food prep	Deli wrap dispenser	Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9	Eval
Food prep	Food processor	Dito-Dean, Dean Industries, model: TR-21 N, 9" x 16 3/4" x 15 1/2", 6.1 amps, 120 v (2)	Good
Food prep	Food processor	Robot Coupe, model: CL50-A, 15 1/2" x 12" x 25", 1/2 hp, 1000 watts, 12 amps, 115 v	Eval
Food prep	Food processor	Robot Coupe, model: R-2, counter top food processor with plastic 3 qt bowl and S blade, 7" x 14" x 19",	Good
Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	Good
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	Good
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29" (3	Good
Food prep	Ingredient bin	White plastic ingredient bin on castors, 26 gal capacity, holds 220 lbs sugar and 150 lbs flour , sloped clear polycarbonate hinged lid, 15 1/2" x 30" x 29" (2	Good
Food prep	Mixer - 175lb	Doyon, model: AEF050, Spiral Mixer, 175 lb dough capacity, 2 speeds, s/s bowl, safety guard and mixing tools, cast iron frame w/enamel coated steel finish, 7 Hp & 1 1/2 Hp, 20 amps, 208-240/60/3	Good
Food prep	Mixer - 30 qt	Hobart, model: D-300DT, 30 qt mixer, with bowl, paddle, hook, and whip, 20" x 21 1/2" x 45 1/2", 2.1 amps, 1/2 Hp, 200 v <b>3ph</b>	Good
Food prep	Pan rack	Alum cabinet with 3 sides, holds 40 sheet pans, on castors, 21 3/4" x 27 1/2" x 69 1/2'	Fair
Food prep	Pan rack	Alum, full size pan rack on castors holds 20 sheet pans, on castors, 20 1/2" x 26" x 69 1/2"(6	Good
Food prep	Pan rack	Alum, full size pan rack with 36 options for adjustable brackets, on castors, 27" x 26" x 68" (5	Good
Food prep	Pan rack	Alum, full size pan rack with castors, holds 15 sheet pans, 20 1/2" x 26" x 69 3/4'	Good
Food prep	Pan rack	Alum, full size pan rack with no castors, holds 18 pans, 20 1/2" x 26" x 58'	Good
Food prep	Pan rack	Metro, full size alum pan rack on castors, holds 11 sheet pans, 21 1/4" x 26" x 63 1/4	Good
Food prep	Pan rack	New Age Industries, model: 1306 / 060105, Alum, on castors, holds 20 full size sheet pans or full size 2 1/2" deep hotel pans, 20 1/2" x 26" x 69 1/2" (2)	Good
Food prep	Pan rack	New Age Industries, model: 1333KD, Alum, on castors, holds 12 sheet pans, 20 1/2" x 26" x 64	Good
Food prep	Pan rack	Alum, pan rack with castors, 20 3/4" x 28" x 59", can hold 10 sheet pans	Good
Food prep	Pan rack - 1/2 size	Lockwood, model: RA30-ER-6 EY, 1/2 size alum. Pan rack holds 6 pans, 29" x 18" x 32	Good
Food prep	Pan rack - 1/2 size	Rubbermaid, light grey plastic, holds 8 full size sheet pans, on castors, 32" x 23" x 35 1/2	Good
Food prep	Pan rack - 1/2 size	Win Holt, half size pan rack holds 10 full size sheet pans, on castors, 20 1/2" x 26" x 40'	Good

Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14	Fair
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2	Fair
Food prep	Scale	Royal, model: EX 310, countertop ( shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4	Fair
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-20 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor,	Good
Food prep	Scale	Yamato, model: PB-200, digital pizza/bakery countertop food scale, platform - 11.75" x 12.25", single face display, 12 1/ lbs x 0.1 oz, (rechargeable battery pack or AC adaptor	Good
Furniture & fixtures	Sign	Fiber Does Inc, model: BM 421686, Sunspot design, "open, coffee, donuts", black w/blue, green, orange letters, horizontal, 25" x 18" x 3 1/2, 110v	Good
Furniture & fixtures	Sign - magnetic	Magnetic, indoor wood frame sign, 23" x 33" (4)	Good
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 36" x 31 1/2'	Good
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 45" x 31 1/2'	Good
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 49 1/2" x 31 1/2" (2'	Good
Furniture & fixtures	Sign - open	Fallon, model: HC-718973, horizontal oval - indoor red and blue Xenon sign, 35 1/2" x 18" x 1 1/2", 110-240 v - 50/60Hz 1.2 amps	Very Good
Furniture & fixtures	Sign - open	Fallon, model: BG-642172, hanging rectangular indoor red and blue neon "Open" sign, 36" x 4" x 16", 120	Good
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, brass/gold braces that bolt to counter top, two glass panels - 43 1/2" x 13 5/8" eac	Good
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, black metal braces that bolt to counter top, two glass panels - 58 1/4" x 14" eac	Good
Refrigeration	Cooler	Delfield, model: 6025-S, single door (hinges on the right), top mount mechanics, 4 racks, on castors, 25 3/4" x 32 1/2" x 79 1/2", 6.5 amps, 115 v	Eval
Refrigeration	Cooler	True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v	Very Good
Refrigeration	Cooler	True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v	Good
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	Good
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	Eval
Refrigeration	Cooler - freezer	Traulson, mod GDT-332NUT, 3 door, cooler on left side, freezer on right, top mount compressors, 6 shelves, lighted, cooler-42 cu ft, freezer-19 cu ft, 76 1/2" x 35 1/2" x 77 1/4", 115v	Good
Refrigeration	Cooler - freezer	Traulson, model: RDT 1-32WUT, dual temp, two half doors - hinges on left, cooler capacity- 10.5 cu ft, freezer capacity-10.1 cu ft, s/s exterior and interior, on castors, 30" x 32" x 83", 13.4 amps, 115 v	Eval
Refrigeration	Cooler - GDM	True, model: GDM 26, single glass door cooler - hinges on right, green 7-up exterior, 4 shelves, 30" x 29 1/2" x 78 1/2", 7.2 amps, 115 v	Eval
Refrigeration	Cooler - merchandiser	Continent, mod AD-6, white, 2 top sliding glass doors, Copeland compressor, manual set defrost timer, 72" x 30" x 37", 115v	Good
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	Good

Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG466S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part can be refrigerated service display with fixed glass front, black exterior, folding back cutting board - 13", castors, 66" x 30" x 61 1/2", 20 amps, 120/208 v	Good
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	Good
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	Good
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	Eval
Refrigeration	Cooler - Open merchandiser	Hussman, model: DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	Eval
Refrigeration	Cooler - undercounter	Delfield, model: UC4048, 2 doors, 5 shelves, on legs, 48" x 28 3/8" x 36", 5 amps, 115 v	Good
Refrigeration	Cooler - undercounter	Silver King, model: SKR 27, single door (hinges on the right), 6.5 cu ft capacity, 2 shelves, on castors, s/s exterior, 27" x 30 1/2" x 32", 2.23 amps, 115 v	Very Good
Refrigeration	Cooler - undercounter	Silver King, model: SKRB48, 2 doors, 12.2 cubic foot capacity, 2 shelves, 48" x 29 3/4" x 33 3/4", 6.75 amps, 115 v	Good
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 amps, 115 v	Eval
Refrigeration	Cooler - undercounter	Turbo Air, model: TUR-48SD, 2 doors, 12 cu ft capacity, 2 shelves, on castors, s/s exterior, 48" x 30" x 34 3/4", 6.5 amps, 115 v	Very Good
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 -38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	Good
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	Good

Refrigeration	Deli case	The C. Schmidt Co., model: SHR-6, slanted glass front, 2 sliding rear doors, 2 shelves, 76" x 34 1/2" x 48", 12 amps, 115 v	Fair
Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	Eval
Refrigeration	Display case - pie	Delfield, model: 7048-M, countertop display case with mirrored back, 2 front sliding access doors, 1 shelf, 48 3/8" x 24 3/8" x 30 1/8", 6.5 amps, 115 v	Good
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	Good
Refrigeration	Freezer - GDM	Hussman, model: RL0493G41, 2 glass doors, "Ice Cream" white exterior, bottom mount mechanics, 54" x 33 1/8" x 79", 15 amps, 208/230 v	Good
Refrigeration	Freezer - Ice cream	Hussman, model: DCCG-16-D, ice cream dipping cabinet, 16 tub display, 87" x 26 1/4" x 52", 115 v	Fair
Refrigeration	Freezer - Ice cream	model: 16HR-3, ice cream dipping cabinet, holds 16 display tubs, 88" x 27" x 50 1/2", 115 v	Good
Refrigeration	Freezer - Ice cream	model: HR12, ice cream dipping cabinet, holds 12 display tubs, 67" x 27" x 51", 115 v	Good
Refrigeration	Frost top	Delfield frost top, model: N8231, cools granite stone, 31 1/4" x 25 7/8" x 16", 1 Ph, 7 amps, 115 v, DOM: 2/13/2003	Good
Refrigeration	Ice machine - undercounter	Manitowoc, model: QYO134A, under the counter air cooled ice machine and ice bin, 90 lbs/ per day, half-dice cube size, 26" x 26.5" x 32.5", 6.5 amps, 115 v	Good
Refrigeration	Ice machine with Ice bin	Scotsman, model: CO322MA-1A, 300 lb air cooled, medium cubes, s/s exterior, 22 3/4" x 24 3/4" x 23", 10.4 amps, 115 v - With a Scots Bin - model: B222S - 22" x 33 1/2" x 36"	Very Good
Refrigeration	Pan rack	Eagle, full size pan rack to fit into a upright cooler, holds 20 sheet pans, 20 1/2" x 28" x 65"	Good
Refrigeration	Stacking collar	True, TUC-27, s/s, for space efficient freezer and refrigerator combination, 27 1/2" x 30"	New