



Sanford's Used Restaurant Equipment

136 Kokanee Rd

Fairplay CO. 80440

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275
 sales@sanfordsre.com

**MAY
2010**

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Bar equipment	Bar sink	Lacrosse, model: S33, 3 bowls - 10" x 14" x 10", 4" wall mount 10" swing faucet, no drainboards, 36" x 18 1/4" x 35"	02AD322
Bar equipment	Bar sink	s/s, 71" x 18", three bowls - 10" x 14" x 9", with 18" drainboards on both sides, 4" centered back mount faucet	
Bar equipment	Blender	Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch,, 44 oz plastic container, 3 amps, 120 v	1830G01367
Bar equipment	Blender	Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v	B4259
Bar equipment	Blender	Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)	
Beverage	Hot chocolate machine	Cecilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v	127752
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v	03R0000103 6
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v	TU00045- 221
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v	323380
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v	3944
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v	72A6307JC0 78
Cleaning & storage	Can rack	ceiling mount, s/s, 10 columes for cans, 39" x 22" x 19"	
Cleaning & storage	Can rack	Alum, half size rack with 5 rows of three, 25 1/4" x 34 1/2" x 38 1/4"	
Cleaning & storage	Cart - banquet	s/s, 35 1/4" x 21 1/4" x 50 1/4", 6 s/s shelves, on castors	
Cleaning & storage	Cart - utility	s/s utility cart with handles on each side, 2 shelves, on castors, 17" x 27 1/2" x 32 1/2"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 12" x 10" x 5", with faucet, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 13" x 11" x 4 1/2", with 4" centered deck mount faucet/ one handle, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - wall mount	s/s, single bowl - 11 1/2" x 10", 8" backsplash, 4" centered gooseneck faucet, overall - 16" x 15" (3)	
Cleaning & storage	Sink - rack slide	s/s rack slide fits over sinks to allow dish and glass racks to slide over, 21 3/4" x 18 1/2" (2)	

Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - stainless steel	60" x 24" x 36" stainless steel prep table, Advance Tabco, model: ELAG245, reinforced, rolled edges, with alum undershelf - 54" x 18 1/2", on legs	
Cleaning & storage	Table - stainless steel	72" x 24" x 36" stainless steel prep table with 1 1/2" backsplash, reinforced, with alum undershelf	
Cleaning & storage	Table - worktop	Beverage Table, s/s, sheet pan storage on right side, open storage on left, 4 elec outlets, 8" backsplash, enclosed back & sides, 59" x 32" x 43"	
Cleaning & storage	Table - worktop	s/s, 2 enclosed undershelves, 4 sliding front doors, Left corner (17" x 11") cut out, on legs, 86 1/2" x 28 1/2" x 39 1/2"	
Cleaning & storage	Table - worktop	s/s, under storage, recessed front w/drain, good for soda machine support, enclosed back & sides, 48" x 36" x 35"	
Cooking equipment	Convection oven - elec - 1/2 size	Lang, model: EHS-S, half size electric convection oven, door hinges on left, 3 racks holds half size sheet pans, temp range: 140 - 450 degrees, 30 1/4" x 28" x 25 1/4", 1/3pH, 37.5/20,8 amps, 208 v	A-55708 DOM:late 80's
Cooking equipment	Convection oven - electric - 1/2 size	Sodir, model: FC60, half size electric convection oven, door hinges on bottom, 4 racks, holds half size sheet pans, temp range: 200 - 570 degrees, 23 1/4" x 24 1/2" x 22 3/4", 1700 watts, 15 amps, 120 v	EK611578
Cooking equipment	Convection oven - gas - sgl	Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas	0985R87831 01
Cooking equipment	Convection oven - gas - sgl	Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2", overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas	Z83 12-1980
Cooking equipment	Convection oven - gas - sgl	Vulcan, Snorkel, model: , two glass doors, 5 racks, on legs inside measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", LP (2)	
Cooking equipment	Convection oven - gas -dbl	Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas -dbl	Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas	D-56890V DOM: 2006
Cooking equipment	Cook & hold	Alto Sham, model: 1000TH II, half size cook-n-hold unit with castors, door hinges on right, 22 1/2" x 32" x 40 1/2", 208 - 240 v	5468-62-892
Cooking equipment	Cook & hold	Model: LTC-05, 2 racks, holds 5 pans, on castors, 22 5/8" x 33 1/2" x 37 1/2", 17 amps, 120 v	N/A
Cooking equipment	Display case	Federal, model: SQ3HD, 3 ft curved glass display case, rear sliding access door, 36" x 44 1/8" x 48", 10.3 amps, 120 v	81632-2 DOM: 02/99
Cooking equipment	Display case - countertop	Anvil, model: FMA-7026, humidified hot food merchandiser, adjustable 3 tier display shelves, convenient front and rear sliding doors, temp range 85 - 200 degrees, 26" x 17 5/8" x 25 1/8", 1500 watts, 120 v (2)	0800002009 0700001309
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	0108D03894
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	911206-11
Cooking equipment	Flat warmer	Drop-in flat top food warmer with wood frame - 31 3/4" x 51 1/2", Underwriters Laboratories, model: 567L warmer size - 40 3/4" x 27 1/4" x 8", 120 v	
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v	NEW

Cooking equipment	Food warmer	Wells, model: LLW-1220, full size countertop food warmer, 14 1/2" x 23" x 9", 10 amps, 120 v	BBDZ9400
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	LA07598
Cooking equipment	Food warmer - soup - dbf	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separate controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	90J991
Cooking equipment	Heated dispenser	Star, model: 1-9N, perfect for hot chocolate, pancake syrups, au jus, bbq sauces, etc, 6 qt capacity, pour-over design, portion control, preset thermostatic heat control, removable bowl & faucet, 9" x 15 1/4" x 17 3/16", 435 watts, 120v	
Cooking equipment	Heated dispenser	Server, model: FSPWI-SS, countertop warmer for #10 can, with pump, up to 250 degrees, 9"x 16 1/2" x 15", 120 v	
Cooking equipment	Heated dispenser - Nacho cheese	Server, model: FSPW-SS, countertop warmer for #10 can, with pump, up to 250 degrees, has nacho chesse picture on front) 9" x 18" x 15 1/2", 515 watts, 120 v	81140
Cooking equipment	Holding cabinet	Bevles, TRANS/TRAY enclosed pan rack, on castors, holds 40 sheet pans, 21 1/2" x 18" x 22"	
Cooking equipment	Holding cabinet	Cres Cor, model: 1290 002, un-insulated alum cabinet, temp control knob, on castors, 21" x 32" x 70", 120 v	_JJ-K5604A
Cooking equipment	Holding cabinet	Henny Penny, model: HC 900, full size holding cabinet, holds 14 pans, 24 1/4" x 31" x 71 1/4", 2086 watts, 17 amps, 120 v	KN023IC
Cooking equipment	Holding cabinet	uninsulated cart, holds 28 sheet pans, 21" x 27" x 57"	
Cooking equipment	Holding cabinet	Unisulated, enclosed pan rack with two blue half doors, 18 brackets for sheet pans, handles on sides, castors, 23" x 34" x 69 1/2"	
Cooking equipment	Holding cabinet - half size	Precision, mod RS-201, 4.3 cu ft capacity, holds 10 1/2 sheet pans, up to 250 degrees, on wheels, 4 amps, 18" x 29" x 38 1/2", 4 amps, 120v	61144-2-89
Cooking equipment	Holding/Banquet cart	Wittco, model: 2-96-C, 2 door insulated holding cabinet on castors, with a bumper, 3 racks, Temperature range 20 - 220 degrees, 51" x 29" x 61", 2000 watts, 16.6 amps, 120 v	625883EP
Cooking equipment	Hot dog display	Star, model: 36, countertop display with two sides, hot dog capacity:100-130, bun capacity: 80-90, water pan capacity - 8 qts, 24 1/2" x 15 3/4" x 17", 1500 watts, 120 v	36 11460 DOM:7-86
Cooking equipment	Hot dog roller grill	Star, model: 45S, countertop roller grill, capacity about 45 dogs, 34 1/2" x 17 1/4" x 10 3/4", 1696 watts, 120v	45015949
Cooking equipment	Hot dog roller grill	Star, model: 45SAR, countertop roller grill with sneeze guard, capacity about 45 dog, 23 1/2" x 28 1/2" x 24", 1650 watts, 120 v	A4504532 DOM- 1999
Cooking equipment	Hot plate - 6 burner	Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU' s per burner, nat gas	B-820
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	DOM: 11/1994
Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer, on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, 3ph	0068707214 2
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	IU412001- 1200
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	05945-0593
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	DOM:10/25/9 6 89555- DOM:5/2/97
Cooking equipment	Oven - cookie	Otis Spunkmeyer, Farberware: model: 470, countertop convection oven, 1 rack, 20 1/4" x 14" x 16",	1128724

Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans - 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	0231103 0035612908 0400010002
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: L02E, 2 ceramic decks, 20 3/4" x 21 3/4" x 17", 1600 watts, 115v	24286
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: M0S2E, 2 decks, ceramic decks - 18" x 18", 300 - 650 temp range, 22 1/2" x 23 1/2" x 17 1/2", 1800 watts, 120 v	3585
Cooking equipment	Pizza oven - countertop	Nemco, model: 6215, small countertop oven with one deck, 18 1/2" x 20" x 8", 1450 watts, 120 v	B02
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412, small countertop oven with 1 deck, has a preset thermostat to 450 degrees, 15 minute timer, 18" x 15 1/2" x 7 1/4", 12.7 amps, 1400 watts, 110 v	T-84532
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412-5, small countertop oven with 1 deck, 18" x 19" x 7 1/2", 1450 watts, 12 amps, 120 v (2)	33076 39929 01/03
Cooking equipment	Popcorn machine	Star, model: 39, counter top pop corn machine, 21" x 15 1/4" x 25", 120 v	39102835
Cooking equipment	Pretzel merchandiser	J & J Snackfoods, model: 750, countertop pretzel merchandiser, white exterior, three rotating levels, 15" x 18" x 26 1/4", 115 v	N/A
Cooking equipment	Pretzel merchandiser	Nemco, model: NY1000, countertop pretzel merchandiser, s/s exterior, three rotating levels, 15" x 19" x 30", 500 watts, 120 v (2)	1779 1820
Cooking equipment	Proofing cabinet	Eastern Steel Rack, model: HC-72-36-1-1/2, 2 red half doors, holds 36 sheet pans, on castors, 21 1/2" x 30" x 74 3/4"	
Cooking equipment	Proofing cabinet	Metro, model: C75 P4N, full size proofing cabinet with glass door, 18 side brackets for pans, on castors, 25" x 31 3/4" x 76 1/2", 1500 watts, 15 amps, 110 v	0112993375
Cooking equipment	Range - combination	US Range, model: PS-36G-4-26RC26RC, 4 burners on the right, 36" griddle on the left, 2 convection ovens, 60" x 36" x 44", 304,000 BTU's, nat gas	n/a
Cooking equipment	Range - combination	Vulcan, model: VG260, 6 burners on left, 24" raised griddle on right with a cheesemelter under it, 2 std ovens - 26" x 22" x 12", overall measurements - 60" x 32" x 59 1/2", 268,000 BTU's, nat gas	48-1474363
Cooking equipment	Range - combination	Wolf, model: CHR-4-29-FT22, 4 burner, 24" griddle, 2 small standard ovens, over shelf and castors, 45" x 35" x 59 1/2", 174,000 BTU's, LP	
Cooking equipment	Range - convec oven - 10 burners	Vulcan, model: G60CC-10, 10 burner range with 2 convection ovens, 2 racks, 60" x 35.62" x 58", nat gas	
Cooking equipment	Range - convec oven - 6 burners	Wolf, Snorkeler, model: K34S 296, 6 burners, with a convection oven, 2 racks, right side shield, over shelf, on castors, 33 3/4" x 40" x 57",	1112532701
Cooking equipment	Range - convec oven - 6 burners	Vulcan, model: HC E, 6 burners, with convection oven, on legs, 36" x 34" x 42", nat gas	481065834N R B 1991
Cooking equipment	Range - convec oven - 6 burners	Imperial, model: IR-6C, 6 burner with convection oven - 26 1/2" x 22 1/2" x 14", 2 racks, overshef, on castors, 36" x 35" x 62", 196,000 BTU's nat gas	
Cooking equipment	Range - convec oven - 6 burners	Southbend, model: C0300, 6 burner with convection oven, castors, 36 1/2" x 35" x 45", 180,000 BTU's, nat gas, 120 v	95C95480
Cooking equipment	Range - convec oven - 6 burners	Southbend, model: X436A, 6 burner with convection oven, 1 rack, over shelf and castors, 36 1/2" x 44" x 59 1/4", 230,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven - 6 burners	Vulcan, Snorkel, model: G36C6, 6 burners, convection oven, on castors, 36" x 35" x 47", 227,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven - 6 burners	Wolf, 6 burner with a convection oven, 33 1/2" x 39 1/2" x 42 1/2", on legs, 215,00 BTU's, nat gas	
Cooking equipment	Range - convec oven - 6 burners - elec	Toastmaster, model: RA36C4RD, 6 burner electric range, convection oven, 2 racks, over shelf compartment, on castors, 36" x 39" x 70 1/4", 3 ph 480 v	4-3131-88
Cooking equipment	Range - cook top - 4	4 burner range with under shelf storage, over shelf, on castors, 22 1/2" x 31" x 59", nat gas	

Cooking equipment	Range - cook top - 6	Wolf, model: C 34B-47, 6 burner range with under shelf storage, on castors, 33 1/2" x 32 1/2" x 58", DOM: 1997, 186,000 BTU's, nat gas	1086687100 1997
Cooking equipment	Range - standard oven - 10 burners	Imperial, model: IR -10-XB, 10 burner range with one left side standard oven - interior: 26 1/2" x 26" x 14", on castors, 60" x 26 3/4" x 56 1/2", 315,000 BTU's, nat gas	07092799
Cooking equipment	Range - standard oven - 6 burners	Castle, model: C330, 6 burner range with standard oven, with over shelf, on casters, inside measurements - 29" x 22", overall: 35" x 36" x 60", nat gas	
Cooking equipment	Range - standard oven - 6 burners w/salamander	US Range, model: PX-6-26, 6 burners with standard oven, inside - 26" x 20" x 13", 1 rack, on casters, has a US Range Salamander mounted on top - ceramic burners, 5 positions, 36" x 24" x 21" nat gas	0107DM022 P
Cooking equipment	Range - standard oven - 8 burners	8 burner range with right side standard oven - 29" x 22", on legs, 45" x 34" x 55", nat gas	
Cooking equipment	Toaster - conveyor	Beneco, model: ST-3-Y1, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	0712-493303
Cooking equipment	Toaster - conveyor	Hatco, model: TQ-700, countertop conveyor toaster, 14 1/2" x 26" x 15", 2695 watts, 22.5 amps, 120 v	3183589608
Cooking equipment	Toaster - conveyor	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	N/A
Cooking equipment	Toaster - conveyor	Holman, model: EZ10, countertop conveyor toaster, 14 1/2" x 20 1/4" x 13 3/4", 12.1 amps, 120 v	70884012- 0998
Cooking equipment	Toaster - conveyor	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	09-52894-97
Cooking equipment	Toaster - pop down	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2"x 8 3/4"x 16 1/2", 13 amps, 208v (2)	ST1060663L U
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	1 CA 0455
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	258211
Cooking equipment	Waffle iron	Wells, model: WB-2, double countertop waffle cone iron, 20" x 17 1/2" x 9", 15 amps, 120 v	D43483
Cooking equipment	Warmer - dbl blub	Merco, model: B-2, countertop, two blub warmer, 14" x 16 1/2" x 21 1/2", 500 watts, 120 v	
Cooking equipment	Warmer - hotshelf	APWyott, Model WS-24; flat warmer w/ s/s top; infinite temp control; 24" x 17 3/4" x 3"; 120v DOM 11/07/93	216705-24
Cooking equipment	Warmer - pass thru	Hatco, model: GRSDHI-36, pass thru display warmer, horizontal single shelf, thermostatically controlled, 36" x 21 1/4" x 12 1/2", 1170 watts, 9.8 amps, 120 v	8984379908
Cooking equipment	Warmer - pass thru	Hatco, model: PW-42, pass thru display warmer, horizontal single shelf, 2 strip warmers, 44" x 16" x 13 1/2", 576 watts, 5 amps, 115 v	09059-210
Cooking equipment	Warmer - strip - 120	Hatco, model: GR-120, 120" x 6" x 2 3/4"	N/A
Cooking equipment	Warmer - strip - 24	Hatco, model: GRAH-24, 24" x 6" x 2 1/2", 500 watts, 4.2 amps, 120 v	2145499610
Cooking equipment	Warmer - strip - 24	Wells, model: QW-24L, 24" x 6" x 2 1/2", with side mount	
Cooking equipment	Warmer - strip - 60	APW, model: FD-60, hanging warming strip, 60" x 6" x 3", direct wire or add a plug, 1600 watts, 120 v	0505D09674
Cooking equipment	Warmer - strip - 96	Hatco, model: GRAH - 96, s/s, 96" x 6" x 2 1/2", direct wire, 2200 watts, 18.32 amps, 120 v	8514559807
Cooking equipment	Warmer - strip - 96	Hatco, model: GRAH-96, 96" long, 11.5 amps, 2400 watts, 208 v	2522310617

Food prep	Bagel slicer	Oliver, model: 702-N, Bun & Bagel slicer, standard, compact, maintenance-free, adjustable cutting blade, blade speed - 1,725 RPM, standard chute, end feed, 22 3/4" x 29 3/4" x 13", 5.8 amps, 115 v	167390
Food prep	Can opener	Edlund #2, manual, with base (1)	
Food prep	Can opener	Edlund base for #2 opener	
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	
Food prep	Can opener	Edlund, #1, manual, with base (4)	
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	65872
Food prep	Deli wrap dispenser	Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9"	
Food prep	Dip & topping server	Server products, mod D1-1, s/s, hinged top, removable bottom, heats 50-150, holds 1 #10 can, 7 1/2" x 8 1/4" x 8", 100 watt, 110v	767
Food prep	Food Carrier	Cres Cor, Alum food carrier, 19 1/4" x 27" x 19", hinges on right, holds pans	
Food prep	Food Carrier	Vollrath, model: 22160, tan plastic carrier with two top handles, two latches, 19" x 26 1/2" x 18 1/2"	
Food prep	Food Carrier Cart	Cambro, model: 600MPC, blue plastic cart on castors, holds 8 - full size hotel pans 2 1/2" deep, or 6 - full size hotel pans 4" deep, or 2 - full size hotel pans 6" deep, 2 half doors, 16 3/4" x 24 1/2" x 45 1/2"	
Food prep	Food Carrier Cart	Cambro, model: 800 MPC, dusty blue camcart, holds 8 full size 4" deep food pans, temp range -40 to -190 degrees F, 20 1/2" x 27" x 54"	EN 631-2
Food prep	Food processor	Dito-Dean, Dean Industries, model: TR-21 N, 9" x 16 3/4" x 15 1/2", 6.1 amps, 120 v (2)	92 7740
Food prep	Food processor	Robot Coupe, model: CL50-A, 15 1/2" x 12" x 25", 1/2 hp, 1000 watts, 12 amps, 115 v	92/04977
Food prep	Food processor	Robot Coupe, model: R-2, counter top food processor with plastic 3 qt bowl and S blade, 7" x 14" x 19",	R231993
Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food Prep	Knife sharpener	Tru Home Corporation, model: SC-84, electric wall mount sharpener, 8" x 6 3/4" x 12 1/4", 110/120 v	66559
Food prep	Lobster tail chopper	Redco/Alco, countertop manual lobster tail slicer, 11 1/2" blade, 12" x 20" x 3 1/2"	
Food prep	Meat Chopper Assembly	Meat Chopper/Grinder for use on mixers or power units, supplied with one cutter plate and knife, fits No. 12 hub	
Food prep	Mixer - 175lb	Doyon, model: AEF050, Spiral Mixer, 175 lb dough capacity, 2 speeds, s/s bowl, safety guard and mixing tools, cast iron frame w/enamel coated steel finish, 7 Hp & 1 1/2 Hp, 20 amps, 208-240/60/3	
Food prep	Onion Cutter	Lincoln/Redco, model: 550N, cast alum, to make "bloomin onions", "11 1/2" x 14" x 17" (2)	
Food prep	Pan rack	Alum cabinet with 3 sides, holds 40 sheet pans, on castors, 21 3/4" x 27 1/2" x 69 1/2"	
Food prep	Pan rack	Alum, full size pan rack on castors holds 20 sheet pans, on castors, 20 1/2" x 26" x 69 1/2"(4)	
Food prep	Pan rack	Alum, full size pan rack with 36 options for adjustable brackets, on castors, 27" x 26" x 68" (5)	

Food prep	Pan rack	Alum, full size pan rack with castors, holds 15 sheet pans, 20 1/2" x 26" x 69 3/4"	
Food prep	Pan rack	Alum, full size pan rack with no castors, holds 18 pans, 20 1/2" x 26" x 58"	
Food prep	Pan rack	Metro, full size alum pan rack on castors, holds 11 sheet pans, 21 1/4" x 26" x 63 1/4"	
Food prep	Pan rack	Alum, pan rack with castors, 20 3/4" x 28" x 59", can hold 10 sheet pans	
Food prep	Pan rack - 1/2 size	Lockwood, model: RA30-ER-6 EY, 1/2 size alum. Pan rack holds 6 pans, 29" x 18" x 32"	N/A
Food prep	Pan rack - 1/2 size	Rubbermaid, light grey plastic, holds 8 full size sheet pans, on castors, 32" x 23" x 35 1/2"	
Food prep	Pan rack - 1/2 size	Win Holt, half size pan rack holds 10 full size sheet pans, on castors, 20 1/2" x 26" x 40"	
Food prep	Peeler - vegetable	Univex, model: G Peeler, 20 pound vegetable peeler with s/s housing, precision timer - 5 minutes, extended discharge chute, quick easy lock door, flexible water inlet, 15" diameter, 23 1/2" high, 1/3 hp, 1725 RPM, 6.2 amps, 115 v	GP2960108 8405016
Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"	DOM:7/23/19
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"	
Food prep	Scale	Royal, model: EX 310, countertop (shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"	
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-200 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)	CO 71738 (AC adaptor -
Food prep	Syrup dispenser	s/s, Curtis SW - 1, 7 1/4" dia x 12 3/4", 30 watts, 120v	10579184
Food prep	Tomato Slicer	Nemco, model: N55600, 15" x 7 1/2" x 8", with new blades	
Food prep	Tomato Slicer	Tomato King, 14" x 9 1/2" x 9 1/2"	
Food prep	Wedger	Lincoln Redco, Insta-Cut, cuts into 8 wedges, 9" x 9" x 17"	
Food prep	Wedger	Lincoln/Redco, cast alum, cuts 8 wedges, sits on counter w/ 3 feet - 9" apart, 15 1/2" height	
Food prep	Wedger	Mies prod, mod 908-A6, alum, manual, cuts 6 wedges, w/ 4 feet, 9 1/2" x 7 1/2" x 18 3/4"	
Food prep	Wedger	Prince Castle, model: 910-A, alum, cuts 10 wedges, sits on counter/ 4 feet - 7 1/2" apart	
Furniture & fixtures	Sign	Fiber Does Inc, model: BM 421686, Sunspot design, "open, coffee, donuts", black w/blue, green, orange letters, horizontal, 25" x 18" x 3 1/2", 110v	201295
Furniture & fixtures	Sign	TecArt, plastic hanging signs, "BallPark" franks logo, horizontal, 24" x 5" x 12", 120v (5)	
Furniture & fixtures	Sign - magnetic	Magnetic, indoor wood frame sign, 23" x 33" (4)	International Patterns
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 36" x 31 1/2"	
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 45" x 31 1/2"	
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 49 1/2" x 31 1/2" (2)	
Furniture & fixtures	Sign - open	Fallon, model: HC-718973, horizontal oval - indoor red and blue Xenon sign, 35 1/2" x 18" x 1 1/2", 110-240 v - 50/60Hz 1.2 amps	

Furniture & fixtures	Sign - open	Fallon, model: GL-712554, hanging horizontal - indoor red and blue neon "Open" sign, 31" x 16" x 3 1/2", 120 v (2)	81403AFR00 1870
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, brass/gold braces that bolt to counter top, two glass panels - 43 1/2" x 13 5/8" each	
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, black metal braces that bolt to counter top, two glass panels - 58 1/4" x 14" each	
Refrigeration	Cooler	Continental, model: 1R, single door (hinges on right), top mount mechanics, 3 racks, on castors, 26" x 36" x 82 1/4", 29 amps, 115 v,	13321732 DOM: 1999
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	DOS: 12/1994
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	97437 DOS:8/1979
Refrigeration	Cooler - GDM	True, model: GDM 40, 2 doors -sliding, 8 alum shelves, 40 cu ft capacity, 47" x 29" x 82", 7.5 amps, 115 v	239227
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	2034279
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	96K5264
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	96209613 -789
Refrigeration	Cooler - Open merchandiser	Hussman, model:DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	9320552055
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	360726-H
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	1-3023460
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 - 38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	DOM 3/97
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	816 32-1 DOM: 02/99
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	T000001360 3