



Sanford's Used Restaurant Equipment

136 Kokanee Rd

Fairplay CO. 80440

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275
 sales@sanfordsre.com

**MAY
2010**

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Bar equipment	Bar sink	Lacrosse, model: S33, 3 bowls - 10" x 14" x 10", 4" wall mount 10" swing faucet, no drainboards, 36" x 18 1/4" x 35"	02AD322
Bar equipment	Bar sink	s/s, 71" x 18", three bowls - 10" x 14" x 9", with 18" drainboards on both sides, 4" centered back mount faucet	
Bar equipment	Blender	Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch, 44 oz plastic container, 3 amps, 120 v	1830G01367
Bar equipment	Blender	Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v	B4259
Bar equipment	Blender	Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)	
Beverage	Airpot holder	black plastic, holds 6 pots, w/foam drip catch, 22" x 22" x 16 1/2" (2)	
Beverage	Airpot holder	Bunn, black wire rack, holds three airpots, 23" x 11" x 7"	
Beverage	Coffee brewer	Brewmatic, Farmers Brothers, model: 1030515, automatic, two top warmers, 9" x 15 1/4" x 21 1/4", 1995 watts, 120 v	92-93685
Beverage	Coffee brewer	Bunn, model: VPS, pourover brewer with 1 top and one bottom warmer, 23" x 8 1/4" x 18 3/4", 1790 watts, 120 v	837050
Beverage	Coffee brewer	Grindmaster, model: BL-2P, pour over brewer with one top warmer, 8 1/2" x 17" x 19", 1600 watts, 120 v	T067116
Beverage	Coffee brewer	Vaculator, mod VAG AF, automatic, one top warmer and one bottom warmer, 16 3/4" x 8 1/2" x 26", 15 amps, 1800 watts, 120 v	8881
Beverage	Coffee brewer - airpot	Bloomfield, model: 8773, pourover or automatic, hot water spout, energy saver/heater switch, 8 3/4" x 16 3/4" x 25 1/2", 1500 watts, 120 v	12N00001869
Beverage	Coffee brewer - airpot	Bloomfield, model: 8783, pourover airpot brewer, takes 2.2 liter pots, 8" x 15" x 24 3/4", 1800 watts, 120 v	8783970504 42
Beverage	Coffee brewer - airpot	Grindmaster, model: BA-AS, automatic fill, hot water spout, 9" x 20 1/2" x 23 1/2", 1440 watts, 115 v	211883
Beverage	Coffee brewer - airpot	Newco, model: ACE AP, automatic fill, hot water spout, 8 1/2" x 17 5/8" x 22", 1750 watts, 14.58 amps, 120 v	
Beverage	Coffee shuttle	American Metal Ware, model: 002354, 2 back handles, (3)	
Beverage	Coffee shuttle	Bunn, 2G-PR, s/s, 1 1/2 gal., w/sight glass, loop handle, 6 1/2" x 6 1/2" x 10 1/2" (1)	2683B
Beverage	Coffee shuttle	Bunn, model: 2GPR, s/s, 2 gal., w/sight glass, loop handle, 9 3/4" x 14" x 10 3/4" (3)	3370
Beverage	Espresso machine - double	Astoria, model: AL-2N, manual double espresso machine, silver and black exterior, 27 1/2" x 21" x 20 1/2", 2600 watts, 11.3 amps, 230 v	138848

Beverage	Espresso machine - double	Bravo,, model: Atlas - EVD2, double espresso machine, 29" x 22" x 20", 2930 watts, 12.7 amps, 230 v	213574
Beverage	Espresso machine - double	Formula, model: EVD-2, automatic, 2 steam wands, digital dispensing controls, 28" x 22" x 19", 220 v	105846
Beverage	Espresso machine - double	Premier, Nuova Simonelli , semi-automatic, NF#: 80146, DOM 10/29/1998, 25" x 20 1/2" x 19", 3400watts, 240v	?80146? (NF#)
Beverage	Espresso machine - double	Reneka, Viva - model: 11-650, automatic, 2 steam wands, 26 1/4" x 20 1/2" x 22",	09908- C70832
Beverage	Espresso machine - single	Brasilia, mod Century-American-DEL, single group, touchpad controls, auto water fill, 4 portion controls, steam jet, hot water spout, 11" x 20" x 20", 1800 watts, 110v	43345
Beverage	Espresso machine - single	Reneka, model: SINGLE, single espresso machine, 14" x 20" x 21 1/2", 2000 watts, 110 v	DA9432271
Beverage	Espresso machine - single - pod type	Comobar 2000 Inc, model: XL-100, pod type espresso machine, fully automatic one step selection, 9 1/2" x 14" x 16 1/2", 1450 watts, 120 v	5617
Beverage	Grinder - coffee	Bunn, model: LPG-2E, two 3 lb hoppers, 8 3/4" x 11 1/4" x 17 1/2", 4 amps, 120 v	LPG0035785
Beverage	Grinder - coffee	Grindmaster, mod. 250, s/s, 1/2 hp motor, fully automatic, grind settings 1/4 oz. - 18 oz., two clear hoppers hold 5 1/2 lb. beans each, 8" x 13 3/4" x 27 1/2", 115v	139121MP L022011 DOM:09/03
Beverage	Grinder - coffee	Grindmaster, model: 250AB, 2 clear hoppers, 8" x 13 3/4" x 27 3/4", 8 amps, 115 v	
Beverage	Grinder & portioner - espresso	Astoria, model: Brevetto, red exterior, 7" x 12" x 22 1/2", 115 v (2)	
Beverage	Grinder & portioner - espresso	Bravo Sys. International, model: Max grinder, 2# hopper capacity, 8" x 12" x 23", 115 v (2)	
Beverage	Grinder & portioner - espresso	Brevetto, Mazzer, model: Super Jolly Silver, 7 1/4" x 13 1/2" x 22 1/2", 5 amps, 110 v	GSJ-829 1994
Beverage	Grinder & portioner - espresso	Gaggia, model: MG-DLX, s/s, gold exterior, auto, 9" x 15" x 24",110 v.	26
Beverage	Grinder & portioner - espresso	Nuova, Faema, model:silver-S, tan exterior, 9" x 14 1/2" x 25", 240 watts, 110 v	8903005242 28
Beverage	Hot chocolate machine	Celcilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v	127752
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v	03R0000103 6
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v	TU00045- 221
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v	323380
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v	3944
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v	72A6307JC0 78
Beverage	Warmer - coffee pot	Bloomfield, model: 8842, double warmer plates, 15 3/4" x 7 3/4" x 3 1/4", 170 watts, 120 v	10L0000368 5
Beverage	Warmer - coffee pot	Bunn, model: WX2, can warm two pots of coffee, individual controls, 14" x 7" x 2 1/2", 2 amps, 200 watts, 120 v (4)	WX00201422
Beverage	Warmer - coffee pot	Farmer Brothers Coffee Co, model: 1800520, double warmer for decanters, 10 3/8" x 10 1/2" x 7", 125 watts, 120 v	DOM: 3/2/90

Beverage	Warmer - coffee pot	Farmer Brothers, model: 1810528, double warmer plate, 15" x 6 3/4" x 2 3/4", 180 watts, 120 v	83-89221
Beverage	Warmer - coffee pot	Koffee King, model: 8852, double warmer for decanters, 15 3/4" x 8" x 3", 200 watts, 120 v	5.8202E+10
Beverage	Warmer - coffee pot	Silex, model: 8882R, double warmer for decanters, gold exterior, 13 3/4" x 6 1/2" x 3", 200 watts, 120 v	4800078
Beverage	Warmer - coffee pot	Vaculator, model: CPW-2, 2 warming spots, 14" x 7" x 3 1/2", 200 watts, 120 v	
Beverage	Warming stand - shuttle pot	American Metal Ware, model: CW-1, 9 1/8" x 9 1/8" x 8, 1 Ph, 1 amp, 120 v	C8181
Beverage	Warming stand - shuttle pot	Bunn Omatic, model:RWS 2, counter top warmer for shuttle pots, 10 1/8" x 10 1/8" x 4 1/2", 1 Ph, 2 wire, 100 watts, 1 amp, 120 v (2)	8581 9648B
Beverage	Warming stand - shuttle pot	Bunn, mod RWS1, s/s, 10" x 10" x 8", 120v (2)	7 - RW1003315
Beverage	Warming stand - shuttle pot	Farmers Brothers, 120 v	
Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - stainless steel	60" x 24" x 36" stainless steel prep table, Advance Tabco, model: ELAG245, reinforced, rolled edges, with alum undershelf - 54" x 18 1/2", on legs	
Cleaning & storage	Table - stainless steel	72" x 24" x 36" stainless steel prep table with 1 1/2" backsplash, reinforced, with alum undershelf	
Cooking equipment	Convection oven - elec - 1/2 size	Lang, model: EHS-S, half size electric convection oven, door hinges on left, 3 racks holds half size sheet pans, temp range: 140 - 450 degrees, 30 1/4" x 28" x 25 1/4", 1/3pH, 37.5/20,8 amps, 208 v	A-55700 DOM:late 80's
Cooking equipment	Convection oven - electric - 1/2 size	Sodir, model: FC60, half size electric convection oven, door hinges on bottom, 4 racks, holds half size sheet pans, temp range: 200 - 570 degrees, 23 1/4" x 24 1/2" x 22 3/4", 1700 watts, 15 amps, 120 v	EK611578
Cooking equipment	Display case - countertop	Anvil, model: FMA-7026, humidified hot food merchandiser, adjustable 3 teir display shelves, convenient front and rear sliding doors, temp range 85 - 200 degrees, 26" x 17 5/8" x 25 1/8", 1500 watts, 120 v (2)	0800002009 0700001309
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	0108D03894
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controlls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	911206-11
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v	NEW
Cooking equipment	Food warmer	Wells, model: LLW-1220, full size countertop food warmer, 14 1/2" x 23" x 9", 10 amps, 120 v	BBDZ9400
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	LA07598
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separete controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	90J991
Cooking equipment	Heated dispenser	Server, model: FSPWI-SS, countertop warmer for #10 can, with pump, up to 250 degrees, 9"x 16 1/2" x 15", 120 v	
Cooking equipment	Heated dispenser - Nacho cheese	Server, model: FSPW-SS, countertop warmer for #10 can, with pump, up to 250 degrees, has nacho chesse picture on front) 9" x 18" x 15 1/2", 515 watts, 120 v	81140
Cooking equipment	Hot dog display	Star, model: 36, countertop display with two sides, hot dog capacity:100-130, bun capacity: 80-90, water pan capacity - 8 qts, 24 1/2" x 15 3/4" x 17", 1500 watts, 120 v	36 11460 DOM:7-86

Cooking equipment	Hot dog roller grill	Star, model: 45S, countertop roller grill, capacity about 45 dogs, 34 1/2" x 17 1/4" x 10 3/4", 1696 watts, 120v	45015949
Cooking equipment	Hot dog roller grill	Star, model: 45SAR, countertop roller grill with sneeze guard, capacity about 45 dog, 23 1/2" x 28 1/2" x 24", 1650 watts, 120 v	A4504532 DOM- 1999
Cooking equipment	Hot plate - 6 burner	Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU' s per burner, nat gas	B-820
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	DOM: 11/1994
Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer, on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, 3ph	0068707214 2
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	IU412001- 1200
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	05945-0593
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	DOM:10/25/9 6 89555- DOM:5/2/97
Cooking equipment	Oven - cookie	Otis Spunkmeyer, Farberware: model: 470, countertop convection oven, 1 rack, 20 1/4" x 14" x 16",	1128724
Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans - 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	0231103 0035612908 0400010002
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: L02E, 2 ceramic decks, 20 3/4" x 21 3/4" x 17", 1600 watts, 115v	24286
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: M0S2E, 2 decks, ceramic decks - 18" x 18", 300 - 650 temp range, 22 1/2" x 23 1/2" x 17 1/2", 1800 watts, 120 v	3585
Cooking equipment	Pizza oven - countertop	Nemco, model: 6215, small countertop oven with one deck, 18 1/2" x 20" x 8", 1450 watts, 120 v	B02
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412, small countertop oven with 1 deck, has a preset thermostat to 450 degrees, 15 minute timer, 18" x 15 1/2" x 7 1/4", 12.7 amps, 1400 watts, 110 v	T-84532
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412-5, small countertop oven with 1 deck, 18" x 19" x 7 1/2", 1450 watts, 12 amps, 120 v (2)	33076 39929 01/03
Cooking equipment	Toaster - conveyor	Beneco, model: J1 3-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	0712-493303
Cooking equipment	Toaster - conveyor	Hatco, model: TQ-700, countertop conveyor toaster, 14 1/2" x 26" x 15", 2695 watts, 22.5 amps, 120 v	3183589608
Cooking equipment	Toaster - conveyor	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	N/A
Cooking equipment	Toaster - conveyor	Holman, model: EZ10, countertop conveyor toaster, 14 1/2" x 20 1/4" x 13 3/4", 12.1 amps, 120 v	70884012- 0998
Cooking equipment	Toaster - conveyor	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	09-52894-97
Cooking equipment	Toaster - pop down	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2" x 8 3/4" x 16 1/2", 13 amps, 208v (2)	ST1060663L U
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	1 CA 0455
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	258211

Cooking equipment	Waffle iron	Wells, model: WB-2, double countertop waffle cone iron, 20" x 17 1/2" x 9", 15 amps, 120 v	D43483
Food prep	Bagel slicer	Oliver, model: 702-N, Bun & Bagel slicer, standard, compact, maintenance-free, adjustable cutting blade, blade speed - 1,725 RPM, standard chute, end feed, 22 3/4" x 29 3/4" x 13", 5.8 amps, 115 v	167390
Refrigeration	Cooler	Continental, model: 1R, single door (hinges on right), top mount mechanics, 3 racks, on castors, 26" x 36" x 82 1/4", 29 amps, 115 v,	13321732 DOM: 1999
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	DOS: 12/1994
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	97437 DOS:8/1979
Refrigeration	Cooler - GDM	True, model: GDM 40, 2 doors -sliding, 8 alum shelves, 40 cu ft capacity, 47" x 29" x 82", 7.5 amps, 115 v	239227
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	2034279
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	96K5264
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	96209613 -789
Refrigeration	Cooler - Open merchandiser	Hussman, model:DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	9320552055
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	360726-H
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	1-3023460
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 - 38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	DOM 3/97
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	816 32-1 DOM: 02/99
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	T000001360 3