



## Sanford's Used Restaurant Equipment

136 Kokanee Rd Fairplay CO. 80440

WH Phone: 719/836-9008 COLO.Spgs.: 719-641-9872 Messages: 719/332-7800 Fax: 719/836-7275  
 E-Mail: [www.sanfordstre.com](http://www.sanfordstre.com)

March  
2010

Inventory of equipment changes daily. Please call to confirm availability.

### Equipment Available

Bar equipment	Bar sink	s/s, 3 bowls - 10" x 14" x 9", 2" centered 12" faucet, 18" drainboards on both sides, 72" x 18 1/2" x 37"
Bar equipment	Bar sink	s/s, 71" x 18", three bowls - 10" x 14" x 9", with 18" drainboards on both sides
Bar equipment	Blender	Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch,, 44 oz plastic container, 3 amps, 120 v
Bar equipment	Blender	Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v
Bar equipment	Blender	Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)
Beverage	Airpot holder	black plastic, holds 6 pots, w/foam drip catch, 22" x 22" x 16 1/2" (2)
Beverage	Airpot holder	Bunn, black wire rack, holds three airpots, 23" x 11" x 7"
Beverage	Coffee brewer	Brewmatic, Farmers Brothers, model: 1030515, automatic, two top warmers, 9" x 15 1/4" x 21 1/4", 1995 watts, 120 v
Beverage	Coffee brewer	Bunn, model: VPS, pourover brewer with 1 top and one bottom warmer, 23" x 8 1/4" x 18 3/4", 1790 watts, 120 v
Beverage	Coffee brewer	Cecilware, model: SSB-3, automatic, 2 top warmers, hot water spout, 8 1/2" x 19 1/2" x 20 3/4", 115 v
Beverage	Coffee brewer	Grindmaster, model: BL-2P, pour over brewer with one top warmer, 8 1/2" x 17" x 19", 1600 watts, 120 v
Beverage	Coffee brewer	Vaculator, mod VAG AF, automatic, one top warmer and one bottom warmer, 16 3/4" x 8 1/2" x 26", 15 amps, 1800 watts, 120 v
Beverage	Coffee brewer - airpot	Bloomfield, model: 8773, pourover or automatic, hot water spout, energy saver/heater switch, 8 3/4" x 16 3/4" x 25 1/2", 1500 watts, 120 v
Beverage	Coffee brewer - airpot	Bloomfield, model: 8783, pourover airpot brewer, takes 2.2 liter pots, 8" x 15" x 24 3/4", 1800 watts, 120 v
Beverage	Coffee brewer - airpot	Bunn, model: CDBCF-DV APS, automatic digital airpot coffe brewer, accomodates 1.9 to 3 liter airpot, brewing capacity-4.5 gal/per hour, w/ hot water spout, 9" x 18 1/2" x 23 1/2", 1500 watts, 12.5 amps, 120 v
Beverage	Coffee brewer - airpot	Grindmaster, model: BA-AS, automatic fill, hot water spout, 9" x 20 1/2" x 23 1/2", 1440 watts, 115 v
Beverage	Coffee brewer - airpot	Newco, model: ACE AP, automatic fill, hot water spout, 8 1/2" x 17 5/8" x 22", 1750 watts, 14.58 amps, 120 v
Beverage	Coffee shuttle	Bunn, 2G-PR, s/s, 1 1/2 gal., w/sight glass, 6 1/2" x 6 1/2" x 10 1/2" (2)
Beverage	Coffee shuttle	Bunn, model: 2GPR, 9 3/4" x 14" x 10 3/4" (5)

Beverage	Coffee shuttle	Curtis, mod Gem 3, 1.5 gal w/site glass, 9" x 9" x 9" (8)	
Beverage	Drink mixer	Hamilton Beach, model: 936-1, single head drink mixer, 7" x 7" x 19", 125 watts, 120 v	
Beverage	Espresso machine - double	Astoria, model: AL-2N, manual double espresso machine, silver and black exterior, 27 1/2" x 21" x 20 1/2", 2600 watts, 11.3 amps, 230 v	
Beverage	Espresso machine - double	Bravo., model: Atlas - EVD2, double espresso machine, 29" x 22" x 20", 2930 watts, 12.7 amps, 230 v	
Beverage	Espresso machine - double	Formula, model: EVD-2, automatic, 2 steam wands, digital dispensing controls, 28" x 22" x 19", 220 v	
Beverage	Espresso machine - double	Premier, Nuova Simonelli, semi-automatic, NF#: 80146, DOM 10/29/1998, 25" x 20 1/2" x 19", 3400watts, 240v	
Beverage	Espresso machine - single	Faema, Compact, model: C84/1, single head espresso machine, 14" x 22" x 17 3/4", 1,38 kW, 120 v	
Beverage	Espresso machine - single	Reneka, model: SINGLE, single espresso machine, 14" x 20" x 21 1/2", 2000 watts, 110 v	
Beverage	Espresso machine - single - pod type	Comobar 2000 Inc, model: XL-100, pod type espresso machine, fully automatic one step selection, 9 1/2" x 14" x 16 1/2", 1450 watts, 120 v	
Beverage	Grinder - coffee	Bunn, model: LPG-2E, two 3 lb hoppers, 8 3/4" x 11 1/4" x 17 1/2", 4 amps, 120 v	
Beverage	Grinder - coffee	Grindmaster, mod. 250, s/s, 1/2 hp motor, fully automatic, grind settings 1/4 oz. - 18 oz., two clear hoppers hold 5 1/2 lb. beans each, 8" x 13 3/4" x 27 1/2", 115v	
Beverage	Grinder - coffee	Grindmaster, model: 250AB, 2 clear hoppers, 8" x 13 3/4" x 27 3/4", 8 amps, 115 v	
Beverage	Grinder - coffee & espresso - Bag	Grindmaster, model: 810, medium duty, hopper capacity - 1 1/2 lb whole beans, grind settings from espresso to percolater, bag height 8" - 11 1/2", black exterior, 7" x 14" x 22", 1/3 hp, 8 amps, 115 v	
Beverage	Grinder & portioner - espresso	Astoria, model: Brevetto, pink/salmon exterior, 7 1/8" x 13" x 22 1/2", 120 v	
Beverage	Grinder & portioner - espresso	Astoria, model: Brevetto, red exterior, 7" x 12" x 22 1/2", 115 v (2)	
Beverage	Grinder & portioner - espresso	Bravo Sys. International, model: Max grinder, 2# hopper capacity, 8" x 12" x 23", 115 v (2)	
Beverage	Grinder & portioner - espresso	Brevetto, Mazzer, model: Super Jolly Silver, 7 1/4" x 13 1/2" x 22 1/2", 5 amps, 110 v	
Beverage	Grinder & portioner - espresso	Gaggia, model: MG-DLX, s/s, gold exterior, auto, 9" x 15" x 24", 110 v.	
Beverage	Grinder & portioner - espresso	Nuova, Faema, model: C157silver-S, tan exterior, 9" x 14 1/2" x 25", 240 watts, 110 v	
Beverage	Hot chocolate machine	Cecilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v	
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v	
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v	
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v	
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v	

Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v	
Beverage	Warmer - coffee pot	Bloomfield, model: 8842, double warmer plates, 15 3/4" x 7 3/4" x 3 1/4", 170 watts, 120 v	
Beverage	Warmer - coffee pot	Bunn, model: WX2, can warm two pots of coffee, individual controls, 14" x 7" x 2 1/2", 2 amps, 200 watts, 120 v (4)	
Beverage	Warmer - coffee pot	Farmer Brothers Coffee Co, model: 1800520, double warmer for decanters, 10 3/8" x 10 1/2" x 7", 125 watts, 120 v	
Beverage	Warmer - coffee pot	Farmer Brothers, model: 1810528, double warmer plate, 15" x 6 3/4" x 2 3/4", 180 watts, 120 v	
Beverage	Warmer - coffee pot	Koffee King, model: 8852, double warmer for decanters, 15 3/4" x 8" x 3", 200 watts, 120 v	
Beverage	Warmer - coffee pot	Silex, model: 8882R, double warmer for decanters, gold exterior, 13 3/4" x 6 1/2" x 3", 200 watts, 120 v	
Beverage	Warmer - coffee pot	Vaculator, model: CPW-2, 2 warming spots, 14" x 7" x 3 1/2", 200 watts, 120 v	
Beverage	Warming stand - shuttle pot	American Metal Ware, model: CW-1, 9 1/8" x 9 1/8" x 8, 1 Ph, 1 amp, 120 v	
Beverage	Warming stand - shuttle pot	Bunn Omatic, model:RWS 2, counter top warmer for shuttle pots, 10 1/8" x 10 1/8" x 4 1/2", 1 Ph, 2 wire, 100 watts, 1 amp, 120 v (3)	
Beverage	Warming stand - shuttle pot	Bunn, mod RWS1, s/s, 10" x 10" x 8", 120v (2)	
Beverage	Warming stand - shuttle pot	Curtis, mod Gem 5, s/s, 9" x 9" x 9 1/2", 120v (2)	
Cleaning & storage	Dishwasher - undercounter	Jackson, model: JP-24B, JP-24BF, Hi Temp - undercounter dishwasher, Incoming water temp - 140 degrees, wash temp - 150 degrees, rinse temp - 180 degrees, wash time-82 sec, rinse time-10 sec, 24 1/4" x 26" x 33", 42 amps, 230 v	
Cleaning & storage	Dunnage rack	Aluminum dunnage rack, all welded construction, square tubing, holds 2000 lbs, 30" x 18" x 12"	
Cleaning & storage	Gravity food bins	Trade Fixtures, model: 06108A, 3.5 gallon capacity clear gravity feed bins, for dispensing bulk food, coffee, cereal or candy, 6" x 14 1/2" x 18" (3)	
Cleaning & storage	Sink - 1 bowl - worktable	s/s, stand alone table with small sink - 6" x 11 1/2" x 6", gooseneck faucet, legs on front and castors on the back, 1 1/2" back splash, 17" x 36" x 44"	
Cleaning & storage	Sink - 2 bowl	s/s, 2 bowls - 22" x 26" x 12", drainboards on both sides - 22" x 26", holes for a 8" centered faucet, overall - 93 1/4" x 30 1/2" x 44"	
Cleaning & storage	Sink - 3 bowl	s/s, 102 1/2" x 24", 3 bowls - 18" x 18" x 12", drainboards on both sides - 22" x 20"	
Cleaning & storage	Sink - 3 bowl	s/s, 103" x 22 1/2", 3 bowls - 17" x 17" x 12", 22" drainboards on both sides, holes for a 8" centered faucet	
Cleaning & storage	Sink - 3 bowl	s/s, 75 3/4" x 23 x 45", 3 bowls - 17" x 17" x 12", 8" centered faucet, working height - 36 1/2", 9" backsplash, 18" right side drainboard	
Cleaning & storage	Sink - 3 bowl	s/s, Universal Stainless 105" x 26" x 42 1/4", 3 bowls - 18" x 20" x 11 1/4", drainboards on both sides - 22" x 22", wall mount 8" centered faucet	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 12" x 10" x 5 1/2", with gooseneck faucet, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 12" x 10" x 5", with faucet, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 13" x 11" x 4 1/2", with 4" centered deck mount faucet/ one handle, overall measurements - 15" x 15"	

Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 13" x 11" x 4 1/2", with 4" centered deck mount gooseneck faucet, overall measurements - 15" x 15" (3)	
Cleaning & storage	Sink - hand - wall mount	s/s, single bowl - 11 1/2" x 10", 8" backsplash, 4" centered gooseneck faucet, overall - 16" x 15" (2)	
Cleaning & storage	Sink - hand - wall mount	s/s, single oval bowl - 17 1/2" x 15 1/2", 4" centered deck mount faucet - single handle, 13 1/2" x 9 1/2" x 7"	
Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - worktop	Beverage Table, s/s, sheet pan storage on right side, open storage on left, 4 elec outlets, 8" backsplash, enclosed back & sides, 59" x 32" x 43"	
Cleaning & storage	Table - worktop	s/s, 2 enclosed undershelves, 4 sliding front doors, Left corner (17" x 11") cut out, on legs, 86 1/2" x 28 1/2" x 39 1/2"	
Cleaning & storage	Table - worktop	s/s, under storage, recessed front w/drain, good for soda machine support, enclosed back & sides, 48" x 36" x 35"	
Cooking equipment	Convection oven - elec - 1/2 size	Lang, model: EHS-S, half size electric convection oven, door hinges on left, 3 racks, temp range: 140 - 450 degrees, 30 1/4" x 28" x 25 1/4", 1/3pH, 37.5/20,8 amps, 208 v	
Cooking equipment	Convection oven - gas - sgl	Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - sgl	Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2", overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - sgl	US Range, Sunfire, model: SDG-1, convection oven with glass doors, 9 racks, on casters, 40" x 44 1/2" x 67 1/2", 80,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - sgl	Vulcan, Snorkel, model: , two glass doors, 5 racks, on legs insdie measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", , LP (2)	
Cooking equipment	Convection oven - gas - dbl	Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - dbl	Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas	
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controlls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	
Cooking equipment	Drawer warmer	Toastmaster, model: 2DS, 2 drawers - single control for both drawers, 22 3/4" x 24 1/2" x 27 1/2", 800 watts, 115 v	
Cooking equipment	Flat warmer	Drop-in flat top food warmer with wood frame - 31 3/4" x 51 1/2", Underwriters Laboratories, model: 567L warmer size - 40 3/4" x 27 1/4" x 8", 120 v	
Cooking Equipment	Food warmer	APW, model: W3-V, full size countertop food warmer, 14 1/2" x 24 1/2" x 9 1/2", 1200 watts, 120 v (2)	
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v (2)	
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separete controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	
Cooking equipment	Heated dispenser	Star, model: 1-9N, perfect for hot chocolate, pancake syrups, au jus, bbq sauces, etc, 6 qt capacity, pour-over design, portion control, preset thermostatic heat control, removable bowl & faucet, 9" x 15 1/4" x 17 3/16", 435 watts, 120v	
Cooking equipment	Microwave	Amana, model: HDC 12A2, heavy duty compact microwave, programmable selection of up to 99 items, pads can be preset for consistent operation, 0.6 cu ft interior, 16 1/2" x 2 1/2" x 13 1/2", 20 amps, 1200 watts, 120 v, NEMA 5-20P	
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	

Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer, on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, <b>3ph</b>	
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	
Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans - 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	
Cooking equipment	Pretzel merchandiser	J & J Snackfoods, model: 750, countertop pretzel merchandiser, white exterior, three rotating levels, 15" x 18" x 26 1/4", 115 v	
Cooking equipment	Pretzel merchandiser	Nemco, model: NY1000, countertop pretzel merchandiser, s/s exterior, three rotating levels, 15" x 19" x 30", 500 watts, 120 v (2)	
Cooking equipment	Proofing cabinet	BakBar, model: E87, single dark glass door, proofing cabinet with 8 tray capacity in a controlled heat and humidity environment, on casters, 28" x 32" x 35"	
Cooking equipment	Proofing cabinet	Eastern Steel Rack, model: HC-72-36-1-1/2, 2 red half doors, holds 36 sheet pans, on castors, 21 1/2" x 30" x 74 3/4"	
Cooking equipment	Proofing cabinet	Metro, model: C75 P4N, full size proofing cabinet with glass door, 18 side brackets for pans, on castors, 25" x 31 3/4" x 76 1/2", 1500 watts, 15 amps, 110 v	
Cooking equipment	Range - combination	Southbend, model: 320F, 6 burners on the right, 24" griddle on the left, 2 std ovens - interior - 26" x 25" x 14", 1 rack in each oven, castors, 61 1/2" x 34" x 57", 188,000 BTU's nat gas	
Cooking equipment	Range - combination	US Range, model: PS-36G-4-26RC26RC, 4 burners on the right, 36" griddle on the left, 2 convection ovens, 60" x 36" x 44", 304,000 BTU's, nat gas	
Cooking equipment	Range - combination	Vulcan, model: VG260, 6 burners on left, 24" raised griddle on right with a cheesemelter under it, 2 std ovens - 26" x 22" x 12", overall measurements - 60" x 32" x 59 1/2", 268,000 BTU's, nat gas	
Cooking equipment	Range - combination	Wolf, model: CHR-4-29-FT22, 4 burner, 24" griddle, 2 small standard ovens, over shelf and castors, 45" x 35" x 59 1/2", 174,000 BTU's, <b>LP</b>	
Cooking equipment	Range - convec oven - 10 burners	Vulcan, model: G60CC-10, 10 burner range with 2 convection ovens, 2 racks, 60" x 35.62" x 58", nat gas	

Cooking equipment	Range - convec oven - 6 burners	Wolf, Snorkeler, model: K34S 296, 6 burners, with a convection oven, 2 racks, right side shield , over shelf, on castors, 33 3/4" x 40" x 57",	
Cooking equipment	Range - convec oven -6 burners	Imperial, model: IR-6C, 6 burner with convection oven - 26 1/2" x 22 1/2" x 14", 2 racks, overshelf, on castors, 36" x 35" x 62", 196,000 BTU's nat gas	
Cooking equipment	Range - convec oven -6 burners	Southbend, model: C0300, 6 burner with convection oven, castors, 36 1/2" x 35" x 45", 180,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven -6 burners	Southbend, model:X436A, 6 burner with convection oven, 1 rack, over shelf and castors, 36 1/2" x 44" x 59 1/4", 230,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven -6 burners	Vulcan, Snorkel, model: G36C6, 6 burners, convection oven , on castors, 36" x 35" x 47", 227,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven -6 burners	Wolf, 6 burner with a convection oven, 33 1/2" x 39 1/2" x 42 1/2", on legs, 215,00 BTU's, nat gas	
Cooking equipment	Range - convec oven -6 burners - elec	Toastmaster, model: RA36C4RD, 6 burner electric range, convection oven, 2 racks, over shelf compartment, on castors, 36" x 39" x 70 1/4", 3 ph 480 v	
Cooking equipment	Range - cook top - 4	4 burner range with under shelf storage, over shelf, on castors, 22 1/2" x 31" x 59", nat gas	
Cooking equipment	Range - cook top - 6	Wolf, model: C 34B-47, 6 burner range with under shelf storage, on castors, 33 1/2" x 32 1/2" x 58", DOM: 1997, 186,000 BTU's, nat gas	
Cooking equipment	Range - standard oven - 10 burners	Imperial, model: IR -10-XB, 10 burner range with one left side standard oven - interior: 26 1/2" x 26" x 14", on castors, 60" x 26 3/4" x 56 1/2", 315,000 BTU's, nat gas	
Cooking equipment	Range - standard oven - 6 burners w/salamander	US Range, model: PX-6-26, 6 burners with standard oven, inside - 26" x 20" x 13", 1 rack, on castors, has a US Range Salamander mounted on top - ceramic burners, 5 positions, 36" x 24" x 21" nat gas	
Cooking equipment	Range - standard oven - 8 burners	8 burner range with right side standard oven - 29" x 22", on legs, 45" x 34" x 55", nat gas	
Cooking equipment	Toaster - conveyor	Belleco, model: JT 3-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	
Cooking equipment	Toaster - conveyor	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	
Cooking equipment	Toaster - conveyor	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	
Cooking equipment	Toaster - pop down	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2"x 8 3/4"x 16 1/2", 13 amps, 208v (2)	
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	
Cooking equipment	Waffle cone iron	CoBatco Inc, model: MD10SSE-L, single countertop waffle cone iron, 10" x 21" x 12 1/2", 1200 watts, 120 v	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"	
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"	
Food prep	Scale	Royal, model: EX 310, countertop ( shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"	
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-200 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)	
Food prep	Scale	Yamato, model: PB-200, digital pizza/bakery countertop food scale, platform - 11.75" x 12.25", single face display, 12 1/2 lbs x 0.1 oz, (rechargable battery pack or AC adaptor)	

Food prep	Syrup dispenser	s/s, Curtis SW - 1, 7 1/4" dia x 12 3/4", 30 watts, 120v	
Refrigeration	Cooler	Delfield, model: 6025-S, single door (hinges on the right), top mount mechanics, 4 racks, on castors, 25 3/4" x 32 1/2" x 79 1/2", 6.5 amps, 115 v	
Refrigeration	Cooler	True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v	
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	
Refrigeration	Cooler - freezer	Traulson, mod GDT-332NUT, 3 door, cooler on left side, freezer on right, top mount compressors, 6 shelves, lighted, cooler-42 cu ft, freezer-19 cu ft, 76 1/2" x 35 1/2" x 77 1/4", 115v	
Refrigeration	Cooler - freezer	Traulson, model: RDT 1-32WUT, dual temp, two half doors - hinges on left, cooler capacity- 10.5 cu ft, freezer capacity- 10.1 cu ft, s/s exterior and interior, on castors, 30" x 32" x 83", 13.4 amps, 115 v	
Refrigeration	Cooler - GDM	True, model: GDM 26, single glass door cooler - hinges on right, green 7-up exterior, 4 shelves, 30" x 29 1/2" x 78 1/2", 7.2 amps, 115 v	
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG466S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part can be refrigerated service display with fixed glass front, black exterior, folding back cutting board - 13", castors, 66" x 30" x 61 1/2", 20 amps, 120/208 v	
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	
Refrigeration	Cooler - Open merchandiser	Hussman, model: DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	
Refrigeration	Cooler - sand prep	True, model: TSSU-72-18, 3 doors, 2 shelves, 19 cu ft capacity, top holds 18 pans, on castors, 1/2 Hp, 10.5 amps, 115 v	
Refrigeration	Cooler - undercounter	Delfield, model: UC4048, 2 doors, 5 shelves, on legs, 48" x 28 3/8" x 36", 5 amps, 115 v	
Refrigeration	Cooler - undercounter	Silver King, model: SKRB48, 2 doors, 12.2 cubic foot capacity, 2 shelves, 48" x 29 3/4" x 33 3/4", 6.75 amps, 115 v	
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 -38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	
Refrigeration	Deli case	The C. Schmidt Co., model: SHR-6, slanted glass front, 2 sliding rear doors, 2 shelves, 76" x 34 1/2" x 48", 12 amps, 115 v	

Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Display case - pie	Delfield, model: 7048-M, countertop display case with mirrored back, 2 front sliding access doors, 1 shelf, 48 3/8" x 24 3/8" x 30 1/8", 6.5 amps, 115 v	
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	
Refrigeration	Freezer - GDM	Hussman, model: RL0493G41, 2 glass doors, "Ice Cream" white exterior, bottom mount mechanics, 54" x 33 1/8" x 79", 15 amps, 208/230 v	
Refrigeration	Freezer - Ice cream	Hussman, model: DCCG-16-D, ice cream dipping cabinet, 16 tub display, 87" x 26 1/4" x 52", 15 amps, 115 v	
Refrigeration	Freezer - Ice cream	model: 16HR-3, ice cream dipping cabinet, holds 16 display tubs, 88" x 27" x 50 1/2", 115 v	
Refrigeration	Freezer - Ice cream	model: HR12, ice cream dipping cabinet, holds 12 display tubs, 67" x 27" x 51", 115 v	
Refrigeration	Frost top	Delfield frost top, model: N8231, cools granite stone, 31 1/4" x 25 7/8" x 16", 1 Ph, 7 amps, 115 v, DOM: 2/13/2003	
Refrigeration	Ice bin	Hoshizaki, model: B500PD, capacity - 500 lbs of ice, grey exterior, on legs, 30 1/4" x 33" x 46"	
Refrigeration	Ice bin	Hoshizaki, model: B-70 PD, 44 1/2" x 34" x 46 1/4"	
Refrigeration	Ice bin	Manitowoc, mod C170, light tan metal exterior, fits 30" x 24" head, 170# capacity, 30" x 29" x 26" (3)	
Refrigeration	Ice bin	Scotsman model: HTB 555, 550 lb ice bin, grey exterior, 29" x 36" x 50 1/4"	
Refrigeration	Ice bin	Scotsman, model: B222S, 242 lb capacity, 22" x 33 1/2" x 36"	
Refrigeration	Ice bin	Scotsman, model: BH 550, 410 lb capacity, 30" x 34 1/2" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800AE, 800 lb capacity, tan exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800S-C, 800 lb capacity, s/s exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: HTB500, 500 lb ice bin, 31" x 32 1/2" x 47"	
Refrigeration	Ice bin	Scotsman, tan exterior, 42" x 31 1/2" x 36 1/4"	
Refrigeration	Ice machine	Hoshizaki, model: KM-500-MAE, 500 lb air-cooled, s/s exterior, slim line - 22" x 28" x 30 5/8", 20 amps, 120 v	
Refrigeration	Ice machine	Manitowoc, model: QYO455W, 450 lb water cooled, s/s exterior, 29 1/2" x 22 1/4" x 21 1/2", 11.9 amps, 115 v	
Refrigeration	Ice machine	Manitowoc, model: HYO204A, 200 lb air cooled, tan exterior, 30" x 23 1/4" x 16 1/2", 15.6 amps, 115 v	
Refrigeration	Ice machine - undercounter	Manitowoc, model: QYO134A, under the counter air cooled ice machine and ice bin, 90 lbs/ per day, half-dice cube size, 26" x 26.5" x 32.5", 6.5 amps, 115 v	
Refrigeration	Pan rack	Eagle, full size pan rack to fit into a upright cooler, holds 20 sheet pans, 20 1/2" x 28" x 65"	
Refrigeration	Stacking collar	True, TUC-27, s/s, for space efficient freezer and refrigerator combination, 27 1/2" x 30"	