



136 Kokanee Rd

Fairplay CO. 80440

2295 Busch Ave, Colorado Springs, 80904

## Sanford's Used Restaurant Equipment

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275

www.sanfordsre.co

Email: sales@sanfordsre.com

February 2010

Inventory of equipment changes daily. Please call to confirm availability.

### Deli Equipment Available

|                    |                        |  |      |
|--------------------|------------------------|--|------|
| Bar equipment      | Blender                | Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch,, 44 oz plastic container, 3 amps, 120 v   | Eval |
| Bar equipment      | Blender                | Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v  | Good |
| Bar equipment      | Blender                | Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)  | Good |
| Beverage           | Airpot holder          | black plastic, holds 6 pots, w/foam drip catch, 22" x 22" x 16 1/2" (2)  | Good |
| Beverage           | Airpot holder          | Bunn, black wire rack, holds three airpots, 23" x 11" x 7"   | Good |
| Beverage           | Coffee brewer - airpot | Bloomfield, model: 8773, pourover or automatic, hot water spout, energy saver/heater switch, 8 3/4" x 16 3/4" x 25 1/2", 1500 watts, 120 v   | Eval |
| Beverage           | Coffee brewer - airpot | Bloomfield, model: 8783, pourover airpot brewer, takes 2.2 liter pots, 8" x 15" x 24 3/4", 1800 watts, 120 v   | Eval |
| Beverage           | Coffee brewer - airpot | Bunn, model: CDBCF-DV APS, automatic digital airpot coffe brewer, accomodates 1.9 to 3 liter airpot, brewing capacity-4.5 gal/per hour, w/ hot water spout, 9" x 18 1/2" x 23 1/2", 1500 watts, 12.5 amps, 120 v | Good |
| Beverage           | Coffee brewer - airpot | Grindmaster, model: BA-AS, automatic fill, hot water spout, 9" x 20 1/2" x 23 1/2", 1440 watts, 115 v  | Good |
| Beverage           | Coffee brewer - airpot | Newco, model: ACE AP, automatic fill, hot water spout, 8 1/2" x 17 5/8" x 22", 1750 watts, 14.58 amps, 120 v   | Good |
| Beverage           | Hot chocolate machine  | Celcilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v   | Good |
| Beverage           | Ice tea brewer         | Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v  | Eval |
| Beverage           | Ice tea brewer         | Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v  | Eval |
| Beverage           | Ice tea brewer         | Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v   | Good |
| Beverage           | Ice tea brewer         | Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v   | Good |
| Beverage           | Juice dispenser        | Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accomodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v                                     | Good |
| Cleaning & storage | Can rack               | Alum, half size rack with 5 rows of three, 25 1/4" x 34 1/2" x 38 1/4"   | Good |
| Cleaning & storage | Can rack               | ceiling mount, s/s, 10 columes for cans, 39" x 22" x 19"   | Good |

|                    |                            |  |            |
|--------------------|----------------------------|--|------------|
| Cleaning & storage | Cart - utility             | Lakeside, model: 311, s/s cart with 3 shelves, one handle, 16" x 27" x 32" (3)   | Good       |
| Cleaning & storage | Cart - utility             | Lakeside, s/s cart with 3 shelves with 1" lip on back and sides, one handle, 19 1/2" x 33" x 34 1/2"   | Good       |
| Cleaning & storage | Cart - utility             | s/s utility cart with handles on each side, 2 shelves, on castors, 17" x 27 1/2" x 32 1/2"   | Fair       |
| Cleaning & storage | Dunnage rack               | Aluminum dunnage rack, all welded construction, square tubing, holds 2000 lbs, 30" x 18" x 12  | Good       |
| Cleaning & storage | Gravity food bins          | Trade Fixtures, model: 06108A, 3.5 gallon capacity clear gravity feed bins, for dispensing bulk food, coffee, cereal or candy, 6" x 14 1/2" x 18" (4)  | Good       |
| Cleaning & storage | Sink - hand - wall mount   | s/s, single bowl - 11 1/2" x 10", 8" backsplash, 4" centered gooseneck faucet, overall - 16" x 15  | NEW        |
| Cleaning & storage | Table - butcher block      | 24" x 18" x 1 1/2", with undershelf, on castors  | Good       |
| Cleaning & storage | Table - s/s                | Duke, s/s reinforced top with alum undershelf, 60" x 30"   | Never Used |
| Cooking equipment  | Charbroiler                | Puppy Palace, 6 radiant burners with control knobs, stand alone charbroiler on castors, 30" x 38" x 34", nat ga  | Eval       |
| Cooking equipment  | Charbroiler                | US Range, model: RBA-30, two "H" shaped burners, lava rock, stand alone charbroiler on castors, 30" x 33 1/4" x 39", 90,000 BTU's, nat gas   | Good       |
| Cooking equipment  | Charbroiler - countertop   | American Range, mod AECB-44, 4 burner,s/s front and sides, 35,000 BTU per burner, 5" x 21" cast iron grates, 44 1/4" x 24" x 17 1/2", nat gas  | Eval       |
| Cooking equipment  | Charbroiler - countertop   | DCS, countertop charbroiler with 6 burners, 36" x 27 1/2" x 12", nat gas   | Eval       |
| Cooking equipment  | Charbroiler - countertop   | Montague, 8 radiant burners, 48" x 38" x 13 3/4", nat gas  | Eval       |
| Cooking equipment  | Charbroiler - countertop   | Rankin Deluxe, model: 3223-c, countertop charbroiler, 3 burners, 3 controls, lava rock, 32" x 25" x 15 1/2", 90,000 BTU's, nat gas   | Good       |
| Cooking equipment  | Charbroiler - countertop   | Rankin Deluxe, model: RB-830, countertop charbroiler with 5 burners, 30 1/2" x 29 1/2" x 17", 55,000 BTU's, nat gas  | Eval       |
| Cooking equipment  | Charbroiler - countertop   | w/ 4 U-shaped radiant burners; 8 1/2" top grates, 2 grease catch pans; 48" x 30 1/4" x 21", nat.ga   | Fair       |
| Cooking equipment  | Cheesemelter               | 48" cheesemelter with 2 ceramic burners, 48" x 16 1/4" x 27", nat gas  | Fair       |
| Cooking equipment  | Cheesemelter               | Imperial, model: ICMA-48, infra-red burners, individual left and right controls, 1 rack, can be wall or counter mounted, 48" x 20" x 24", 40,000 BTU's nat gas   | Good       |
| Cooking equipment  | Cheesemelter - electric    | J.J. Connelly, ROLL A GRILL, model: EC-6, countertop cheesemelter with legs, 1 rack, 40" x 15" x 22", 19.2 amps, 208 v   | Good       |
| Cooking equipment  | Convection oven - gas - sg | Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas | Good       |
| Cooking equipment  | Convection oven - gas - sg | Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2" overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas                               | Good       |
| Cooking equipment  | Convection oven - gas - sg | US Range, Sunfire, model: SDG-1, convection oven with glass doors, 9 racks, on casters, 40" x 44 1/2" x 67 1/2", 80,000 BTU's, nat gas   | Eval       |
| Cooking equipment  | Convection oven - gas - sg | Vulcan, Snorkel , model: , two glass doors, 5 racks, on legs insdie measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", , LP (2)   | Fair       |
| Cooking equipment  | Convection oven - gas -db  | Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas                              | Eval       |
| Cooking equipment  | Convection oven - gas -db  | Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas               | Good       |

|                   |                                |   |            |
|-------------------|--------------------------------|---|------------|
| Cooking equipment | Cook & hold                    | Model: LTC-05, 2 racks, holds 5 pans, on castors, 22 5/8" x 33 1/2" x 37 1/2", 17 amps, 120 v   | Fair       |
| Cooking equipment | Display case                   | Federal, model: SQ3HD, 3 ft curved glass display case, rear sliding access door, 36" x 44 1/8" x 48", 10.3 amps, 120  | Eval       |
| Cooking equipment | Drawer warmer                  | APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v  | Good       |
| Cooking equipment | Drawer warmer                  | Merco Savory, model: HFS-2, two drawer warmer, thermostatic controls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v   | Eval       |
| Cooking equipment | Drawer warmer                  | Toastmaster, model: 2DS, 2 drawers - single control for both drawers, 22 3/4" x 24 1/2" x 27 1/2", 800 watts, 115 v   | Fair       |
| Cooking equipment | Drawer warmer                  | Wittco, model: 200-2R, 2 drawers with separate controls and temp, 29 1/4" x 23" x 20 1/4", 950 watts, 8 amps, 120 v   | Good       |
| Cooking equipment | Entrée Cart                    | Vollrath, model: 91965, front storage, top holds full size insert pan, has heat lamp, on casters, 24" x 26" x 62 1/2", 765 watts, 6.4 amps, 120 v   | Good       |
| Cooking Equipment | Food warmer                    | APW, model: W3-V, full size countertop food warmer, 14 1/2" x 24 1/2" x 9 1/2", 1200 watts, 120 v (2)   | Good       |
| Cooking Equipment | Food warmer                    | Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v (3)  | NEW        |
| Cooking equipment | Food warmer - soup             | APWyott, model: CW18, 11 qt round food warmer, cook & hold, infinite control, 12 1/2" dia, 10 1/2" tall, 800 watts, 120 v   | Good       |
| Cooking equipment | Food warmer - soup             | Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v  | Fair       |
| Cooking equipment | Food warmer - soup - dbl       | Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separate controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v   | Good       |
| Cooking equipment | Food warmer - soup stand - dbl | Duke, model: TTM2-M, countertop merchandiser holds two full size hotel pans, with adaptor plates for 11 qt round inset pots with hinged lids, 30" x 24" x 31", (without back 14" tall), 1718 watts, 120 v                     | Good       |
| Cooking equipment | Fryer                          | Frymaster, model: GF14, 35 lb frypot, holds two baskets, on legs, 16" x 29 1/2" x 48", 100,000 BTU's, nat ga:   | Good       |
| Cooking equipment | Fryer - countertop             | Abamaster, model: 2002 A2, small countertop fryer, 18.5 lb capacity, holds two baskets, thermostatically controlled - range: 200-400 degrees, 15" x 17 1/4" x 12 1/2", 5000 watts, 220 v                                      | Good       |
| Cooking equipment | Fryer - electric               | Pitco, mod E14, 42 lb capacity, 3 elements, 14" x 14" fry area, 200-375 degrees, 16" x 30" x 40", 240v single phas  | Good       |
| Cooking equipment | Fryer - LP                     | Anetsberger, model: 18-EG, 50 lb fryer with one basket - 17" x 16 1/2" x 5 1/2", 4 burners, temp range 200-375 degrees on castors, 64,000 BTU's, LP   | Good       |
| Cooking equipment | Fryer - LP                     | Imperial, model: IFS-40, 40 lb fryer with 3 burners, on legs, 15 1/2" x 30" x 45 1/2", 105,000 BTU's, LP  | Good       |
| Cooking equipment | Gas connection kit             | Ultra Flex, 3/4" x 48" gas line for caster-mounted & sationary commercial gas equipment, includes quick disconnect, and saftey cord (3)   | New        |
| Cooking equipment | Griddle - countertop           | 24" x 30" x 14" on legs with a 4 1/4" backsplash/guard, nat ga:   | Eval       |
| Cooking equipment | Griddle - countertop           | Rankin Deluxe, model: 24-A, counter top griddle, 2 burners, 24" x 32" x 12", nat ga   | Fair       |
| Cooking equipment | Griddle - electric             | Toastmaster, model: 71-30, countertop griddle, 30" x 19" x 17", elec, 220 v   | Eval       |
| Cooking equipment | Grill - outdoor                | Magicator, model: LPAGA60, outdoor grill without a cover, 2 decks with 4 burners on each deck, on castors, 69" x 33 1/2" x 36", 160,000 BTU's LP  | Good       |
| Cooking equipment | Hood - exhaust - Type 1        | Greenheck, model: GHEW-9.5-S, s/s 9 1/2 foot hood with 2 lights, 6 filters and the top piece for make-up air 9 1/2' x 6' x 6 1/4" for the top, overall measurements, 114" x 60" x 24" - (No exhaust fan or supression system) | never used |
| Cooking equipment | Hot dog display                | APWyott, model: DS-1A, countertop steamer with dog storage above and buns below, back access, 16" x 15" x 20 1/4", 800 watts, 120 v   | Good       |

|                   |                                  |  |           |
|-------------------|----------------------------------|--|-----------|
| Cooking equipment | Hot dog display                  | Star, model: 36, countertop display with two sides, hot dog capacity:100-130, bun capacity: 80-90, water pan capacity - 100 qts, 24 1/2" x 15 3/4" x 17", 1500 watts, 120 v  | Fair      |
| Cooking equipment | Hot dog roller grill             | Star, model: 45S, countertop roller grill, capacity about 45 dogs, 34 1/2" x 17 1/4" x 10 3/4", 1696 watts, 120  | Good      |
| Cooking equipment | Hot dog roller grill             | Star, model: 45SAR, countertop roller grill with sneeze guard, capacity about 45 dog, 23 1/2" x 28 1/2" x 24", 1650 watts, 120 v   | Good      |
| Cooking equipment | Hot plate - 2 burner             | Rankin-Delux, model: RDHP-212-C, 2 burner hotplate, 12" x 32" x 10 1/2", 40,000 total BTU's, nat gas   | Good      |
| Cooking equipment | Hot plate - 6 burner             | Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU' s per burner, nat gas   | Good      |
| Cooking equipment | Microwave                        | Amana, model: HDC 12A2, heavy duty compact microwave, programmable selection of up to 99 items, pads can be preset for consistent operation, 0.6 cu ft interior, 16 1/2" x 2 1/2" x 13 1/2", 20 amps, 1200 watts, 120 v, NEMA 5-20P                          | Very Good |
| Cooking equipment | Microwave                        | Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v  | Good      |
| Cooking equipment | Oven - Combi                     | Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, <b>3ph</b>   | Eval      |
| Cooking equipment | Oven - conveyor                  | Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v  | Good      |
| Cooking equipment | Oven - conveyor                  | Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v  | Good      |
| Cooking equipment | Oven - cookie                    | Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)   | Good      |
| Cooking equipment | Oven w/ proofer                  | NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2) | Good      |
| Cooking equipment | Pretzel merchandiser             | J & J Snackfoods, model: 750, countertop pretzel merchandiser, white exterior, three rotating levels, 15" x 18" x 26 1/4", 115 v   | Good      |
| Cooking equipment | Pretzel merchandiser             | Nemco, model: NY1000, countertop pretzel merchandiser, s/s exterior, three rotating levels, 15" x 19" x 30", 500 watts, 120 v (2)  | Good      |
| Cooking equipment | Range - combination              | Southbend, model: 320F, 6 burners on the right, 24" griddle on the left, 2 std ovens - interior - 26" x 25" x 14", 1 rack in each oven, castors, 61 1/2" x 34" x 57", 188,000 BTU's nat gas  | Eval      |
| Cooking equipment | Range - combination              | US Range, model: PS-36G-4-26RC26RC, 4 burners on the right, 36" griddle on the left, 2 convection ovens, 60" x 36" x 44", 304,000 BTU's, nat gas   | Good      |
| Cooking equipment | Range - combination              | Vulcan, model: VG260, 6 burners on left, 24" raised griddle on right with a cheesemelter under it, 2 std ovens - 26" x 22" x 12", overall measurements - 60" x 32" x 59 1/2", 268,000 BTU's, nat gas   | Eval      |
| Cooking equipment | Range - combination              | Wolf, model: CHR-4-29-FT22, 4 burner, 24" griddle, 2 small standard ovens, over shelf and castors, 45" x 35" x 59 1/2", 174,000 BTU's, <b>LP</b>   | Good      |
| Cooking equipment | Range - convec oven - 10 burners | Vulcan, model: G60CC-10, 10 burner range with 2 convection ovens, 2 racks, 60" x 35.62" x 58", nat gas   | Eval      |
| Cooking equipment | Range - convec oven - 6 burners  | Wolf, Snorkeler, model: K34S 296, 6 burners, with a convection oven, 2 racks, right side shield , over shelf, on castors, 33 3/4" x 40" x 57",   | Eval      |
| Cooking equipment | Range - convec oven -6 burners   | Vulcan, model: HC E, 6 burners, with convection oven, on legs, 36" x 34" x 42", nat gas  | Eval      |
| Cooking equipment | Range - convec oven -6 burners   | Imperial, model: IR-6C, 6 burner with convection oven - 26 1/2" x 22 1/2" x 14", 2 racks, overshelf, on castors, 36" x 35" x 62", 196,000 BTU's nat gas  | Good      |
| Cooking equipment | Range - convec oven -6 burners   | Southbend, model: C0300, 6 burner with convection oven, castors, 36 1/2" x 35" x 45", 180,000 BTU's, nat gas, 120 v  | Eval      |

|                   |  |   |            |
|-------------------|--|---|------------|
| Cooking equipment | Range - convec oven -6 burners                 | Southbend, model:X436A, 6 burner with convection oven, 1 rack, over shelf and castors, 36 1/2" x 44" x 59 1/4", 230,000 BTU's, nat gas, 120 v   | Eval       |
| Cooking equipment | Range - convec oven -6 burners                 | Vulcan, Snorkel, model: G36C6, 6 burners, convection oven , on casters, 36" x 35" x 47", 227,000 BTU's, nat gas, 120 v  | Eval       |
| Cooking equipment | Range - convec oven -6 burners                 | Wolf, 6 burner with a convection oven, 33 1/2" x 39 1/2" x 42 1/2", on legs, 215,00 BTU's, nat gas  | Good       |
| Cooking equipment | Range - convec oven -6 burners - elec          | Toastmaster, model: RA36C4RD, 6 burner electric range, convection oven, 2 racks, over shelf compartment, on casters 36" x 39" x 70 1/4", 3 ph 480 v   | Eval       |
| Cooking equipment | Range - cook top - 4                           | 4 burner range with under shelf storage, over shelf, on castors, 22 1/2" x 31" x 59", nat gas   | Good       |
| Cooking equipment | Range - cook top - 6                           | Wolf, model: C 34B-47, 6 burner range with under shelf storage, on castors, 33 1/2" x 32 1/2" x 58", DOM: 1997, 186,000 BTU's, nat gas  | Good       |
| Cooking equipment | Range - standard oven - 10 burners             | Imperial, model: IR -10-XB, 10 burner range with one left side standard oven - interior: 26 1/2" x 26" x 14", on castors, 60" x 26 3/4" x 56 1/2", 315,000 BTU's, nat gas   | Eval       |
| Cooking equipment | Range - standard oven - 6 burners              | Imperial, model: IR-6, 6 burners with a standard oven, 1 rack, 2 brackets, on castors, 36" x 28 7/8" x 36", 203,000 BTU's, nat gas  | Eval       |
| Cooking equipment | Range - standard oven - 6 burners w/salamander | US Range, model: PX-6-26, 6 burners with standard oven, inside - 26" x 20" x 13", 1 rack, on casters, has a US Range Salamander mounted on top - ceramic burners, 5 positions, 36" x 24" x 21" nat gas                  | Eval       |
| Cooking equipment | Range - standard oven - 8 burners              | 8 burner range with right side standard oven - 29" x 22", on legs, 45" x 34" x 55", nat gas   | Eval       |
| Cooking equipment | Rotary oven                                    | doors, removable rotors, spits, drip tray, convection and radiant heat, warming cabinet is humidified convection type, 39" x 33" x 77", single or three phase, 240v   | Good       |
| Cooking equipment | Rotary oven                                    | Hobart, model: HRW 100, HRO 100 oven on top, with a humidified, heated display cabinet underneath, on casters, 32 1/2" x 21" x 68" , can be 208 or 240 v, single or three phase   | Eval       |
| Cooking equipment | Steamer - veg. - single portion                | Roundup, mod VS-200A-DB, s/s, countertop vegetable and pasta steamer, double basket, will steam 2-10 oz portions at 180 degrees, 12" x 21 1/2" x 10", 208/220v  | Good       |
| Cooking equipment | Steamtable - nat gas - 4                       | Duke, model: 304, 4 well gas steamtable, undershelf, on legs, 58 1/2" x 30" x 33 1/2", 14,000 BTU's, nat gas  | Good       |
| Cooking equipment | Steamtable - nat gas - 4                       | Duke, model: S-4-SRK, s/s steamtable, 4 food wells - 12" x 20", undershelf and legs, wooden cutting board, 58 1/2" x 31 1/2" x 34", 3500 BTU's per burner, nat gas  | Good       |
| Cooking equipment | Steamtable - elec - 2                          | Duke, model: EP302 M, 2 wells, individually controlled, undershelf, on casters, 30 1/4" x 23 1/2" x 33 1/4", 1500 watts, 240 v  | Very Good  |
| Cooking equipment | Steamtable - elec - 2                          | Suprametal, model: 345-93-E, 2 open wells, individually controlled, undershelf, on legs, cutting board - 7 1/2" x 32", 32" x 30" x 33 1/2", 120 v   | Good       |
| Cooking equipment | Steamtable - elec - 4                          | Randell, model: 3314, 4 well gas steamtable, undershelf, sneeze guard with 13 1/2" deep overshelf, on legs, 62 3/4" x 32" x 49 1/4", 16.64, 208 v   | Good       |
| Cooking equipment | Toaster - conveyoi                             | Belleco, model: JT 3-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v | Eval       |
| Cooking equipment | Toaster - conveyoi                             | Holman, "over easy" , horizontal conveyor toaster, one control to adjust light/dark, 14 1/2" x 17" x 13", 120 v   | Eval       |
| Cooking equipment | Toaster - conveyoi                             | Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v                                      | Eval       |
| Cooking equipment | Toaster - conveyoi                             | Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v                                      | Good       |
| Cooking equipment | Toaster - pop down                             | Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2" x 8 3/4" x 16 1/2", 13 amps, 208v (2)   | Good/ Eval |

|                   |                      |   |            |
|-------------------|----------------------|---|------------|
| Cooking equipment | Toaster - pop up     | Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 \  | Good       |
| Cooking equipment | Toaster - pop up     | Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 \  | Good       |
| Cooking equipment | Toaster - pop up     | Toastmaster, model: TP120, holds 4 slices of bread, 11 1/4" x 13" x 9", 120 \   | Good       |
| Cooking equipment | Warmer - hotshelf    | APWyott, Model WS-24; flat warmer w/ s/s top;infinite temp control; 24" x 17 3/4" x 3"; 120v DOM 11/07/93   | Good       |
| Cooking equipment | Warmer - pass thru   | Hatco, model: GRSDHI-36, pass thru display warmer, horizontal single shelf, thermostatically controlled, 36" x 21 1/4" x 12 1/2", 1170 watts, 9.8 amps, 120 v   | Eval       |
| Cooking equipment | Warmer - pass thru   | Hatco, model: PW-42, pass thru display warmer, horizontal single shelf, 2 strip warmers, 44" x 16" x 13 1/2", 576 watts, 5 amps, 115 v  | Good       |
| Cooking equipment | Warmer - strip - 120 | Hatco, model: GR-120, 120" x 6" x 2 3/4'  | Eval       |
| Cooking equipment | Warmer - strip - 24  | Hatco, model: GRAH-24, 24" x 6" x 2 1/2", 500 watts, 4.2 amps, 120 v (2)  | Good       |
| Cooking equipment | Warmer - strip - 24  | Wells, model: QW-24L, 24" x 6" x 2 1/2", with side mount  | Fair       |
| Cooking equipment | Warmer - strip - 48  | Hatco, model: GRAH-48, 48" x 6" x 2 1/2", 9.2amps, 1100 watts, 120 v (2)  | Good       |
| Cooking equipment | Warmer - strip - 60  | APW, model: FD-60, hanging warming strip, 60" x 6" x 3", direct wire or add a plug, 1600 watts, 120 \   | Never Used |
| Cooking equipment | Warmer - strip - 96  | Hatco, model: GRAH - 96, s/s, 96" x 6" x 2 1/2", direct wire, 2200 watts, 18.32 amps, 120 v   | Eval       |
| Food Prep         | Buffalo chopper      | Hobart, model: 84145, food cutter with 14" s/s bowl, 1725 RPM knife rotation, 22 RPM bowl rotation, one piece burnished aluminum housing, 3" s/s legs, 31" x 16 1/2" x 17", 1/2 H.P. motor, 7.8 amps, 115 v | Good       |
| Food prep         | Can opener           | Edlund #2, manual, with base (1)  | Good       |
| Food prep         | Can opener           | Edlund base for #2 opener   | Good       |
| Food prep         | Can opener           | Edlund, #1, manual, w/o base (2)  | Good       |
| Food prep         | Can opener           | Edlund, #1, manual, with base (4)   | Good       |
| Food prep         | Can opener           | Edlund, model: S11 manual, quick change gear, pull pin blade replacement, 16" shaft hieght, all s/s, w/ bas   | Good       |
| Food prep         | Deli Wrap            | Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v  | Eval       |
| Food prep         | Deli wrap dispenser  | Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9  | Eval       |
| Food prep         | Dip & topping server | Server products, mod D1-1, s/s, hinged top, removable bottom, heats 50-150, holds 1 #10 can, 7 1/2" x 8 1/4" x 8", 100 watt, 110v   | Good       |
| Food prep         | Food Carrier         | Cres Cor, Alum food carrier, 19 1/4" x 27" x 19", hinges on right, holds pans   | Fair       |
| Food prep         | Food Carrier         | Vollrath, model: 22160, tan plastic carrier with two top handles, two latches, 19" x 26 1/2" x 18 1/2   | Fair       |

|           |                                 |  |      |
|-----------|---------------------------------|--|------|
| Food prep | Food Carrier Cart               | Cambro, model: 600MPC, blue plastic cart on castors, holds 8 - full size hotel pans 2 1/2" deep, or 6 - full size hotel pans 4" deep, or 2 - full size hotel pans 6" deep, 2 half doors, 16 3/4" x 24 1/2" x 45 1/2" | Good |
| Food prep | Food Carrier Cart               | Cambro, model: 800 MPC, dusty blue camcart, holds 8 full size 4" deep food pans, temp range -40 to -190 degrees F, 20 1/2" x 27" x 54"   | Good |
| Food prep | Food processor                  | Dito-Dean, Dean Industries, model: TR-21 N, 9" x 16 3/4" x 15 1/2", 6.1 amps, 120 v (2)  | Good |
| Food prep | Food processor                  | Robot Coupe, model: CL50-A, 15 1/2" x 12" x 25", 1/2 hp, 1000 watts, 12 amps, 115 v  | Eval |
| Food prep | Food processor                  | Robot Coupe, model: R-2, counter top food processor with plastic 3 qt bowl and S blade, 7" x 14" x 19",  | Good |
| Food prep | Grater Assembly                 | Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc  | Good |
| Food prep | Grater Assembly - S blade knife | Adjustable knife for a grater assembly, No. 12 hub (2)   | Good |
| Food prep | Ingredient bin                  | White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29" (3)  | Good |
| Food prep | Ingredient bin                  | White plastic ingredient bin on castors, 26 gal capacity, holds 220 lbs sugar and 150 lbs flour, sloped clear polycarbonate hinged lid, 15 1/2" x 30" x 29" (2)  | Good |
| Food Prep | Knife sharpener                 | Tru Home Corporation, model: SC-84, electric wall mount sharpener, 8" x 6 3/4" x 12 1/4", 110/120 v  | Good |
| Food prep | Meat Chopper Assembly           | Meat Chopper/Grinder for use on mixers or power units, supplied with one cutter plate and knife, fits No. 12 hub   | Good |
| Food prep | Mixer - 30 qt                   | Hobart, model: D-300DT, 30 qt mixer, with bowl, paddle, hook, and whip, 20" x 21 1/2" x 45 1/2", 2.1 amps, 1/2 Hp, 200 v <b>3ph</b>  | Good |
| Food prep | Onion Cutter                    | Lincoln/Redco, model: 550N, cast alum, to make "bloomin onions," 11 1/2" x 14" x 17" (2)   | Good |
| Food prep | Scale                           | Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"  | Fair |
| Food prep | Scale                           | Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"  | Fair |
| Food prep | Scale                           | Royal, model: EX 310, countertop ( shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"   | Fair |
| Food Prep | Scale                           | Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-20 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)                                    | Good |
| Food prep | Scale                           | Yamato, model: PB-200, digital pizza/bakery countertop food scale, platform - 11.75" x 12.25", single face display, 12 1/2 lbs x 0.1 oz, (rechargeable battery pack or AC adaptor)                                   | Good |
| Food prep | Syrup dispenser                 | s/s, Curtis SW - 1, 7 1/4" dia x 12 3/4", 30 watts, 120v   | Good |
| Food prep | Tomato Slicer                   | Nemco, model: N55600, 15" x 7 1/2" x 8", with new blades   | Fair |
| Food prep | Tomato Slicer                   | Tomato King, 14" x 9 1/2" x 9 1/2"   | Fair |
| Food prep | Wedger                          | Lincoln Redco, Insta-Cut, cuts into 8 wedges, 9" x 9" x 17"  | Good |
| Food prep | Wedger                          | Lincoln/Redco, cast alum, cuts 8 wedges, sits on counter w/ 3 feet - 9" apart, 15 1/2" height  | Good |
| Food prep | Wedger                          | Mies prod, mod 908-A6, alum, manual, cuts 6 wedges, w/ 4 feet, 9 1/2" x 7 1/2" x 18 3/4"   | Good |

|                      |                                 |   |            |
|----------------------|---------------------------------|---|------------|
| Food prep            | Wedger                          | Prince Castle, model: 910-A, alum, cuts 10 wedges, sits on counterw/ 4 feet - 7 1/2" apar   | Good       |
| Furniture & fixtures | Salad bar top                   | s/s, salad bar top with 1 - 15 1/2" dia hole for salad bowl and 20 - 6 1/4" dia holes for salad crocks, has 1" lip, overall measurements - 69 1/2" x 23 3/4" x  | Good       |
| Furniture & fixtures | Salad/Buffer Cart               | Vollrath, model: 91954, tan plastic food/salad cart, on castors, clear plastic sneeze guard on both sides - 59 1/2" x 10", insulated mobile cart, 61" x 24 1/2" x 56"   | Good       |
| Furniture & fixtures | Sign                            | TecArt, plastic hanging signs, "BallPark" franks logo, horizontal, 24" x 5" x 12", 120v (5  | Never used |
| Furniture & fixtures | Sign - magnetic                 | Magnetic, indoor wood frame sign, 23" x 33" (4)   | Good       |
| Furniture & fixtures | Sign - Menu                     | Black metal - 1" frames, glass with black background, 36" x 31 1/2'   | Good       |
| Furniture & fixtures | Sign - Menu                     | Black metal - 1" frames, glass with black background, 45" x 31 1/2'   | Good       |
| Furniture & fixtures | Sign - Menu                     | Black metal - 1" frames, glass with black background, 49 1/2" x 31 1/2" (2)   | Good       |
| Furniture & fixtures | Sign - open                     | Fallon, model: HC-718973, horizontal oval - indoor red and blue Xenon sign, 35 1/2" x 18" x 1 1/2", 110-240 v - 50/60Hz 1.2 amps  | Very Good  |
| Furniture & fixtures | Sign - open                     | Fallon, model: BG-642172, hanging rectangular indoor red and blue neon "Open" sign, 36" x 4" x 16", 120   | Good       |
| Furniture & fixtures | Sneeze Gaurd                    | Glass sneeze guard, brass/gold braces that bolt to counter top, two glass panels - 43 1/2" x 13 5/8" eac  | Good       |
| Furniture & fixtures | Sneeze Gaurd                    | Glass sneeze guard, black metal braces that bolt to counter top, two glass panels - 58 1/4" x 14" eac   | Good       |
| Refrigeration        | Cooler                          | Delfield, model: 6025-S, single door (hinges on the right), top mount mechanics, 4 racks, on castors, 25 3/4" x 32 1/2" x 79 1/2", 6.5 amps, 115 v  | Eval       |
| Refrigeration        | Cooler                          | True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v   | Very Good  |
| Refrigeration        | Cooler                          | True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v   | Good       |
| Refrigeration        | Cooler                          | Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v  | Good       |
| Refrigeration        | Cooler - freezer                | Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v   | Eval       |
| Refrigeration        | Cooler - freezer                | Traulson, mod GDT-332NUT, 3 door, cooler on left side, freezer on right, top mount compressors, 6 shelves, lighted, cooler-42 cu ft, freezer-19 cu ft, 76 1/2" x 35 1/2" x 77 1/4", 115v  | Good       |
| Refrigeration        | Cooler - freezer                | Traulson, model: RDT 1-32WUT, dual temp, two half doors - hinges on left, cooler capacity- 10.5 cu ft, freezer capacity-10.1 cu ft, s/s exterior and interior, on castors, 30" x 32" x 83", 13.4 amps, 115 v  | Eval       |
| Refrigeration        | Cooler - GDM                    | True, model: GDM 26, single glass door cooler - hinges on right, green 7-up exterior, 4 shelves, 30" x 29 1/2" x 78 1/2", 7.2 amps, 115 v   | Eval       |
| Refrigeration        | Cooler - merchandiser           | Continent, mod AD-6, white, 2 top sliding glass doors, Copeland compressor, manual set defrost timer, 72" x 30" x 37", 115v   | Good       |
| Refrigeration        | Cooler - merchandiser - display | Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v                                    | Good       |
| Refrigeration        | Cooler - merchandiser - display | Columbus, model: SBBR/DG466S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part can be refrigerated service display with fixed glass front, black exterior, folding back cutting board - 13", castors, 66" x 30" x 61 1/2", 20 amps, 120/208 v | Good       |
| Refrigeration        | Cooler - merchandiser - display | Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v   | Good       |

|               |                            |  |           |
|---------------|----------------------------|--|-----------|
| Refrigeration | Cooler - Open merchandiser | Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph  | Good      |
| Refrigeration | Cooler - Open merchandiser | Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v   | Eval      |
| Refrigeration | Cooler - Open merchandiser | Hussman, model: DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v | Eval      |
| Refrigeration | Cooler - sand prep         | True, model: TSSU-72-18, 3 doors, 2 shelves, 19 cu ft capacity, top holds 18 pans, on castors, 1/2 Hp, 10.5 amps, 115 v  | Eval      |
| Refrigeration | Cooler - undercounter      | Delfield, model: UC4048, 2 doors, 5 shelves, on legs, 48" x 28 3/8" x 36", 5 amps, 115 v   | Good      |
| Refrigeration | Cooler - undercounter      | Silver King, model: SKR 27, single door (hinges on the right), 6.5 cu ft capacity, 2 shelves, on castors, s/s exterior, 27" x 30 1/2" x 32", 2.23 amps, 115 v  | Very Good |
| Refrigeration | Cooler - undercounter      | Silver King, model: SKRB48, 2 doors, 12.2 cubic foot capacity, 2 shelves, 48" x 29 3/4" x 33 3/4", 6.75 amps, 115 v  | Good      |
| Refrigeration | Cooler - undercounter      | True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v  | Eval      |
| Refrigeration | Cooler - undercounter      | Turbo Air, model: TUR-48SD, 2 doors, 12 cu ft capacity, 2 shelves, on castors, s/s exterior, 48" x 30" x 34 3/4", 6.5 amps, 115 v  | Very Good |
| Refrigeration | Deli case                  | Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 -38 degrees, 72" x 37 1/2" x 58 3/4", 115 v   | Good      |
| Refrigeration | Deli case                  | Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v                    | Good      |

|               |                            |   |           |
|---------------|----------------------------|---|-----------|
| Refrigeration | Deli case                  | The C. Schmidt Co., model: SHR-6, slanted glass front, 2 sliding rear doors, 2 shelves, 76" x 34 1/2" x 48", 12 amps, 115 v   | Fair      |
| Refrigeration | Deli case                  | True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v                                  | Eval      |
| Refrigeration | Display case - pie         | Delfield, model: 7048-M, countertop display case with mirrored back, 2 front sliding access doors, 1 shelf, 48 3/8" x 24 3/8" x 30 1/8", 6.5 amps, 115 v                      | Good      |
| Refrigeration | Display case - pie         | Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v       | Good      |
| Refrigeration | Freezer - GDM              | Hussman, model: RL0493G41, 2 glass doors, "Ice Cream" white exterior, bottom mount mechanics, 54" x 33 1/8" x 79", 15 amps, 208/230 v   | Good      |
| Refrigeration | Freezer - Ice cream        | Hussman, model: DCCG-16-D, ice cream dipping cabinet, 16 tub display, 87" x 26 1/4" x 52", 115 v  | Fair      |
| Refrigeration | Freezer - Ice cream        | model: 16HR-3, ice cream dipping cabinet, holds 16 display tubs, 88" x 27" x 50 1/2", 115 v   | Good      |
| Refrigeration | Freezer - Ice cream        | model: HR12, ice cream dipping cabinet, holds 12 display tubs, 67" x 27" x 51", 115 v   | Good      |
| Refrigeration | Frost top                  | Delfield frost top, model: N8231, cools granite stone, 31 1/4" x 25 7/8" x 16", 1 Ph, 7 amps, 115 v, DOM: 2/13/2003   | Good      |
| Refrigeration | Ice bin                    | Hoshizaki, model: B500PD, capacity - 500 lbs of ice, grey exterior, on legs, 30 1/4" x 33" x 46"  | Good      |
| Refrigeration | Ice bin                    | Hoshizaki, model: B-70 PD, 44 1/2" x 34" x 46 1/4"  | Good      |
| Refrigeration | Ice bin                    | Manitowoc, mod C170, light tan metal exterior, fits 30" x 24" head, 170# capacity, 30" x 29" x 26" (3   | Good      |
| Refrigeration | Ice bin                    | Scotsman model: HTB 555, 550 lb ice bin, grey exterior, 29" x 36" x 50 1/4"   | Good      |
| Refrigeration | Ice bin                    | Scotsman, model: B222S, 242 lb capacity, 22" x 33 1/2" x 36"  | Very Good |
| Refrigeration | Ice bin                    | Scotsman, model: BH 550, 410 lb capacity, 30" x 34 1/2" x 50 1/2"   | Good      |
| Refrigeration | Ice bin                    | Scotsman, model: BH800AE, 800 lb capacity, tan exterior, 42" x 32" x 50 1/2"  | Good      |
| Refrigeration | Ice bin                    | Scotsman, model: BH800S-C, 800 lb capacity, s/s exterior, 42" x 32" x 50 1/2"   | Good      |
| Refrigeration | Ice bin                    | Scotsman, model: HTB500, 500 lb ice bin, 31" x 32 1/2" x 47"  | Good      |
| Refrigeration | Ice bin                    | Scotsman, tan exterior, 42" x 31 1/2" x 36 1/4"   | Good      |
| Refrigeration | Ice machine                | Hoshizaki, model: KM-450MAB, 450 lb air-cooled, s/s exterior, slim line - 21 3/4" x 26 1/2" x 30 1/2", 20 amps, 115 v   | Good      |
| Refrigeration | Ice machine                | Hoshizaki, model: KM-500-MAE, 500 lb air-cooled, s/s exterior, slim line - 22" x 28" x 30 5/8", 20 amps, 120 v  | Good      |
| Refrigeration | Ice machine                | Manitowoc, model: QYO455W, 450 lb water cooled, s/s exterior, 29 1/2" x 22 1/4" x 21 1/2", 11.9 amps, 115 v   | Good      |
| Refrigeration | Ice machine                | Manitowoc, model: HYO204A, 200 lb air cooled, tan exterior, 30" x 23 1/4" x 16 1/2", 15.6 amps, 115 v   | Good      |
| Refrigeration | Ice machine - undercounter | Manitowoc, model: QYO134A, under the counter air cooled ice machine and ice bin, 90 lbs/ per day, half-dice cube size, 26" x 26.5" x 32.5", 6.5 amps, 115 v                   | Good      |
| Refrigeration | Ice machine with Ice bin   | Scotsman, model: CO322MA-1A, 300 lb air cooled, medium cubes, s/s exterior, 22 3/4" x 24 3/4" x 23", 10.4 amps, 115 v - With a Scots Bin - model: B222S - 22" x 33 1/2" x 36" | Very Good |

