



Sanford's Used Restaurant Equipment

136 Kokanee Rd Fairplay CO. 80440

WH Phone: 719/836-9008 COLO.Spgs.: 719-641-9872 Messages: 719/332-7800 Fax: 719/836-7275
 E-Mail: www.sanfordsre.com

March
2010

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Beverage	Hot chocolate machine	Celcilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v
Cleaning & storage	Can rack	ceiling mount, s/s, 10 columes for cans, 39" x 22" x 19"
Cleaning & storage	Dunnage rack	Aluminum dunnage rack, all welded construction, square tubing, holds 2000 lbs, 30" x 18" x 12"
Cleaning & storage	Equipment stand	black metal, 42" x 17 1/2" x 23 1/4" frame only, w/ undershelf, and front shelf that extends an extra 9 1/4"
Cleaning & storage	Equipment stand	metal stand with undershelf, on legs, 60" x 26 1/4" x 19"
Cleaning & storage	Equipment stand	s/s, frame only, w/undershelf, 72" x 25" x 26 1/2"
Cleaning & storage	Equipment stand	s/s, on castors, with undershelf - 18 3/4" x 19 1/4", overall measurements - 60" x 26" x 29"
Cleaning & storage	Gravity food bins	Trade Fixtures, model: 06108A, 3.5 gallon capacity clear gravity feed bins, for dispensing bulk food, coffee, cereal or candy, 6" x 14 1/2" x 18" (3)
Cleaning & storage	Pot rack	Advance Tabco, ceiling mount, hanging pot rack, 60" x 22" x 12"
Cleaning & storage	Pot rack	metal, ceiling mount, oval - 60" x 24"
Cleaning & storage	Pot rack	metal, ceiling mount, oval - 89" x 25"
Cleaning & storage	Sink - 2 bowl	s/s, 2 bowls - 22" x 26" x 12", drainboards on both sides - 22" x 26", holes for a 8" centered faucet, overall - 93 1/4" x 30 1/2" x 44"
Cleaning & storage	Sink - 3 bowl	s/s, 102 1/2" x 24", 3 bowls - 18" x 18" x 12", drainboards on both sides - 22" x 20"
Cleaning & storage	Sink - 3 bowl	s/s, 103" x 22 1/2", 3 bowls - 17" x 17" x 12", 22" drainboards on both sides, holes for a 8" centered faucet

Cleaning & storage	Sink - 3 bowl	s/s, 75 3/4" x 23 x 45", 3 bowls - 17" x 17" x 12", 8" centerd faucet, working height - 36 1/2", 9" backsplash, 18" right side drainboard	
Cleaning & storage	Sink - 3 bowl	s/s, Universal Stainless 105" x 26" x 42 1/4", 3 bowls - 18" x 20" x 11 1/4", drainboards on both sides - 22" x 22", wall mount 8" centered faucet	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 12" x 10" x 5 1/2", with gooseneck faucet, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 12" x 10" x 5", with faucet, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 13" x 11" x 4 1/2", with 4" centered deck mount faucet/ one handle, overall measurements - 15" x 15"	
Cleaning & storage	Sink - hand - drop in	s/s, bowl size - 13" x 11" x 4 1/2", with 4" centered deck mount gooseneck faucet, overall measurements - 15" x 15" (3)	
Cleaning & storage	Sink - hand - wall mount	s/s, single bowl - 11 1/2" x 10", 8" backsplash, 4" centered gooseneck faucet, overall - 16" x 15" (2)	
Cleaning & storage	Sink - hand - wall mount	s/s, single oval bowl - 17 1/2" x 15 1/2", 4" centered deck mount faucet - single handle, 13 1/2" x 9 1/2" x 7"	
Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - worktop	Beverage Table, s/s, sheet pan storage on right side, open storage on left, 4 elec outlets, 8" backsplash, enclosed back & sides, 59" x 32" x 43"	
Cleaning & storage	Table - worktop	s/s, 2 enclosed undershelves, 4 sliding front doors, Left corner (17" x 11") cut out, on legs, 86 1/2" x 28 1/2" x 39 1/2"	
Cleaning & storage	Table - worktop	s/s, under storage, recessed front w/drain, good for soda machine support, enclosed back & sides, 48" x 36" x 35"	
Cooking equipment	Charbroiler	Puppy Palace, 6 radiant burners with control knobs, stand alone charbroiler on castors, 30" x 38" x 34", nat gas	
Cooking equipment	Charbroiler	US Range, model: RBA-30, two "H" shaped burners, lava rock, stand alone charbroiler on castors, 30" x 33 1/4" x 39", 90,000 BTU's, nat gas	
Cooking equipment	Charbroiler - countertop	American Range, mod AECB-44, 4 burner,s/s front and sides, 35,000 BTU per burner, 5" x 21" cast iron grates, 44 1/4" x 24" x 17 1/2", nat gas	
Cooking equipment	Charbroiler - countertop	DCS, countertop charbroiler with 6 burners, 36" x 27 1/2" x 12", nat gas	
Cooking equipment	Charbroiler - countertop	Montague, 8 radiant burners, 48" x 38" x 13 3/4", nat gas	
Cooking equipment	Charbroiler - countertop	Rankin Deluxe, model: 3223-c, countertop charbroiler, 3 burners, 3 controls, lava rock, 32" x 25" x 15 1/2", 90,000 BTU's, nat gas	
Cooking equipment	Charbroiler - countertop	w/ 4 U-shaped radiant burners; 8 1/2" top grates, 2 grease catch pans; 48" x 30 1/4" x 21", nat.gas	
Cooking equipment	Cheesemelter	48" cheesemelter with 2 ceramic burners, 48" x 16 1/4" x 27", nat gas	
Cooking equipment	Cheesemelter	Imperial, model: ICMA-48, infra-red burners, individual left and right controls, 1 rack, can be wall or counter mounted, 48" x 20" x 24", 40,000 BTU's nat gas	
Cooking equipment	Cheesemelter - electric	J.J. Connelly, ROLL A GRILL, model: EC-6, countertop cheesemelter with legs, 1 rack, 40" x 15" x 22", 19.2 amps, 208 v	
Cooking equipment	Convection oven - elec - 1/2 size	Lang, model: EHS-S, half size electric convection oven, door hinges on left, 3 racks, temp range: 140 - 450 degrees, 30 1/4" x 28" x 25 1/4", 1/3pH, 37.5/20,8 amps, 208 v	
Cooking equipment	Convection oven - gas - sgl	Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - sgl	Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2", overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - sgl	US Range, Sunfire, model: SDG-1, convection oven with glass doors, 9 racks, on casters, 40" x 44 1/2" x 67 1/2", 80,000 BTU's, nat gas	

Cooking equipment	Convection oven - gas - sgl	Vulcan, Snorkel , model: , two glass doors, 5 racks, on legs insdie measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", , LP (2)	
Cooking equipment	Convection oven - gas - dbl	Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas - dbl	Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas	
Cooking equipment	Cook & hold	Model: LTC-05, 2 racks, holds 5 pans, on castors, 22 5/8" x 33 1/2" x 37 1/2", 17 amps, 120 v	
Cooking equipment	Display case	Federal, model: SQ3HD, 3 ft curved glass display case, rear sliding access door, 36" x 44 1/8" x 48", 10.3 amps, 120 v	
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controlls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	
Cooking equipment	Drawer warmer	Toastmaster, model: 2DS, 2 drawers - single control for both drawers, 22 3/4" x 24 1/2" x 27 1/2", 800 watts, 115 v	
Cooking equipment	Entrée Cart	Vollrath, model: 91965, front storage, top holds full size insert pan, has heat lamp, on casters, 24" x 26" x 62 1/2", 765 watts, 6.4 amps, 120 v	
Cooking equipment	Flat warmer	Drop-in flat top food warmer with wood frame - 31 3/4" x 51 1/2", Underwriters Laboratories, model: 567L warmer size - 40 3/4" x 27 1/4" x 8", 120 v	
Cooking Equipment	Food warmer	APW, model: W3-V, full size countertop food warmer, 14 1/2" x 24 1/2" x 9 1/2", 1200 watts, 120 v (2)	
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v (2)	
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separete controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	
Cooking equipment	Fryer	Frymaster, model: GF14, 35 lb frypot, holds two baskets, on legs, 16" x 29 1/2" x 48", 100,000 BTU's, nat gas	
Cooking equipment	Fryer - countertop	Abamaster, model: 2002 A2, small countertop fryer, 18.5 lb capacity, holds two baskets, thermostatically controlled - range: 200-400 degrees, 15" x 17 1/4" x 12 1/2", 5000 watts, 220 v	
Cooking equipment	Fryer - electric	Pitco, mod E14, 42 lb capacity, 3 elements, 14" x 14" fry area, 200-375 degrees, 16" x 30" x 40", 240v single phase	
Cooking equipment	Fryer - LP	Anetsberger, model: 18-EG, 50 lb fryer with one basket - 17" x 16 1/2" x 5 1/2", 4 burners, temp range 200-375 degrees, on castors, 64,000 BTU's, LP	
Cooking equipment	Fryer - LP	Imperial, model:IFS-40, 40 lb fryer with 3 burners, on legs, 15 1/2" x 30" x 45 1/2", 105,000 BTU's, LP	
Cooking equipment	Gas connection kit	Ultra Flex, 3/4" x 48" gas line for caster-mounted & sationary commercial gas equipment, includes quick disconnect, and saftey cord (3)	
Cooking equipment	Griddle - countertop	24" x 30" x 14" on legs with a 4 1/4" backsplash/guard, nat gas	
Cooking equipment	Griddle - countertop	Rankin Deluxe, model: 24-A, counter top griddle, 2 burners, 24" x 32" x 12", nat gas	
Cooking equipment	Griddle - electric	Toastmaster, model: 71-30, countertop griddle, 30" x 19" x 17", elec, 220 v	
Cooking equipment	Grill - outdoor	Magicater, model: LPAGA60, outdoor grill without a cover, 2 decks with 4 burners on each deck, on castors, 69" x 33 1/2" x 36", 160,000 BTU's LP	
Cooking equipment	Heated dispenser	Star, model: 1-9N, perfect for hot chocolate, pancake syrups, au jus, bbq sauces, etc, 6 qt capacity, pour-over design, portion control, preset thermostatic heat control, removable bowl & faucet, 9" x 15 1/4" x 17 3/16", 435 watts, 120v	
Cooking equipment	Hood - exhaust - Type 1	Greenheck, model: GHEW-9.5-S, s/s 9 1/2 foot hood with 2 lights, 6 filters and the top piece for make-up air 9 1/2' x 6' x 6 1/4" for the top, overall measurements, 114" x 60" x 24" - (No exhaust fan or supression system)	

Cooking equipment	Hot dog display	APWyott, model: DS-1A, countertop steamer with dog storage above and buns below, back access, 16" x 15" x 20 1/4", 800 watts, 120 v	
Cooking equipment	Hot dog display	Star, model: 36, countertop display with two sides, hot dog capacity:100-130, bun capacity: 80-90, water pan capacity - 8 qts, 24 1/2" x 15 3/4" x 17", 1500 watts, 120 v	
Cooking equipment	Hot dog roller grill	Star, model: 45S, countertop roller grill, capacity about 45 dogs, 34 1/2" x 17 1/4" x 10 3/4", 1696 watts, 120v	
Cooking equipment	Hot dog roller grill	Star, model: 45SAR, countertop roller grill with sneeze guard, capacity about 45 dog, 23 1/2" x 28 1/2" x 24", 1650 watts, 120 v	
Cooking equipment	Hot plate - 2 burner	Rankin-Delux, model: RDHP-212-C, 2 burner hotplate, 12" x 32" x 10 1/2", 40,000 total BTU's, nat gas	
Cooking equipment	Hot plate - 6 burner	Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU' s per burner, nat gas	
Cooking equipment	Microwave	Amana, model: HDC 12A2, heavy duty compact microwave, programmable selection of up to 99 items, pads can be preset for consistent operation, 0.6 cu ft interior, 16 1/2" x 2 1/2" x 13 1/2", 20 amps, 1200 watts, 120 v, NEMA 5-20P	
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	
Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer, on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, 3ph	
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	
Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans - 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	
Cooking equipment	Rotary oven	Hobart, mod HRW-303, s/s, w/warming cabinet below, 28-35 chicken capacity, auto controls, programmable, glass doors, removable rotors,spits,drip tray, convection and radiant heat, warming cabinet is humidified convection type, 39" x 33" x 77", single or three phase, 240v	
Cooking equipment	Rotary oven	Hobart, model: HRW 100, HRO 100 oven on top, with a humidified, heated display cabinet underneath, on casters, 32 1/2" x 21" x 68" , can be 208 or 240 v, single or three phase	
Cooking equipment	Salamander	Wolf, model: RB36, open burner salamander with 6 positions, 36" x 23" x 19", 66,000 BTU's, nat gas	
Cooking equipment	Salamander - double	Vulcan, model: IR2, sunglow stacked salamanders, reaches 1600 degrees F, grid area 700 sq ft, on castors, 36" x 44" x 77", 160,000 BTU's, nat gas	
Cooking equipment	Smoker/ Vertical oven	enclosed cabinet, interior measurements - 24" x 28" x 34", on castors, 30" x 34" x 63 1/4", nat gas or LP	
Cooking equipment	Steamer - veg. - single portion	Roundup, mod VS-200A-DB, s/s, countertop vegetable and pasta steamer, double basket, will steam 2-10 oz portions at 180 degrees, 12" x 21 1/2" x 10", 208/220v	
Cooking equipment	Steamtable - nat gas - 4	Duke, model: 304, 4 well gas steamtable, undershelf, on legs, 58 1/2" x 30" x 33 1/2", 14,000 BTU's, nat gas	
Cooking equipment	Steamtable - nat gas - 4	Duke, model: S-4-SRK, s/s steamtable, 4 food wells - 12" x 20", undershelf and legs, wooden cutting board, 58 1/2" x 31 1/2" x 34", 3500 BTU's per burner, nat gas	
Cooking equipment	Steamtable - elec - 2	Duke, model: EP302 M, 2 wells, individually controlled, undershelf, on casters, 30 1/4" x 23 1/2" x 33 1/4", 1500 watts, 240 v (2)	
Cooking equipment	Steamtable - elec - 4	Randell, model: 3314, 4 well gas steamtable, undershelf, sneeze guard with 13 1/2" deep overshelf, on legs, 62 3/4" x 32" x 49 1/4", 16.64, 208 v	

Cooking equipment	Toaster - conveyor	Belleco, model: JT 3-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	
Cooking equipment	Toaster - conveyor	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	
Cooking equipment	Toaster - conveyor	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	
Cooking equipment	Toaster - pop down	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2"x 8 3/4"x 16 1/2", 13 amps, 208v (2)	
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	
Cooking equipment	Warmer - hotshelf	APWyott, Model WS-24; flat warmer w/ s/s top; infinite temp control; 24" x 17 3/4" x 3"; 120v DOM 11/07/93	
Cooking equipment	Warmer - pass thru	Hatco, model: GRSDHI-36, pass thru display warmer, horizontal single shelf, thermostatically controlled, 36" x 21 1/4" x 12 1/2", 1170 watts, 9.8 amps, 120 v	
Cooking equipment	Warmer - pass thru	Hatco, model: PW-42, pass thru display warmer, horizontal single shelf, 2 strip warmers, 44" x 16" x 13 1/2", 576 watts, 5 amps, 115 v	
Cooking equipment	Warmer - strip - 120	Hatco, model: GR-120, 120" x 6" x 2 3/4"	
Cooking equipment	Warmer - strip - 24	Hatco, model: GRAH-24, 24" x 6" x 2 1/2", 500 watts, 4.2 amps, 120 v	
Cooking equipment	Warmer - strip - 24	Wells, model: QW-24L, 24" x 6" x 2 1/2", with side mount	
Cooking equipment	Warmer - strip - 48	Hatco, model: GRAH-48, 48" x 6" x 2 1/2", 9.2amps, 1100 watts, 120 v	
Food Prep	Buffalo chopper	Hobart, model: 84145, food cutter with 14" s/s bowl, 1725 RPM knife rotation, 22 RPM bowl rotation, one piece burnished aluminum housing, 3" s/s legs, 31" x 16 1/2" x 17", 1/2 H.P. motor, 7.8 amps, 115 v	
Food prep	Can opener	Edlund #2, manual, with base (1)	
Food prep	Can opener	Edlund base for #2 opener	
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	
Food prep	Can opener	Edlund, #1, manual, with base (4)	
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	
Food prep	Deli wrap dispenser	Deli wrap dispenser, model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9"	
Food prep	Dip & topping server	Server products, mod D1-1, s/s, hinged top, removable bottom, heats 50-150, holds 1 #10 can, 7 1/2" x 8 1/4" x 8", 100 watt, 110v	
Food prep	Food processor	Dito-Dean, Dean Industries, model: TR-21 N, 9" x 16 3/4" x 15 1/2", 6.1 amps, 120 v (2)	
Food prep	Food processor	Robot Coupe, model: CL50-A, 15 1/2" x 12" x 25", 1/2 hp, 1000 watts, 12 amps, 115 v	
Food prep	Food processor	Robot Coupe, model: R-2, counter top food processor with plastic 3 qt bowl and S blade, 7" x 14" x 19",	

Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food prep	Mixer - 30 qt	Hobart, model: D-300DT, 30 qt mixer, with bowl, paddle, hook, and whip, 20" x 21 1/2" x 45 1/2", 2.1 amps, 1/2 Hp, 200 v 3ph	
Food prep	Pan rack	Alum cabinet with 3 sides, holds 40 sheet pans, on castors, 21 3/4" x 27 1/2" x 69 1/2"	
Food prep	Pan rack	Alum, full size pan rack on castors holds 20 sheet pans, on castors, 20 1/2" x 26" x 69 1/2"(4)	
Food prep	Pan rack	Alum, full size pan rack with 36 options for adjustable brackets, on castors, 27" x 26" x 68" (5)	
Food prep	Pan rack	Alum, pan rack with castors, 20 3/4" x 28" x 59", can hold 10 sheet pans	
Food prep	Pan rack - 1/2 size	Lockwood, model: RA30-ER-6 EY, 1/2 size alum. Pan rack holds 6 pans, 29" x 18" x 32"	
Food prep	Pan rack - 1/2 size	Rubbermaid, light grey plastic, holds 8 full size sheet pans, on castors, 32" x 23" x 35 1/2"	
Food prep	Pan rack - 1/2 size	Win Holt, half size pan rack holds 10 full size sheet pans, on castors, 20 1/2" x 26" x 40"	
Food prep	Peeler - vegetable	discharge chute, quick easy lock door, flexible water inlet, 15" diameter, 23 1/2" high, 1/3 hp, 1725 RPM, 6.2 amps, 115 v	
Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"	
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"	
Food prep	Scale	Royal, model: EX 310, countertop (shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"	
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-200 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)	
Food prep	Scale	Yamato, model: PB-200, digital pizza/bakery countertop food scale, platform - 11.75" x 12.25", single face display, 12 1/2 lbs x 0.1 oz, (rechargeable battery pack or AC adaptor)	
Food prep	Tomato Slicer	Nemco, model: N55600, 15" x 7 1/2" x 8", with new blades	
Food prep	Tomato Slicer	Tomato King, 14" x 9 1/2" x 9 1/2"	
Food prep	Wedger	Lincoln Redco, Insta-Cut, cuts into 8 wedges, 9" x 9" x 17"	
Food prep	Wedger	Lincoln/Redco, cast alum, cuts 8 wedges, sits on counter w/ 3 feet - 9" apart, 15 1/2" height	
Food prep	Wedger	Mies prod, mod 908-A6, alum, manual, cuts 6 wedges, w/ 4 feet, 9 1/2" x 7 1/2" x 18 3/4"	
Food prep	Wedger	Prince Castle, model: 910-A, alum, cuts 10 wedges, sits on counterw/ 4 feet - 7 1/2" apart	
Furniture & fixtures	Table tops	4 top, 65 3/4" x 23 3/4", grey with chrome edge	
Furniture & fixtures	Table tops	4 top, 73 1/2" x 31 1/2", tile inset, heavy (2)	
Furniture & fixtures	Table tops	6 top, 47" dia, medium wood, butcher block style	

Furniture & fixtures	Table tops	8 - 10 top, 70" x 30", wood top with cherry stain (6)	
Furniture & fixtures	Table tops	black laminate, 2 top, 30" x 30"	
Furniture & fixtures	Table tops	heavy wood slat, 2 top, 20" x 20"	
Furniture & fixtures	Table tops	heavy wood slat, 2 top, 30" x 30"	
Furniture & fixtures	Table tops	heavy wood slat, 2 top, 17" x 33"	
Furniture & fixtures	Table tops	tile, 2 top, 31 1/2" x 31 1/2", heavy	
Furniture & fixtures	Tables - outdoor	Grosfillex, smokey blue plastic w/ white top, fold down top for easy storage, 31" x 31" x 29" (2)	
Furniture & fixtures	Tables - outdoor	Teak Wood, 36" x 36", 28 1/2" high (2)	
Furniture & fixtures	Time card holder	Lathem, metal with 24 slots, 4 1/2" x 37" x 1 3/4" (5-grey, 1-black)	
Furniture & fixtures	Time clock	Amano, model: PIX-10, small light tan time clock, 6" x 6 1/2" x 6", .6 amps, 16.5 v	
Furniture & fixtures	Time clock	Amano, PIX-10, model: TCX-45, silver & blue, 6 1/2" x 7" x 6 1/2", .6 amps, 16.5 v	
Furniture & fixtures	Time clock	Lathem, model: DD2101, countertop or wall mount grey exterior time clock, 7 1/2" x 5 1/2" x 9 7/8", 4 watts, 115 v	
Furniture & fixtures	Timer	Fastimer, "Tracker", 3 separate timing cycles for 8 product keys can time up to 24 products, can time in minutes, seconds, or hours, easy to read green LED status lights, 17" x 4 3/4" x 4", 120 v (2)	
Furniture & fixtures	Timer	Prince Castle, model: 735-T10TB, 9 3/4" x 3" x 5", 1 watts, 120 v	
Furniture & fixtures	Vending Cart	Precision Industries, INC, model: HG016, 71" x 34" vending cart with 5 gal water capacity, sgl door undercounter cooler - Bev Air (6.2 cu ft), World Cuisine, sgl panini grill, 71 1/4" x 34 1/4" x 94 3/4", LP	
Furniture & fixtures	Wine bottle rack	Light Wood rack holds 19 bottles, countertop, 90" x 16" x 6", (3)	
Refrigeration	Cooler	Delfield, model: 6025-S, single door (hinges on the right), top mount mechanics, 4 racks, on castors, 25 3/4" x 32 1/2" x 79 1/2", 6.5 amps, 115 v	
Refrigeration	Cooler	True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v	
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	
Refrigeration	Cooler - freezer	Traulson, mod GDT-332NUT, 3 door, cooler on left side, freezer on right, top mount compressors, 6 shelves, lighted, cooler-42 cu ft, freezer-19 cu ft, 76 1/2" x 35 1/2" x 77 1/4", 115v	
Refrigeration	Cooler - freezer	Traulson, model: RDT 1-32WUT, dual temp, two half doors - hinges on left, cooler capacity- 10.5 cu ft, freezer capacity- 10.1 cu ft, s/s exterior and interior, on castors, 30" x 32" x 83", 13.4 amps, 115 v	
Refrigeration	Cooler - GDM	True, model: GDM 26, single glass door cooler - hinges on right, green 7-up exterior, 4 shelves, 30" x 29 1/2" x 78 1/2", 7.2 amps, 115 v	
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG466S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panels with mirror inside, top part can be refrigerated service display with fixed glass front, black exterior, folding back cutting board - 13", castors, 66" x 30" x 61 1/2", 20 amps, 120/208 v	
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	

Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	
Refrigeration	Cooler - Open merchandiser	Hussman, model: DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	
Refrigeration	Cooler - sand prep	True, model: TSSU-72-18, 3 doors, 2 shelves, 19 cu ft capacity, top holds 18 pans, on castors, 1/2 Hp, 10.5 amps, 115 v	
Refrigeration	Cooler - undercounter	Delfield, model: UC4048, 2 doors, 5 shelves, on legs, 48" x 28 3/8" x 36", 5 amps, 115 v	
Refrigeration	Cooler - undercounter	Silver King, model: SKRB48, 2 doors, 12.2 cubic foot capacity, 2 shelves, 48" x 29 3/4" x 33 3/4", 6.75 amps, 115 v	
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 -38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	
Refrigeration	Deli case	The C. Schmidt Co., model: SHR-6, slanted glass front, 2 sliding rear doors, 2 shelves, 76" x 34 1/2" x 48", 12 amps, 115 v	

Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Ice bin	Hoshizaki, model: B500PD, capacity - 500 lbs of ice, grey exterior, on legs, 30 1/4" x 33" x 46"	
Refrigeration	Ice bin	Hoshizaki, model: B-70 PD, 44 1/2" x 34" x 46 1/4"	
Refrigeration	Ice bin	Manitowoc, mod C170, light tan metal exterior, fits 30" x 24" head, 170# capacity, 30" x 29" x 26" (3)	
Refrigeration	Ice bin	Scotsman model: HTB 555, 550 lb ice bin, grey exterior, 29" x 36" x 50 1/4"	
Refrigeration	Ice bin	Scotsman, model: B222S, 242 lb capacity, 22" x 33 1/2" x 36"	
Refrigeration	Ice bin	Scotsman, model: BH 550, 410 lb capacity, 30" x 34 1/2" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800AE, 800 lb capacity, tan exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800S-C, 800 lb capacity, s/s exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: HTB500, 500 lb ice bin, 31" x 32 1/2" x 47"	
Refrigeration	Ice bin	Scotsman, tan exterior, 42" x 31 1/2" x 36 1/4"	
Refrigeration	Ice machine	Hoshizaki, model: KM-500-MAE, 500 lb air-cooled, s/s exterior, slim line - 22" x 28" x 30 5/8", 20 amps, 120 v	
Refrigeration	Ice machine	Manitowoc, model: QYO455W, 450 lb water cooled, s/s exterior, 29 1/2" x 22 1/4" x 21 1/2", 11.9 amps, 115 v	
Refrigeration	Ice machine	Manitowoc, model: HYO204A, 200 lb air cooled, tan exterior, 30" x 23 1/4" x 16 1/2", 15.6 amps, 115 v	
Refrigeration	Ice machine - undercounter	Manitowoc, model: QYO134A, under the counter air cooled ice machine and ice bin, 90 lbs/ per day, half-dice cube size, 26" x 26.5" x 32.5", 6.5 amps, 115 v	