



Sanford's Used Restaurant Equipment

136 Kokanee Rd

Fairplay CO. 80440

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275
 sales@sanfordsre.com

**MAY
2010**

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Bar equipment	Bar sink	Lacrosse, model: S33, 3 bowls - 10" x 14" x 10", 4" wall mount 10" swing faucet, no drainboards, 36" x 18 1/4" x 35"	02AD322
Bar equipment	Bar sink	s/s, 71" x 18", three bowls - 10" x 14" x 9", with 18" drainboards on both sides, 4" centered back mount faucet	
Bar equipment	Blender	Hamilton Beach, model: 908, two speed toggle switch separate from on/off switch, 44 oz plastic container, 3 amps, 120 v	1830G01367
Bar equipment	Blender	Hamilton Beach, model: 909, two speed toggle switch separate from on/off switch, 32 Oz s/s container, 1/3 hp, 3 amps, 120 v	B4259
Bar equipment	Blender	Waring, model: 51BL13 (BB150), countertop blend, with plastic container, 6 cup/ 48 oz capacity, 7" dia, 14 1/2" tall, 3 amps, 120 v (2)	
Beverage	Hot chocolate machine	Cecilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v	127752
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v	03R0000103 6
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v	TU00045- 221
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v	323380
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v	3944
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v	72A6307JC0 78
Cleaning & storage	Can rack	ceiling mount, s/s, 10 columns for cans, 39" x 22" x 19"	
Cleaning & storage	Can rack	Alum, half size rack with 5 rows of three, 25 1/4" x 34 1/2" x 38 1/4"	
Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - stainless steel	60" x 24" x 36" stainless steel prep table, Advance Tabco, model: ELAG245, reinforced, rolled edges, with alum undershelf - 54" x 18 1/2", on legs	
Cleaning & storage	Table - stainless steel	72" x 24" x 36" stainless steel prep table with 1 1/2" backsplash, reinforced, with alum undershelf	
Cleaning & storage	Tray rack - cantilever	Dinex, model: IDT1C/1622, s/s cantilever holds 16" x 22" trays, on castors, 23 1/2" x 26 1/4" x 37 1/2" (2)	060528K 060533K
Cooking equipment	Charbroiler	US Range, model: RBA-30, two "H" shaped burners, lava rock, stand alone charbroiler on castors, 30" x 33 1/4" x 39", 90,000 BTU's, nat gas	
Cooking equipment	Charbroiler - countertop	American Range, mod AECB-44, 4 burner, s/s front and sides, 35,000 BTU per burner, 5" x 21" cast iron grates, 44 1/4" x 24" x 17 1/2", nat gas	219185
Cooking equipment	Charbroiler - countertop	Montague, 8 radiant burners, 48" x 38" x 13 3/4", nat gas	

Cooking equipment	Charbroiler - countertop	Rankin Deluxe, model: 3223-c, countertop charbroiler, 3 burners, 3 controls, lava rock, 32" x 25" x 15 1/2", 90,000 BTU's, nat gas	9468
Cooking equipment	Charbroiler - countertop	w/ 4 U-shaped radiant burners; 8 1/2" top grates, 2 grease catch pans; 48" x 30 1/4" x 21", nat.gas	
Cooking equipment	Cheesemelter	48" cheesemelter with 2 ceramic burners, 48" x 16 1/4" x 27", nat gas	N/A
Cooking equipment	Cheesemelter	Imperial, model: ICMA-48, infra-red burners, individual left and right controls, 1 rack, can be wall or counter mounted, 48" x 20" x 24", 40,000 BTU's nat gas	
Cooking equipment	Cheesemelter - electric	J.J. Connelly, ROLL A GRILL, model: EC-6, countertop cheesemelter with legs, 1 rack, 40" x 15" x 22", 19.2 amps, 208 v	518
Cooking equipment	Convection oven - elec - 1/2 size	Lang, model: EHS-S, half size electric convection oven, door hinges on left, 3 racks holds half size sheet pans, temp range: 140 - 450 degrees, 30 1/4" x 28" x 25 1/4", 1/3pH, 37.5/20,8 amps, 208 v	A-55700 DOM:late 80's
Cooking equipment	Convection oven - electric - 1/2 size	Sodir, model: FC60, half size electric convection oven, door hinges on bottom, 4 racks, holds half size sheet pans, temp range: 200 - 570 degrees, 23 1/4" x 24 1/2" x 22 3/4", 1700 watts, 15 amps, 120 v	EK611578
Cooking equipment	Convection oven - gas - sgl	Blodgett, model: DFG-100-3, single convection oven with 2 glass doors, on legs with casters, 4 racks, inside measurements - 29" x 23" x 19 3/4", overall measurements - 38" x 37" x 62 1/2", 55,000 BTU's, nat gas	0985R87831 01
Cooking equipment	Convection oven - gas - sgl	Garland, model: F01 TG3, single convection oven with 1 solid & 1 glass door, inside measurements - 29" x 21" x 20 1/2", overall measurements - 40" x 35" x 33", 80,000 BTU's, nat gas	Z83 12-1980
Cooking equipment	Convection oven - gas - sgl	Vulcan, Snorkel , model: , two glass doors, 5 racks, on legs insdie measurements - 29" x 27" x 20 1/4", overall measurements - 40" x 41" x 58", , LP (2)	
Cooking equipment	Convection oven - gas -dbl	Garland, MASTER 200, model: MCO-GD-20-S, double/stacked gas convection ovens, Int Dimensions - 29" x 28" x 24" (deep depth), on legs, 38" x 44 1/2" x 70 1/2", 120,000 BTU's, nat gas	
Cooking equipment	Convection oven - gas -dbl	Montague, Vectaire, model:115A (G), double convection oven with glass doors, 150 - 500 degrees, 60 minute timer, manual controls, on legs, 2 racks per oven, 38" x 39" x 69", 230,000 BTU's, nat gas	D-56890V DOM: 2006
Cooking equipment	Cook & hold	Alto Sham, model: 1000TH II, half size cook-n-hold unit with castors, door hinges on right, 22 1/2" x 32" x 40 1/2", 208 - 240 v	5468-62-892
Cooking equipment	Cook & hold	Model: LTC-05, 2 racks, holds 5 pans, on castors, 22 5/8" x 33 1/2" x 37 1/2", 17 amps, 120 v	N/A
Cooking equipment	Display case	Federal, model: SQ3HD, 3 ft curved glass display case, rear sliding access door, 36" x 44 1/8" x 48", 10.3 amps, 120 v	81632-2 DOM: 02/99
Cooking equipment	Display case - countertop	Anvil, model: FMA-7026, humidified hot food merchandiser, adjustable 3 teir display shelves, convenient front and rear sliding doors, temp range 85 - 200 degrees, 26" x 17 5/8" x 25 1/8", 1500 watts, 120 v (2)	0800002009 0700001309
Cooking equipment	Drawer warmer	APW, model: HD-2, 2 drawers with separate controls and temp, 27 3/4" x 21 3/4" x 20 1/2", 900 watts, 120 v	0108D03894
Cooking equipment	Drawer warmer	Merco Savory, model: HFS-2, two drawer warmer, thermostatic controlls for each drawer, 29" x 20 1/2" x 20 3/4", 900 watts, 120 v	911206-11
Cooking equipment	Entrée Cart	Vollrath, model: 91965, front storage, top holds full size insert pan, has heat lamp, on casters, 24" x 26" x 62 1/2", 765 watts, 6.4 amps, 120 v	Series HI
Cooking equipment	Flat warmer	Drop-in flat top food warmer with wood frame - 31 3/4" x 51 1/2", Underwriters Laboratories, model: 567L warmer size - 40 3/4" x 27 1/4" x 8", 120 v	
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v	NEW

Cooking equipment	Food warmer	Wells, model: LLW-1220, full size countertop food warmer, 14 1/2" x 23" x 9", 10 amps, 120 v	BBDZ9400
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v	LA07598
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separate controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v	90J991
Cooking equipment	Fryer	Frymaster, mod MJCFESD, s/s frypot, for frying fish, chicken, bread products, open pot design, 60-80 lb capacity, 18" x 19" fry area, 1 degree action thermostat for even heating, 150,000 BTU's, 20 3/4" x 40" x 45 1/2", nat gas	9013HA0109
Cooking equipment	Fryer - countertop	Abamaster, model: 2002 A2, small countertop fryer, 18.5 lb capacity, holds two baskets, thermostatically controlled - range: 200-400 degrees, 15" x 17 1/4" x 12 1/2", 5000 watts, 220 v	532978 DOM:9/22/05
Cooking equipment	Fryer - electric	Pitco, mod E14, 42 lb capacity, 3 elements, 14" x 14" fry area, 200-375 degrees, 16" x 30" x 40", 240v single phase	E89CD00582
Cooking equipment	Fryer - LP	Anetsberger, model: 18-EG, 50 lb fryer with one basket - 17" x 16 1/2" x 5 1/2", 4 burners, temp range 200-375 degrees, on castors, 64,000 BTU's, LP	46101 DOM:11/96
Cooking equipment	Fryer - LP	Imperial, model:IFS-40, 40 lb fryer with 3 burners, on legs, 15 1/2" x 30" x 45 1/2", 105,000 BTU's, LP	N/A
Cooking equipment	Gas connection kit	Ultra Flex, 3/4" x 48" gas line for caster-mounted & stationary commercial gas equipment, includes quick disconnect, and safety cord (3)	
Cooking equipment	Griddle - countertop	24" x 30" x 14" on legs with a 4 1/4" backsplash/guard, nat gas	
Cooking equipment	Griddle - electric	Toastmaster, model: 71-30, countertop griddle, 30" x 19" x 17", elec, 220 v	
Cooking equipment	Heat/Proof Unit	Lockwood, model: 0A4, has Proof/Hold switch, separate humidity/temp controls, 15 3/8" x 26 1/2" x 4 3/4", 15 amps, 1500 watts, 120 v	112993374
Cooking equipment	Heated dispenser	Star, model: 1-9N, perfect for hot chocolate, pancake syrups, au jus, bbq sauces, etc, 6 qt capacity, pour-over design, portion control, preset thermostatic heat control, removable bowl & faucet, 9" x 15 1/4" x 17 3/16", 435 watts, 120v	
Cooking equipment	Heated dispenser	Server, model: FSPWI-SS, countertop warmer for #10 can, with pump, up to 250 degrees, 9"x 16 1/2" x 15", 120 v	
Cooking equipment	Heated dispenser - Nacho cheese	Server, model: FSPW-SS, countertop warmer for #10 can, with pump, up to 250 degrees, has nacho chesse picture on front) 9" x 18" x 15 1/2", 515 watts, 120 v	81140
Cooking equipment	Holding cabinet	Bevles, TRANS/TRAY enclosed pan rack, on castors, holds 40 sheet pans, 21 1/2" x 18" x 22"	
Cooking equipment	Holding cabinet	Cres Cor, model: 1290 002, un-insulated alum cabinet, temp control knob, on castors, 21" x 32" x 70", 120 v	_JJ-K5604A
Cooking equipment	Holding cabinet	Henny Penny, model: HC 900, full size holding cabinet, holds 14 pans, 24 1/4" x 31" x 71 1/4", 2086 watts, 17 amps, 120 v	KN023IC
Cooking equipment	Holding cabinet	Unisulated, enclosed pan rack with two blue half doors, 18 brackets for sheet pans, handles on sides, castors, 23" x 34" x 69 1/2"	
Cooking equipment	Holding cabinet - half size	Precision, mod RS-201, 4.3 cu ft capacity, holds 10 1/2 sheet pans, up to 250 degrees, on wheels, 4 amps, 18" x 29" x 38 1/2", 4 amps, 120v	61144-2-89
Cooking equipment	Holding/Banquet cart	Wittco, model: 2-96-C, 2 door insulated holding cabinet on castors, with a bumper, 3 racks, Temperature range 20 - 220 degrees, 51" x 29" x 61", 2000 watts, 16.6 amps, 120 v	625883EP
Cooking equipment	Hot dog display	Star, model: 36, countertop display with two sides, hot dog capacity:100-130, bun capacity: 80-90, water pan capacity - 8 qts, 24 1/2" x 15 3/4" x 17", 1500 watts, 120 v	36 11460 DOM:7-86
Cooking equipment	Hot dog roller grill	Star, model: 45S, countertop roller grill, capacity about 45 dogs, 34 1/2" x 17 1/4" x 10 3/4", 1696 watts, 120v	45015949
Cooking equipment	Hot dog roller grill	Star, model: 45SAR, countertop roller grill with sneeze guard, capacity about 45 dog, 23 1/2" x 28 1/2" x 24", 1650 watts, 120 v	A4504532 DOM- 1999

Cooking equipment	Hot plate - 6 burner	Rankin-Delux, model: 636, 6 burner step-up, countertop hot plate, 36" x 27 1/2" x 10 1/2", 20,000 BTU's per burner, nat gas	B-820
Cooking equipment	Microwave	Amana, model: RC16MP, silver exterior, push button controls, 19 1/4" x 23 1/2" x 18", 3200 watts, 208v/230v	DOM: 11/1994
Cooking equipment	Oven - Combi	Blodgett, model: COS -6, combination- Oven/Steamer, rotary dial thermostat range: 140-570 Degrees, 100 minute timer, on stand with castors, 34 3/4" x 30" x 83" (without stand 29"), 26 amps, 208 v, 3ph	0068707214 2
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	IU412001- 1200
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	05945-0593
Cooking equipment	Oven - cookie	Otis Spunkmeyer Inc, model: OS-1, countertop convection oven ideal for cookies, 3 rack positions, 2 sheets - 10 1/8" x 15 3/4", glass door, inside measurements - 12" x 16" x 6 1/2", outside measurements - 19 1/4" x 21" x 9 1/2", 1350 watts, 120 v (2)	DOM:10/25/9 6 89555- DOM:5/2/97
Cooking equipment	Oven - cookie	Otis Spunkmeyer, Farberware: model: 470, countertop convection oven, 1 rack, 20 1/4" x 14" x 16",	1128724
Cooking equipment	Oven w/ proofer	NuVu, model: UB/6/6G, oven/proofer, oven holds 6 sheet pans - 26 1/4" x 18 1/4" x 28 1/2", proofer holds 6 sheet pans - 24 1/4" x 18 1/2" x 28 1/2", on castors, overall measurements - 32 1/4" x 36 1/8" x 83 3/8", 208 v, 19 amps, 60,000 BTU's, nat gas (2)	0231103 0035612908 0400010002
Cooking equipment	Pizza display warmer	Star, model: 8D-HFD-1-CR, 4 glass sides, holds 3 12" pizzas, temp & humidity controls, lighted interior, 13 1/8" x 15 1/8" x 28 1/2", 1280 watts, 120 v	H1803296 6/01
Cooking equipment	Pizza oven	Baker's Pride, model: D125, single deck - 48" x 36", 10" interior deck height, 300 - 650 degree range, 65 1/4" x 43" x 29 1/4", 125,000 BTU's, nat gas	C141
Cooking equipment	Pizza oven	Blodgett, model: 1000S, deck pizza oven holds 6 14" pizzas, inside measurements - 47 3/4" x 37" x 10", overall measurements - 60" x 45 1/2" x 44 1/2", 120,000 BTU's	0685B01281 01
Cooking equipment	Pizza oven	Blodgett, model: 1048-C-L, single deck - 47 1/4" x 36", 10" interior deck height, Fahrenheit dial 300 - 650 degree range, 60 1/2" x 45" x 56 1/4", 85,000 BTU's, nat gas	1.92E+10
Cooking equipment	Pizza oven	Blodgett, model: 961 - P, single ceramic deck oven, 4- 16" pizzas, 300- 650 temp range, 50,000 BTU's, 60" x 38" x 49 3/4", nat gas	071105AJ03 1S
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: L02E, 2 ceramic decks, 20 3/4" x 21 3/4" x 17", 1600 watts, 115v	24286
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: M0S2E, 2 decks, ceramic decks - 18" x 18", 300 - 650 temp range, 22 1/2" x 23 1/2" x 17 1/2", 1800 watts, 120 v	3585
Cooking equipment	Pizza oven - countertop	Nemco, model: 6215, small countertop oven with one deck, 18 1/2" x 20" x 8", 1450 watts, 120 v	B02
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412, small countertop oven with 1 deck, has a preset thermostat to 450 degrees, 15 minute timer, 18" x 15 1/2" x 7 1/4", 12.7 amps, 1400 watts, 110 v	T-84532
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412-5, small countertop oven with 1 deck, 18" x 19" x 7 1/2", 1450 watts, 12 amps, 120 v (2)	33076 39929 01/03
Cooking equipment	Popcorn machine	Star, model: 39, counter top pop corn machine, 21" x 15 1/4" x 25", 120 v	39102835
Cooking equipment	Pretzel merchandiser	J & J Snackfoods, model: 750, countertop pretzel merchandiser, white exterior, three rotating levels, 15" x 18" x 26 1/4", 115 v	N/A
Cooking equipment	Pretzel merchandiser	Nemco, model: NY1000, countertop pretzel merchandiser, s/s exterior, three rotating levels, 15" x 19" x 30", 500 watts, 120 v (2)	1779 1820
Cooking equipment	Proofing cabinet	Eastern Steel Rack, model: HC-72-36-1-1/2, 2 red half doors, holds 36 sheet pans, on castors, 21 1/2" x 30" x 74 3/4"	

Cooking equipment	Proofing cabinet	Metro, model: C75 P4N, full size proofing cabinet with glass door, 18 side brackets for pans, on castors, 25" x 31 3/4" x 76 1/2", 1500 watts, 15 amps, 110 v	0112993375
Cooking equipment	Range - combination	US Range, model: PS-36G-4-26RC26RC, 4 burners on the right, 36" griddle on the left, 2 convection ovens, 60" x 36" x 44", 304,000 BTU's, nat gas	n/a
Cooking equipment	Range - combination	Vulcan, model: VG260, 6 burners on left, 24" raised griddle on right with a cheesemelter under it, 2 std ovens - 26" x 22" x 12", overall measurements - 60" x 32" x 59 1/2", 268,000 BTU's, nat gas	48-1474363
Cooking equipment	Range - combination	Wolf, model: CHR-4-29-FT22, 4 burner, 24" griddle, 2 small standard ovens, over shelf and castors, 45" x 35" x 59 1/2", 174,000 BTU's, LP	
Cooking equipment	Range - convec oven - 10 burners	Vulcan, model: G60CC-10, 10 burner range with 2 convection ovens, 2 racks, 60" x 35.62" x 58", nat gas	
Cooking equipment	Range - convec oven - 6 burners	Wolf, Snorkeler, model: K34S 296, 6 burners, with a convection oven, 2 racks, right side shield, over shelf, on castors, 33 3/4" x 40" x 57",	1112532701
Cooking equipment	Range - convec oven - 6 burners	Vulcan, model: HC E, 6 burners, with convection oven, on legs, 36" x 34" x 42", nat gas	481065834N R B 1991
Cooking equipment	Range - convec oven - 6 burners	Imperial, model: IR-6C, 6 burner with convection oven - 26 1/2" x 22 1/2" x 14", 2 racks, oversshelf, on castors, 36" x 35" x 62", 196,000 BTU's nat gas	
Cooking equipment	Range - convec oven - 6 burners	Southbend, model: C0300, 6 burner with convection oven, castors, 36 1/2" x 35" x 45", 180,000 BTU's, nat gas, 120 v	95C95480
Cooking equipment	Range - convec oven - 6 burners	Southbend, model: X436A, 6 burner with convection oven, 1 rack, over shelf and castors, 36 1/2" x 44" x 59 1/4", 230,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven - 6 burners	Vulcan, Snorkel, model: G36C6, 6 burners, convection oven, on castors, 36" x 35" x 47", 227,000 BTU's, nat gas, 120 v	
Cooking equipment	Range - convec oven - 6 burners	Wolf, 6 burner with a convection oven, 33 1/2" x 39 1/2" x 42 1/2", on legs, 215,00 BTU's, nat gas	
Cooking equipment	Range - convec oven - 6 burners - elec	Toastmaster, model: RA36C4RD, 6 burner electric range, convection oven, 2 racks, over shelf compartment, on castors, 36" x 39" x 70 1/4", 3 ph 480 v	4-3131-88
Cooking equipment	Range - cook top - 4	4 burner range with under shelf storage, over shelf, on castors, 22 1/2" x 31" x 59", nat gas	
Cooking equipment	Range - cook top - 6	Wolf, model: C 34B-47, 6 burner range with under shelf storage, on castors, 33 1/2" x 32 1/2" x 58", DOM: 1997, 186,000 BTU's, nat gas	1086687100 1997
Cooking equipment	Range - standard oven - 10 burners	Imperial, model: IR -10-XB, 10 burner range with one left side standard oven - interior: 26 1/2" x 26" x 14", on castors, 60" x 26 3/4" x 56 1/2", 315,000 BTU's, nat gas	07092799
Cooking equipment	Range - standard oven - 6 burners	Castle, model: C330, 6 burner range with standard oven, with over shelf, on castors, inside measurements - 29" x 22", overall: 35" x 36" x 60", nat gas	
Cooking equipment	Range - standard oven - 6 burners w/salamander	US Range, model: PX-6-26, 6 burners with standard oven, inside - 26" x 20" x 13", 1 rack, on castors, has a US Range Salamander mounted on top - ceramic burners, 5 positions, 36" x 24" x 21" nat gas	0107DM022 P
Cooking equipment	Range - standard oven - 8 burners	8 burner range with right side standard oven - 29" x 22", on legs, 45" x 34" x 55", nat gas	
Cooking equipment	Steamer	Cleveland, model: 21CET8, countertop steamer, 21" x 35" x 22 1/2", 1 ph, 8,300 watts, 39.9 amps, 208 v	WC79729- 02L-01
Cooking equipment	Steamer - veg. - single portion	Roundup, mod VS-200A-DB, s/s, countertop vegetable and pasta steamer, double basket, will steam 2-10 oz portions at 180 degrees, 12" x 21 1/2" x 10", 208/220v	4010041
Cooking equipment	Steamtable - nat gas - 4	Duke, model: 304, 4 well gas steamtable, undershelf, on legs, 58 1/2" x 30" x 33 1/2", 14,000 BTU's, nat gas	N/A
Cooking equipment	Steamtable - nat gas - 4	Duke, model: S-4-SRK, s/s steamtable, 4 food wells - 12" x 20", undershelf and legs, wooden cutting board, 58 1/2" x 31 1/2" x 34", 3500 BTU's per burner, nat gas	10H82
Cooking equipment	Steamtable - elec - 2	Duke, model: EP302 M, 2 wells, individually controlled, undershelf, on castors, 30 1/4" x 23 1/2" x 33 1/4", 1500 watts, 240 v (2)	05060078

Cooking equipment	Steamtable - elec - 3	Duke, model: EP303M, 3 well electric steamtable, with Duke overshelf - model: 965-460-3M, was built into counter - 44 1/2" x 29 3/4" x 42", 3 PH , 2250 watts, 208 v	overshelf-040664587
Cooking equipment	Steamtable - elec - 4	Randell, model: 3314, 4 well gas steamtable, undershelf, sneeze guard with 13 1/2" deep overshelf, on legs, 62 3/4" x 32" x 49 1/4", 16.64, 208 v	T000029548
Cooking equipment	Steamtable - elec - 5	Duke, model: EP305M, 5 well electric steamtable, with Duke overshelf - model: 956 460-5M, has sneeze guard with lights, was built into counter - 72 1/2" x 29 1/2" x 29", 3 PH , 3750 watts, 208 v	overshelf-05063498
Cooking equipment	Toaster - conveyor	Beneco, model: 313-11, horizontal conveyor toaster, top and bottom heat controls, speed control and standby option, 1 1/2" to 3" product clearance, up to 950 slices/buns per hour, 18" x 27" x 16", 17.3 amps, 208 v	0712-493303
Cooking equipment	Toaster - conveyor	Hatco, model: TQ-700, countertop conveyor toaster, 14 1/2" x 26" x 15", 2695 watts, 22.5 amps, 120 v	3183589608
Cooking equipment	Toaster - conveyor	Holman, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 1/4 power stand by switch, 18" x 20" x 14 1/2", 240 v	N/A
Cooking equipment	Toaster - conveyor	Holman, model: EZ10, countertop conveyor toaster, 14 1/2" x 20 1/4" x 13 3/4", 12.1 amps, 120 v	70884012-0998
Cooking equipment	Toaster - conveyor	Toastmaster, model: TC44R, horizontal conveyor toaster, 3 controls, top and bottom heaters with individual controls, adjustable conveyor speed, 16 5/8" x 26 3/4" x 14", 208/240 v	09-52894-97
Cooking equipment	Toaster - pop down	Merco Savory, Model PD-4; s/s 4 slice; bread enters at top then exits at bottom; separate controls per two slots; 12 1/2"x 8 3/4"x 16 1/2", 13 amps, 208v (2)	ST1060663LU
Cooking equipment	Toaster - pop up	Hobart, model: CT 24, holds 4 slices of bread, 12 1/2" x 13 1/2" x 8", 120/208 v	1 CA 0455
Cooking equipment	Toaster - pop up	Toastmaster, model: D2, holds 4 slices of bread, 11" x 12 1/2" x 8 3/4", 2450 watts, 115/230 v	258211
Cooking equipment	Waffle iron	Wells, model: WB-2, double countertop waffle cone iron, 20" x 17 1/2" x 9", 15 amps, 120 v	D43483
Food Prep	Buffalo chopper	Hobart, model: 84145, food cutter with 14" s/s bowl, 1725 RPM knife rotation, 22 RPM bowl rotation, one piece burnished aluminum housing, 3" s/s legs, 31" x 16 1/2" x 17", 1/2 H.P. motor, 7.8 amps, 115 v	110 ML #: 18595
Food prep	Can opener	Edlund #2, manual, with base (1)	
Food prep	Can opener	Edlund base for #2 opener	
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	
Food prep	Can opener	Edlund, #1, manual, with base (4)	
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	65872
Food prep	Deli wrap dispenser	Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9"	
Food prep	Dip & topping server	Server products, mod D1-1, s/s, hinged top, removable bottom, heats 50-150, holds 1 #10 can, 7 1/2" x 8 1/4" x 8", 100 watt, 110v	767
Food prep	Food Carrier	Cres Cor, Alum food carrier, 19 1/4" x 27" x 19", hinges on right, holds pans	
Food prep	Food Carrier	Vollrath, model: 22160, tan plastic carrier with two top handles, two latches, 19" x 26 1/2" x 18 1/2"	
Food prep	Food Carrier Cart	Cambro, model: 600MPC, blue plastic cart on castors, holds 8 - full size hotel pans 2 1/2" deep, or 6 - full size hotel pans 4" deep, or 2 - full size hotel pans 6" deep, 2 half doors, 16 3/4" x 24 1/2" x 45 1/2"	
Food prep	Food Carrier Cart	Cambro, model: 800 MPC, dusty blue camcart, holds 8 full size 4" deep food pans, temp range -40 to -190 degrees F, 20 1/2" x 27" x 54"	EN 631-2
Food prep	Food processor	Dito-Dean, Dean Industries, model: TR-21 N, 9" x 16 3/4" x 15 1/2", 6.1 amps, 120 v (2)	92 7740

Food prep	Food processor	Robot Coupe, model: CL50-A, 15 1/2" x 12" x 25", 1/2 hp, 1000 watts, 12 amps, 115 v	92/04977
Food prep	Food processor	Robot Coupe, model: R-2, counter top food processor with plastic 3 qt bowl and S blade, 7" x 14" x 19",	R231993
Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food Prep	Knife sharpener	Tru Home Corporation, model: SC-84, electric wall mount sharpener, 8" x 6 3/4" x 12 1/4", 110/120 v	66559
Food prep	Meat Chopper Assembly	Meat Chopper/Grinder for use on mixers or power units, supplied with one cutter plate and knife, fits No. 12 hub	
Food prep	Mixer - 175lb	Doyon, model: AEF050, Spiral Mixer, 175 lb dough capacity, 2 speeds, s/s bowl, safety guard and mixing tools, cast iron frame w/enamel coated steel finish, 7 Hp & 1 1/2 Hp, 20 amps, 208-240/60/3	
Food prep	Onion Cutter	Lincoln/Redco, model: 550N, cast alum, to make "bloomin onions," 11 1/2" x 14" x 17" (2)	
Food prep	Peeler - vegetable	Univex, model: G Peeler, 20 pound vegetable peeler with s/s housing, precision timer - 5 minutes, extened discharge chute, quick easy lock door, flexible water inlet, 15" diameter, 23 1/2" high, 1/3 hp, 1725 RPM, 6.2 amps, 115 v	GP2960108
Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"	8405016 DOM:7/23/19
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"	
Food prep	Scale	Royal, model: EX 310, countertop (shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"	
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-200 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)	CO 71738 (AC adaptor -
Food prep	Syrup dispenser	s/s, Curtis SW - 1, 7 1/4" dia x 12 3/4", 30 watts, 120v	10579184
Food prep	Tomato Slicer	Nemco, model: N55600, 15" x 7 1/2" x 8", with new blades	
Food prep	Tomato Slicer	Tomato King, 14" x 9 1/2" x 9 1/2"	
Food prep	Wedger	Lincoln Redco, Insta-Cut, cuts into 8 wedges, 9" x 9" x 17"	
Food prep	Wedger	Lincoln/Redco, cast alum, cuts 8 wedges, sits on counter w/ 3 feet - 9" apart, 15 1/2" height	
Food prep	Wedger	Mies prod, mod 908-A6, alum, manual, cuts 6 wedges, w/ 4 feet, 9 1/2" x 7 1/2" x 18 3/4"	
Food prep	Wedger	Prince Castle, model: 910-A, alum, cuts 10 wedges, sits on counterw/ 4 feet - 7 1/2" apart	
Furniture & fixtures	Salad bar top	s/s, salad bar top with 1 - 15 1/2" dia hole for salad bowl and 20 - 6 1/4" dia holes for salad crocks, has 1" lip, overall measurements - 69 1/2" x 23 3/4" x	
Furniture & fixtures	Salad/Buffer Cart	Vollrath, model: 91954, tan plastic food/salad cart, on castors, clear plastic sneeze guard on both sides - 59 1/2" x 10", insulated mobile cart, 61" x 24 1/2" x 56"	314
Furniture & fixtures	Sign - magnetic	Magnetic, indoor wood frame sign, 23" x 33" (4)	International Patterns
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 36" x 31 1/2"	
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 45" x 31 1/2"	

Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 49 1/2" x 31 1/2" (2)	
Furniture & fixtures	Sign - open	Fallon, model: HC-718973, horizontal oval - indoor red and blue Xenon sign, 35 1/2" x 18" x 1 1/2", 110-240 v - 50/60Hz 1.2 amps	
Furniture & fixtures	Sign - open	Fallon, model: GL-712554, hanging horizontal - indoor red and blue neon "Open" sign, 31" x 16" x 3 1/2", 120 v (2)	81403AFR00 1870
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, brass/gold braces that bolt to counter top, two glass panels - 43 1/2" x 13 5/8" each	
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, black metal braces that bolt to counter top, two glass panels - 58 1/4" x 14" each	
Furniture & fixtures	Vending Cart	Precision Industries, INC, model: HG016, 71" x 34" vending cart with 5 gal water capacity, sgl door undercounter cooler - Bev Air (6.2 cu ft), World Cusine, sgl panini grill, 71 1/4" x 34 1/4" x 94 3/4", LP	661
Refrigeration	Cooler	Continental, model: 1R, single door (hinges on right), top mount mechanics, 3 racks, on castors, 26" x 36" x 82 1/4", 29 amps, 115 v,	13321732 DOM: 1999
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	DOS: 12/1994
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	97437 DOS:8/1979
Refrigeration	Cooler - GDM	True, model: GDM 40, 2 doors -sliding, 8 alum shelves, 40 cu ft capacity, 47" x 29" x 82", 7.5 amps, 115 v	239227
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	2034279
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	96K5264
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	96209613 -789
Refrigeration	Cooler - Open merchandiser	Hussman, model:DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	9320552055
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	360726-H
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	1-3023460
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 - 38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	DOM 3/97
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	816 32-1 DOM: 02/99
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front acess, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	T000001360 3