



Sanford's Used Restaurant Equipment

136 Kokanee Rd Fairplay CO. 80440

WH Phone: 719/836-9008 COLO.Spgs.: 719-641-9872 Messages: 719/332-7800 Fax: 719/836-7275
 E-Mail: www.sanfordsre.com

March
2010

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Beverage	Hot chocolate machine	Celcilware, Whipper, hopper capacity - 8lb, water tank - 2.2 gal, 9" x 19 1/2" x 27", 15 amps, 120 v
Beverage	Ice tea brewer	Bloomfield Integrity, model: 8742, s/s countertop brewer with 3 gal tea dispenser, 11" x 17" x 23 3/8", 1515 watts, 120 v
Beverage	Ice tea brewer	Bunn, model: TU3, s/s countertop brewer with tea dispenser (TC-3A, S/N: 57556) 3 gal, 10" x 18 1/2" x 35", 1775 watts, 14.8 amps, 120 v
Beverage	Ice tea brewer	Cecilware, Lipton, model: FTC3P, 3 gallon capacity, pour thru, 9" x 20" x 28 1/2", 120 v
Beverage	Ice tea brewer	Curtis, Polaris III, model: PTB-3, auto fill, 9" x 21" x 24 3/4", 1675 watts, 14 amps, 120 v
Beverage	Juice dispenser	Jet spray, mod EJ1, s/s and plastic, single flavor, visual display, 8 gal, accommodates cup size up to 64 oz, 20" bowl diameter, 1/4 hp compressor, 16" x 18" x 25 1/2", 115v
Cooking Equipment	Food warmer	APW, model: W3-V, full size countertop food warmer, 14 1/2" x 24 1/2" x 9 1/2", 1200 watts, 120 v (2)
Cooking Equipment	Food warmer	Crestware, model: Challenger, 15-0404/2031, full size countertop food warmer, 12" x 20" x 9 1/2", 10 amps, 1200 watts, 120 v (2)
Cooking equipment	Food warmer - soup	Wells, Lite Line, model: LLW- 11, round countertop food warmer, 12 1/2" dia, 8 1/2" tall, 625 watts, 120 v
Cooking equipment	Food warmer - soup - dbl	Server, model: Twin-FS-4, 8 qt capacity holds two 4 qt insets, separate controls, 17" x 8 1/2" x 14", 8.3 amps, 1000 watts, 120 v
Cooking equipment	Pizza display warmer	Star, model: 8D-HFD-1-CR, 4 glass sides, holds 3 12" pizzas, temp & humidity controls, lighted interior, 13 1/8" x 15 1/8" x 28 1/2", 1280 watts, 120 v
Cooking equipment	Pizza oven	Baker's Pride, model: D125, single deck - 48" x 36", 10" interior deck height, 300 - 650 degree range, 65 1/4" x 43" x 29 1/4", 125,000 BTU's, nat gas
Cooking equipment	Pizza oven	Blodgett, model: 1000S, deck pizza oven holds 6 14" pizzas, inside measurements - 47 3/4" x 37" x 10", overall measurements - 60" x 45 1/2" x 44 1/2", 120,000 BTU's
Cooking equipment	Pizza oven	Blodgett, model: 1048-C-L, single deck - 47 1/4" x 36", 10" interior deck height, Fahrenheit dial 300 - 650 degree range, 60 1/2" x 45" x 56 1/4", 85,000 BTU's, nat gas
Cooking equipment	Pizza oven	Blodgett, model: 961 - P, single ceramic deck oven, 4- 16" pizzas, 300- 650 temp range, 50,000 BTU's, 60" x 38" x 49 3/4", nat gas
Cooking equipment	Pizza oven - countertop	APW, model: CDO 17, small counter top pizza oven with two stones, 21 3/4" x 26" x 17 1/2", 7.7/9 amps, 208/240 v
Cooking equipment	Pizza oven - countertop	Bakers Pride, mod P-46, s/s, 2 baking chambers, 150-550 degrees in lower chamber, 300-650 degrees in upper chamber, 26 1/2" x 29" x 29", 5750 watts, 208v
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: L02E, 2 ceramic decks, 20 3/4" x 21 3/4" x 17", 1600 watts, 115v
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: MOS2E, 2 decks, ceramic decks - 18" x 18", 300 - 650 temp range, 22 1/2" x 23 1/2" x 17 1/2", 1800 watts, 120 v
Cooking equipment	Pizza oven - countertop	Nemco, model: 6215, small countertop oven with one deck, 18 1/2" x 20" x 8", 1450 watts, 120 v

Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412, small countertop oven with 1 deck, has a preset thermostat to 450 degrees, 15 minute timer, 18" x 15 1/2" x 7 1/4", 12.7 amps, 1400 watts, 110 v	
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412-5, small countertop oven with 1 deck, 18" x 19" x 7 1/2", 1450 watts, 12 amps, 120 v (2)	
Food prep	Can opener	Edlund #2, manual, with base (1)	
Food prep	Can opener	Edlund base for #2 opener	
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	
Food prep	Can opener	Edlund, #1, manual, with base (4)	
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	
Food prep	Deli wrap dispenser	Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9"	
Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food prep	Mixer - 175lb	Doyon, model: AEF050, Spiral Mixer, 175 lb dough capacity, 2 speeds, s/s bowl, safety guard and mixing tools, cast iron frame w/enamel coated steel finish, 7 Hp & 1 1/2 Hp, 20 amps, 208-240/60/3	
Food prep	Mixer - 30 qt	Hobart, model: D-300DT, 30 qt mixer, with bowl, paddle, hook, and whip, 20" x 21 1/2" x 45 1/2", 2.1 amps, 1/2 Hp, 200 v 3ph	
Food prep	Onion Cutter	Lincoln/Redco, model: 550N, cast alum, to make "bloomin onions," 11 1/2" x 14" x 17" (2)	
Food prep	Pan rack	Alum cabinet with 3 sides, holds 40 sheet pans, on castors, 21 3/4" x 27 1/2" x 69 1/2"	
Food prep	Pan rack	Alum, full size pan rack on castors holds 20 sheet pans, on castors, 20 1/2" x 26" x 69 1/2"(4)	
Food prep	Pan rack	Alum, full size pan rack with 36 options for adjustable brackets, on castors, 27" x 26" x 68" (5)	
Food prep	Pan rack	Alum, full size pan rack with castors, holds 15 sheet pans, 20 1/2" x 26" x 69 3/4"	
Food prep	Pan rack	Alum, full size pan rack with no castors, holds 18 pans, 20 1/2" x 26" x 58"	
Food prep	Pan rack	Metro, full size alum pan rack on castors, holds 11 sheet pans, 21 1/4" x 26" x 63 1/4"	
Food prep	Pan rack	Alum, pan rack with castors, 20 3/4" x 28" x 59", can hold 10 sheet pans	
Food prep	Pan rack - 1/2 size	Lockwood, model: RA30-ER-6 EY, 1/2 size alum. Pan rack holds 6 pans, 29" x 18" x 32"	
Food prep	Pan rack - 1/2 size	Rubbermaid, light grey plastic, holds 8 full size sheet pans, on castors, 32" x 23" x 35 1/2"	
Food prep	Pan rack - 1/2 size	Win Holt, half size pan rack holds 10 full size sheet pans, on castors, 20 1/2" x 26" x 40"	
Food prep	Peeler - vegetable	discharge chute, quick easy lock door, flexible water inlet, 15" diameter, 23 1/2" high, 1/3 hp, 1725 RPM, 6.2 amps, 115 v	

Food prep	Scale	Pelouze, model: 10100, 100 lb countertop scale, 100 lbs x 4 oz, 13" x 15" x 14"
Food prep	Scale	Pelouze, model: Y50, countertop scale, (1991 postal scale), 50 lbs x 2 oz, 6 1/2" x 7" x 8 1/2"
Food prep	Scale	Royal, model: EX 310, countertop (shipping scale), blk exterior, 12 1/2" x 12 1/2" x 1 3/4"
Food Prep	Scale	Yamato, model: DSR-200, digital portion control countertop food scale, removable s/s platform - 12" x 12" x 1 3/4", 0-200 lbs X 0.2 lb, 9V DC (6 - "AA" bateries or an AC adaptor)
Food prep	Scale	Yamato, model: PB-200, digital pizza/bakery countertop food scale, platform - 11.75" x 12.25", single face display, 12 1/2 lbs x 0.1 oz, (rechargable battery pack or AC adaptor)
Food prep	Tomato Slicer	Nemco, model: N55600, 15" x 7 1/2" x 8", with new blades
Food prep	Tomato Slicer	Tomato King, 14" x 9 1/2" x 9 1/2"
Refrigeration	Cooler	Delfield, model: 6025-S, single door (hinges on the right), top mount mechanics, 4 racks, on castors, 25 3/4" x 32 1/2" x 79 1/2", 6.5 amps, 115 v
Refrigeration	Cooler	True, model: T-23, single door (hinges on the right), bottom mount mechanics, 3 shelves, on castors, 27" x 29 3/4" x 82 3/4", 7.6 amps, 115 v
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v
Refrigeration	Cooler - freezer	Traulson, mod GDT-332NUT, 3 door, cooler on left side, freezer on right, top mount compressors, 6 shelves, lighted, cooler-42 cu ft, freezer-19 cu ft, 76 1/2" x 35 1/2" x 77 1/4", 115v
Refrigeration	Cooler - freezer	Traulson, model: RDT 1-32WUT, dual temp, two half doors - hinges on left, cooler capacity- 10.5 cu ft, freezer capacity- 10.1 cu ft, s/s exterior and interior, on castors, 30" x 32" x 83", 13.4 amps, 115 v
Refrigeration	Cooler - GDM	True, model: GDM 26, single glass door cooler - hinges on right, green 7-up exterior, 4 shelves, 30" x 29 1/2" x 78 1/2", 7.2 amps, 115 v
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG466S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part can be refrigerated service display with fixed glass front, black exterior, folding back cutting board - 13", castors, 66" x 30" x 61 1/2", 20 amps, 120/208 v
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v
Refrigeration	Cooler - Open merchandiser	Hussman, model: DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on castors, 70" x 32" x 42 1/2", 10 amps, 115 v
Refrigeration	Cooler - sand prep	True, model: TSSU-72-18, 3 doors, 2 shelves, 19 cu ft capacity, top holds 18 pans, on castors, 1/2 Hp, 10.5 amps, 115 v
Refrigeration	Cooler - undercounter	Delfield, model: UC4048, 2 doors, 5 shelves, on legs, 48" x 28 3/8" x 36", 5 amps, 115 v
Refrigeration	Cooler - undercounter	Silver King, model: SKRB48, 2 doors, 12.2 cubic foot capacity, 2 shelves, 48" x 29 3/4" x 33 3/4", 6.75 amps, 115 v
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v

Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 -38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	
Refrigeration	Deli case	The C. Schmidt Co., model: SHR-6, slanted glass front, 2 sliding rear doors, 2 shelves, 76" x 34 1/2" x 48", 12 amps, 115 v	

Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Deli case	True, model: TSID 48-2, 4 ft glass deli case with 2 rear doors, 16 cu ft capacity, one shelf, 48 1/2" x 29 1/2" x 50 7 1/6", 8.9 amps, 115 v	
Refrigeration	Display case - pie	Delfield, model: 7048-M, countertop display case with mirrored back, 2 front sliding access doors, 1 shelf, 48 3/8" x 24 3/8" x 30 1/8", 6.5 amps, 115 v	
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front access, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	
Refrigeration	Freezer - GDM	Hussman, model: RL0493G41, 2 glass doors, "Ice Cream" white exterior, bottom mount mechanics, 54" x 33 1/8" x 79", 15 amps, 208/230 v	
Refrigeration	Freezer - Ice cream	Hussman, model: DCCG-16-D, ice cream dipping cabinet, 16 tub display, 87" x 26 1/4" x 52", 15 amps, 115 v	
Refrigeration	Freezer - Ice cream	model: 16HR-3, ice cream dipping cabinet, holds 16 display tubs, 88" x 27" x 50 1/2", 115 v	
Refrigeration	Freezer - Ice cream	model: HR12, ice cream dipping cabinet, holds 12 display tubs, 67" x 27" x 51", 115 v	
Refrigeration	Frost top	Delfield frost top, model: N8231, cools granite stone, 31 1/4" x 25 7/8" x 16", 1 Ph, 7 amps, 115 v, DOM: 2/13/2003	
Refrigeration	Ice bin	Hoshizaki, model: B500PD, capacity - 500 lbs of ice, grey exterior, on legs, 30 1/4" x 33" x 46"	
Refrigeration	Ice bin	Hoshizaki, model: B-70 PD, 44 1/2" x 34" x 46 1/4"	
Refrigeration	Ice bin	Manitowoc, mod C170, light tan metal exterior, fits 30" x 24" head, 170# capacity, 30" x 29" x 26" (3)	
Refrigeration	Ice bin	Scotsman model: HTB 555, 550 lb ice bin, grey exterior, 29" x 36" x 50 1/4"	
Refrigeration	Ice bin	Scotsman, model: B222S, 242 lb capacity, 22" x 33 1/2" x 36"	
Refrigeration	Ice bin	Scotsman, model: BH 550, 410 lb capacity, 30" x 34 1/2" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800AE, 800 lb capacity, tan exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: BH800S-C, 800 lb capacity, s/s exterior, 42" x 32" x 50 1/2"	
Refrigeration	Ice bin	Scotsman, model: HTB500, 500 lb ice bin, 31" x 32 1/2" x 47"	
Refrigeration	Ice bin	Scotsman, tan exterior, 42" x 31 1/2" x 36 1/4"	
Refrigeration	Ice machine	Hoshizaki, model: KM-500-MAE, 500 lb air-cooled, s/s exterior, slim line - 22" x 28" x 30 5/8", 20 amps, 120 v	
Refrigeration	Ice machine	Manitowoc, model: QYO455W, 450 lb water cooled, s/s exterior, 29 1/2" x 22 1/4" x 21 1/2", 11.9 amps, 115 v	
Refrigeration	Ice machine	Manitowoc, model: HYO204A, 200 lb air cooled, tan exterior, 30" x 23 1/4" x 16 1/2", 15.6 amps, 115 v	
Refrigeration	Ice machine - undercounter	Manitowoc, model: QYO134A, under the counter air cooled ice machine and ice bin, 90 lbs/ per day, half-dice cube size, 26" x 26.5" x 32.5", 6.5 amps, 115 v	
Refrigeration	Pan rack	Eagle, full size pan rack to fit into a upright cooler, holds 20 sheet pans, 20 1/2" x 28" x 65"	
Refrigeration	Stacking collar	True, TUC-27, s/s, for space efficient freezer and refrigerator combination, 27 1/2" x 30"	