



Sanford's Used Restaurant Equipment

136 Kokanee Rd

Fairplay CO. 80440

WH Phone: 719/836-9008 Messages: 719/332-7800 Fax: 719/836-7275
 sales@sanfordsre.com

MAY
2010

Inventory of equipment changes daily. Please call to confirm availability.

Equipment Available

Cleaning & storage	Table - butcher block	24" x 18" x 1 1/2", with undershelf, on castors	
Cleaning & storage	Table - stainless steel	60" x 24" x 36" stainless steel prep table, Advance Tabco, model: ELAG245, reinforced, rolled edges, with alum undershelf - 54" x 18 1/2", on legs	
Cleaning & storage	Table - stainless steel	72" x 24" x 36" stainless steel prep table with 1 1/2" backsplash, reinforced, with alum undershelf	
Cleaning & storage	Table - worktop	Beverage Table, s/s, sheet pan storage on right side, open storage on left, 4 elec outlets, 8" backsplash, enclosed back & sides, 59" x 32" x 43"	
Cleaning & storage	Table - worktop	s/s, 2 enclosed undershelves, 4 sliding front doors, Left corner (17" x 11") cut out, on legs, 86 1/2" x 28 1/2" x 39 1/2"	
Cleaning & storage	Table - worktop	s/s, under storage, recessed front w/drain, good for soda machine support, enclosed back & sides, 48" x 36" x 35"	
Cooking equipment	Flat warmer	Drop-in flat top food warmer with wood frame - 31 3/4" x 51 1/2", Underwriters Laboratories, model: 567L warmer size - 40 3/4" x 27 1/4" x 8", 120 v	
Cooking equipment	Oven - conveyor	Holman, model: MM14, countertop conveyor oven, adjustable opening from 1 1/2" x 3", 21" x 39" x 13", 23.7 amps, 240 v	IU412001-1200
Cooking equipment	Oven - conveyor	Holman, model: 314HX, countertop conveyor oven, 14-16 12" pizzas/hr or 56-60 5" pizzas/hr, adjustable opening from 1 1/2" - 4", 19 1/2" x 39" x 13", 5400 watts, 26.4 amps, 208 v	05945-0593
Cooking equipment	Pizza display warmer	Star, model: 8D-HFD-1-CR, 4 glass sides, holds 3 12" pizzas, temp & humidity controls, lighted interior, 13 1/8" x 15 1/8" x 28 1/2", 1280 watts, 120 v	H1803296 6/01
Cooking equipment	Pizza oven	Baker's Pride, model: D125, single deck - 48" x 36", 10" interior deck height, 300 - 650 degree range, 65 1/4" x 43" x 29 1/4", 125,000 BTU's, nat gas	C141
Cooking equipment	Pizza oven	Blodgett, model: 1000S, deck pizza oven holds 6 14" pizzas, inside measurements - 47 3/4" x 37" x 10", overall measurements - 60" x 45 1/2" x 44 1/2", 120,000 BTU's	0685B01281 01
Cooking equipment	Pizza oven	Blodgett, model: 1048-C-L, single deck - 47 1/4" x 36", 10" interior deck height, Fahrenheit dial 300 - 650 degree range, 60 1/2" x 45" x 56 1/4", 85,000 BTU's, nat gas	1.92E+10
Cooking equipment	Pizza oven	Blodgett, model: 961 - P, single ceramic deck oven, 4- 16" pizzas, 300- 650 temp range, 50,000 BTU's, 60" x 38" x 49 3/4", nat gas	071105AJ03 1S
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: L02E, 2 ceramic decks, 20 3/4" x 21 3/4" x 17", 1600 watts, 115v	24286
Cooking equipment	Pizza oven - countertop	Bakers Pride, model: M0S2E, 2 decks, ceramic decks - 18" x 18", 300 - 650 temp range, 22 1/2" x 23 1/2" x 17 1/2", 1800 watts, 120 v	3585
Cooking equipment	Pizza oven - countertop	Nemco, model: 6215, small countertop oven with one deck, 18 1/2" x 20" x 8", 1450 watts, 120 v	B02
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412, small countertop oven with 1 deck, has a preset thermostat to 450 degrees, 15 minute timer, 18" x 15 1/2" x 7 1/4", 12.7 amps, 1400 watts, 110 v	T-84532
Cooking equipment	Pizza oven - countertop	Wisco, Pizza Pal, model: 412-5, small countertop oven with 1 deck, 18" x 19" x 7 1/2", 1450 watts, 12 amps, 120 v (2)	33076 39929 01/03

Cooking equipment	Proofing cabinet	Eastern Steel Rack, model: HC-72-36-1-1/2, 2 red half doors, holds 36 sheet pans, on castors, 21 1/2" x 30" x 74 3/4"	
Cooking equipment	Proofing cabinet	Metro, model: C75 P4N, full size proofing cabinet with glass door, 18 side brackets for pans, on castors, 25" x 31 3/4" x 76 1/2", 1500 watts, 15 amps, 110 v	0112993375
Food prep	Can opener	Edlund #2, manual, with base (1)	
Food prep	Can opener	Edlund base for #2 opener	
Food prep	Can opener	Edlund, #1, manual, w/o base (2)	
Food prep	Can opener	Edlund, #1, manual, with base (4)	
Food prep	Deli Wrap	Deli-Wrap, model: 630, shrink-wraps pizzas, deli plates, d'oeuvre trays in seconds, air tight seal, 15 1/2" x 15 1/2" x 10 1/2", 1500 watts, 12.5, 120 v	65872
Food prep	Deli wrap dispenser	Deli wrap dispenser,model: 605, double roll dispenser, accessory for Deli Wrap unit, 12" x 9 14" x 9"	
Food prep	Grater Assembly	Attachment for No. 12 hub, housing with latch, door, push plate, disk holder with studs, one cutting disc	
Food prep	Grater Assembly - S blade knife	Adjustable knife for a grater assembly, No. 12 hub (2)	
Food prep	Ingredient bin	White plastic ingredient bin on castors, 21 gal capacity, holds 170lbs sugar and 140 lbs flour, 13" x 30" x 29"	
Food prep	Mixer - 175lb	Doyon, model: AEF050, Spiral Mixer, 175 lb dough capacity, 2 speeds, s/s bowl, safety guard and mixing tools, cast iron frame w/enamel coated steel finish, 7 Hp & 1 1/2 Hp, 20 amps, 208-240/60/3	
Food prep	Pan rack	Alum cabinet with 3 sides, holds 40 sheet pans, on castors, 21 3/4" x 27 1/2" x 69 1/2"	
Food prep	Pan rack	Alum, full size pan rack on castors holds 20 sheet pans, on castors, 20 1/2" x 26" x 69 1/2"(4)	
Food prep	Pan rack	Alum, full size pan rack with 36 options for adjustable brackets, on castors, 27" x 26" x 68" (5)	
Food prep	Pan rack	Alum, full size pan rack with castors, holds 15 sheet pans, 20 1/2" x 26" x 69 3/4"	
Food prep	Pan rack	Alum, full size pan rack with no castors, holds 18 pans, 20 1/2" x 26" x 58"	
Food prep	Pan rack	Metro, full size alum pan rack on castors, holds 11 sheet pans, 21 1/4" x 26" x 63 1/4"	
Food prep	Pan rack	Alum, pan rack with castors, 20 3/4" x 28" x 59", can hold 10 sheet pans	
Food prep	Pan rack - 1/2 size	Lockwood, model: RA30-ER-6 EY, 1/2 size alum. Pan rack holds 6 pans, 29" x 18" x 32"	N/A
Food prep	Pan rack - 1/2 size	Rubbermaid, light grey plastic, holds 8 full size sheet pans, on castors, 32" x 23" x 35 1/2"	
Food prep	Pan rack - 1/2 size	Win Holt, half size pan rack holds 10 full size sheet pans, on castors, 20 1/2" x 26" x 40"	
Furniture & fixtures	Sign	Fiber Does Inc, model: BM 421686, Sunspot design, "open, coffee, donuts", black w/blue, green, orange letters, horizontal, 25" x 18" x 3 1/2, 110v	201295
Furniture & fixtures	Sign	TecArt, plastic hanging signs, "BallPark" franks logo, horizontal, 24" x 5" x 12", 120v (5)	
Furniture & fixtures	Sign - magnetic	Magnetic, indoor wood frame sign, 23" x 33" (4)	International Patterns
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 36" x 31 1/2"	
Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 45" x 31 1/2"	

Furniture & fixtures	Sign - Menu	Black metal - 1" frames, glass with black background, 49 1/2" x 31 1/2" (2)	
Furniture & fixtures	Sign - open	Fallon, model: HC-718973, horizontal oval - indoor red and blue Xenon sign, 35 1/2" x 18" x 1 1/2", 110-240 v - 50/60Hz 1.2 amps	
Furniture & fixtures	Sign - open	Fallon, model: GL-712554, hanging horizontal - indoor red and blue neon "Open" sign, 31" x 16" x 3 1/2", 120 v (2)	81403AFR00 1870
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, brass/gold braces that bolt to counter top, two glass panels - 43 1/2" x 13 5/8" each	
Furniture & fixtures	Sneeze Gaurd	Glass sneeze guard, black metal braces that bolt to counter top, two glass panels - 58 1/4" x 14" each	
Refrigeration	Cooler	Continental, model: 1R, single door (hinges on right), top mount mechanics, 3 racks, on castors, 26" x 36" x 82 1/4", 29 amps, 115 v,	13321732 DOM: 1999
Refrigeration	Cooler	Traulsen, model: G10010, single door cooler, 36 positions to hold sheet pans - no shelves, on legs, top mount mechanics, 30" x 35" x 83", 15 amps, 115 v	DOS: 12/1994
Refrigeration	Cooler - freezer	Traulsen, model: RDT 1-26 WUT, dual temp, two half doors - hinges on right, dual temp unit, on legs, 30" x 26" x 83", 115 v	97437 DOS:8/1979
Refrigeration	Cooler - GDM	True, model: GDM 40, 2 doors -sliding, 8 alum shelves, 40 cu ft capacity, 47" x 29" x 82", 7.5 amps, 115 v	239227
Refrigeration	Cooler - merchandiser - display	Columbus, model: SBBR/DG427S4, Bi-temp - Self contained Kiosk, refrigerated open air screen for grab & go convenience, end panals with mirror inside, top part is a non-refrigerated service display with fixed glass front, black exterior, 27 3/4" x 34 1/4" x 58 1/4", 12.9 amps, 120 v	2034279
Refrigeration	Cooler - merchandiser - display	Delfield, model: CUSTOM 533-SR, straight glass display case, bottom section - 1 shelf, top section - 3 shelves, 33" x 28 1/2" x 95", 14.5 amps, 120 v	
Refrigeration	Cooler - Open merchandiser	Coldstream, model: VASC60, 3 shelves, white exterior and interior, 60" x 28 1/2" x 80 1/4", 16 amps, 115 v/ 208-230-3W, 60 hz, 1 ph	96K5264
Refrigeration	Cooler - Open merchandiser	Hussman, model: SHM 6, open reachin merchandiser cooler with three step shelves, off-white exterior, 72" x 29 1/2" x 43", 14 amps, 115 v	96209613 -789
Refrigeration	Cooler - Open merchandiser	Hussman, model:DDS-48, self contained 4 foot merchandiser, says " Serve Yourself" on top panel, good for medium temperature applications such as: deli/dairy/beverage & floral, 51 1/2" x 35 1/2" x 82", 115v	9320552055
Refrigeration	Cooler - pizza prep	Delfield, model: 18670PTB, 2 door, no top covers, on casters, 70" x 32" x 42 1/2", 10 amps, 115 v	360726-H
Refrigeration	Cooler - undercounter	True, model: TUC 27D, 2 drawer undercounter cooler, can have legs or castors, 27 1/2" x 30 1/4" x 32", 1/5hp, 6.1 apms, 115 v	1-3023460
Refrigeration	Deli case	Federal, model: SN-6CD, curved glass deli case, glass ends and rear doors, average temp in case 36 - 38 degrees, 72" x 37 1/2" x 58 3/4", 115 v	DOM 3/97
Refrigeration	Deli case	Federal, model: SQ3CD, 36" x 44 1/8" x 48", 3 ft curved glass display case, plexiglass rear access doors, lighted interior, work space/cutting board on back - 36" x 11 1/2", 15 amps, 120 v	816 32-1 DOM: 02/99
Refrigeration	Display case - pie	Randell, model: 41036A, wall mount or counter top refrigerated display case, 2 sliding glass doors - front acess, 2 shelves, and mirrored back, 36" x 23" x 20", 120 v	T000001360 3